# VICKS DAYQUIL KIDS AND VICKS NYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS- dextromethorphan hbr, guaifenesin, diphenhydramine hcl

The Procter & Gamble Manufacturing Company

-----

## Vicks <sup>®</sup> DayQuil<sup>™</sup> Kids / Vicks <sup>®</sup> NyQuil<sup>™</sup> Kids FREE OF ARTIFICIAL DYES & SUGAR COLD & COUGH + Convenience Pack

Vicks® DayQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR COLD & COUGH + MUCUS, Liquid

#### **Drug Facts**

#### Active ingredients (in each 15 mL)

Dextromethorphan HBr 10 mg Guaifenesin 200 mg

#### **Purpose**

Cough suppressant Expectorant

#### Uses

- temporarily relieves common cold symptoms:
- cough due to minor throat & bronchial irritation
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

#### **Warnings**

#### Do not use

 if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

#### Stop use and ask a doctor if

• cough persists for more than 7 days, comes back or occurs with a fever, rash or

persistent headache

These could be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

#### Other information

- each 15 mL contains:sodium 44 mg
- store at no greater than 25°C

#### Inactive ingredients

anhydrous citric acid, flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose, water

#### Questions?

1-800-362-1683

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINKBAND SEAL AROUND THE NECK IS BROKEN OR MISSING

MADE IN CANADA

DIST. BY: PROCTER & GAMBLE, CINCINNATI, OH 45202

Vicks ®NyQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR COLD & COUGH + RUNNY NOSE, Liquid

#### **Drug Facts**

#### Active ingredients (in each 15 mL)

Diphenhydramine HCl 12.5 mg

#### **Purpose**

Antihistamine/Cough suppressant

#### Uses

- temporarily relieves common cold symptoms:
- cough due to minor throat & bronchial irritation
- cough to help you sleep
- runny nose & sneezing

#### **Warnings**

#### Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

#### Ask a doctor before use if you have

- glaucoma
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or occurs with smoking, asthma, chronic bronchitis or emphysema

#### Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

#### When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

#### Stop use and ask a doctor if

 cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache

These could be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

#### Other information

- each 15 mL contains:sodium 44 mg
- store at no greater than 25°C

#### Inactive ingredients

anhydrous citric acid, flavor, glycerin, polysorbate 20, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose, water

#### Questions?

#### 1-800-362-1683

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINKBAND SEAL AROUND THE NECK IS BROKEN OR MISSING

MADE IN CANADA

DIST. BY: PROCTER & GAMBLE

CINCINNATI, OH 45202

#### PRINCIPAL DISPLAY PANEL - Convenience Pack

Vicks® DayQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR / Vicks® NyQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR COLD & COUGH + Convenience Pack

#### **TRUSTED**RELIEF

#### VICKS ®

#### VALUEPACK

Vicks ® DayQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR

COLD & COUGH + MUCUS

Guaifenesin, Dextromethorphan HBr

Chest Congestion,

Thins & Loosens Mucus

Cough

Non-Drowsy

Ages 6+

FREE OF ALCOHOL & ACETAMINOPHEN

Vicks ®NyQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR

COLD & COUGH + RUNNY NOSE

Diphenhydramine HCl

Sneezing,

Runny Nose,

Cough Nighttime Relief

Ages 6+

FREE OF ALCOHOL & ACETAMINOPHEN

2 BOTTLES - 1 DAYQUIL/1NYQUIL 6 FL OZ (177 mL) EACH; TOTAL 12 FL OZ (354 mL)



### VICKS DAYQUIL KIDS AND VICKS NYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS

dextromethorphan hbr, guaifenesin, diphenhydramine hcl kit

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84126-312

#### **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-312- 12	1 in 1 PACKAGE; Type 0: Not a Combination Product	06/25/2024	

Quant	Quantity of Parts				
Part # Package Quantity		Total Product Quantity			
Part 1	1 BOTTLE, PLASTIC	177 mL			
Part 2	1 BOTTLE, PLASTIC	177 mL			

#### Part 1 of 2

## VICKS DAYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS MUCUS

dextromethorphan hbr, guaifenesin liquid

#### **Product Information**

Item Code (Source) NDC:84126-310

**Route of Administration** ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 15 mL	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL	

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
GLYCERIN (UNII: PDC6A3C0OX)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SORBITOL (UNII: 506T60A25R)		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

Product Characteristics			
Color	white (product is clear)	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
<b>1</b> N 3		177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/25/2024	

#### Part 2 of 2

## VICKS NYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS RUNNY NOSE

diphenhydramine hydrochloride liquid

#### **Product Information**

Item Code (Source) NDC:84126-311

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name

Basis of Strength

DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)
(DIPHENHYDRAMINE - UNII:8GTS82S83M)

DIPHENHYDRAMINE | 12.5 mg in 15 mL

Inactive Ingredients			
Ingredient Name	Strength		
SODIUM BENZOATE (UNII: OJ245FE5EU)			
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
GLYCERIN (UNII: PDC6A3C0OX)			
SORBITOL (UNII: 506T60A25R)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
POLYSORBATE 20 (UNII: 7T1F30V5YH)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			

Product Characteristics			
Color	white (The product is clear)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

#### **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:84126- 311-06	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	06/25/2024		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	06/25/2024		

### **Labeler -** The Procter & Gamble Manufacturing Company (004238200)

Revised: 10/2025 The Procter & Gamble Manufacturing Company