

SEVERE ALLERGY PLUS SINUS HEADACHE- acetaminophen, diphenhydramine hcl, phenylephrine hcl tablet, film coated
Wal-Mart Stores Inc

Equate 44-543

Active ingredients (in each caplet)

Acetaminophen 325 mg
Diphenhydramine HCl 25 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever
Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms of hay fever or other upper respiratory allergies:
 - headache
 - nasal congestion
 - sneezing
 - runny nose
 - sinus congestion and pressure
 - itchy, watery eyes
 - itching of the nose or throat
 - minor aches and pains

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- glaucoma
- heart disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- liver disease
- thyroid disease
- diabetes

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-888-287-1915

Principal Display Panel

equate™

NDC 49035-543-09

Quality Guaranteed

Maximum Strength

Severe Allergy Plus Sinus Headache

Acetaminophen, Diphenhydramine HCl,
Phenylephrine HCl

Pain Reliever/Antihistamine/Nasal Decongestant

Relieves:

- Sinus headache
- Sinus congestion
- Sinus pressure
- Sneezing
- Runny nose
- Itchy throat
- Itchy, watery eyes

**20
CAPLETS**

Actual Size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

DISTRIBUTED BY:

**Walmart Inc.,
Bentonville, AR 72716**

50844 REV0918G54309

Satisfaction guaranteed -
Or we'll replace it or give
you your money back.

For questions or
comments please call

1-888-287-1915.

equate™

**Severe Allergy
Plus Sinus Headache**
Acetaminophen, Diphenhydramine HCl,
Phenylephrine HCl

B-2203-543-09
REV0918054309

equate™

NDC 49035-543-09

**Quality
Guaranteed**

Maximum Strength

**Severe Allergy
Plus Sinus Headache**
Acetaminophen, Diphenhydramine HCl,
Phenylephrine HCl

Drug Facts

**KEEP OUTER PACKAGE FOR
COMPLETE PRODUCT INFORMATION**

Active Ingredients (in each caplet)

Acetaminophen 325 mg
Diphenhydramine HCl 25 mg
Phenylephrine HCl 5 mg

Uses ■ temporarily relieves these symptoms of hay fever or other upper respiratory allergies: ■ headache ■ sneezing ■ nasal congestion ■ sinus congestion and pressure ■ itchy, watery eyes ■ itching of the nose or throat ■ minor aches and pains

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours ■ 3 or more alcoholic drinks every day while using this product ■ with other drugs containing acetaminophen

Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ with any other product containing diphenhydramine, even one used on skin ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ if you have ever had an allergic reaction to this product or any of its ingredients

Drug Facts (continued)

Drug Facts (continued)

■ TAMPERS EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients corn starch, croscarmellose

Drug Facts (continued)

Ask a doctor before use if you have ■ high blood pressure ■ glaucoma ■ heart disease ■ difficulty in urination due to enlargement of the prostate gland ■ a breathing problem such as emphysema or chronic bronchitis ■ liver disease ■ thyroid disease ■ diabetes

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin ■ taking sedatives or tranquilizers ■ when using this product ■ do not exceed recommended dosage ■ excitability may occur, especially in children ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ marked drowsiness may occur ■ use caution when driving a motor vehicle or operating machinery ■ avoid alcoholic beverages

Stop use and ask a doctor if ■ nervousness, dizziness, or sleeplessness occur ■ pain or nasal congestion gets worse or lasts more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ if pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ do not take more than directed ■ adults and children 12 years and over ■ take 2 caplets every 4 hours ■ do not take more than 10 caplets in 24 hours ■ children under 12 years: ask a doctor

Other Information ■ see end flap for expiration date and lot number

Drug Facts (continued)

sodium, croscarmellose, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, tracetin

Questions or comments? 1-888-287-1915



TAMPERS EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

**No print/No varnish
Lot & Exp date**

DISTRIBUTED BY:
Walmart Inc.,
Bentonville, AR 72716

50844 REV0918054309

Satisfaction guaranteed -
Or we'll replace it or give
you your money back.
For questions or
comments please call
1-888-287-1915.





Equate 44-543

SEVERE ALLERGY PLUS SINUS HEADACHE

acetaminophen, diphenhydramine hcl, phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-543
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	16mm

Flavor		Imprint Code	44;543
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-543-41	10 in 1 BLISTER PACK; Type 0: Not a Combination Product	06/27/2007	
2	NDC:49035-543-09	2 in 1 CARTON	06/27/2007	
2		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/27/2007	

Labeler - Wal-Mart Stores Inc (051957769)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(49035-543) , pack(49035-543)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(49035-543)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(49035-543)

Revised: 11/2025

Wal-Mart Stores Inc