

SENNOSIDES, DOCUSATE SODIUM- sennosides, docusate sodium tablet, film coated
Cardinal Health 107, LLC

Sennosides / Docusate Sodium

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg
Sennosides 8.6 mg

Purposes

Stool softener
Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

.

Do not use

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over two weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2 years	ask a doctor

Other information

- **each tablet contains:** calcium 5 mg
- Store in a dry place at 15° - 30°C (59° - 86°F).

Inactive Ingredients

corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 lake, FD&C red #40 lake, FD&C yellow #6 lake, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, polyethylene glycol, sodium benzoate, sodium lauryl sulfate, stearic acid, talc, titanium dioxide.

Questions or comments?

1-800-231-4670

Keep this carton for complete product information

Tamper Evident:

Do not use if sealed blister units are broken or damaged.

Distributed by:

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

(800) 616-2471

www.majorpharmaceuticals.com

Overbagged with 10 tablets per bag, NDC 55154-0195-0

WARNING: This Unit Dose package is not child resistant and is Intended for Institutional Use Only. Keep this and all drugs out of the reach of children.

Distributed By:

Cardinal Health

Dublin, OH 43017

L6083711-11025 / L6083711-21025

Principal Display Panel

NDC 55154-0195-0

Sennosides/Docusate Sodium**8.6 mg/50 mg**

Stool Softener/Stimulant Laxative

10 TABLETS



NDC 55154-0195-0

M124**Sennosides/Docusate Sodium****8.6 mg / 50 mg****Stool Softener/Stimulant Laxative****10 TABLETS****Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

Purposes

Stool softener

Stimulant laxative

Inactive Ingredients: corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 lake, FD&C red #40 lake, FD&C yellow #6 lake, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, polyethylene glycol, sodium benzoate, sodium lauryl sulfate, stearic acid, talc, titanium dioxide

Uses: ■ relieves occasional constipation (irregularity) ■ generally produces bowel movement in 6 to 12 hours

Directions:

■ Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over take 2-4 tablets daily

children 6 to under 12 years of age take 1-2 tablets daily

children 2 to under 6 years of age take up to 1 tablet daily

children under 2 years of age ask a doctor

STORAGE: Store in a dry place at 15° to 30°C (59° to 86°F)

WARNING: This Unit Dose package is not child resistant and is intended for Institutional Use Only. Keep this and all drugs out of the reach of children.

If pregnant or breast-feeding, ask a health professional before use.

In case of overdose, get medical help or contact a Poison

Control Center right away.

Tamper Evident: do not use if sealed blister units are broken or damaged.

■ each tablet contains: calcium 5 mg

Questions or comments? 1-800-231-4670

Distributed by:**MAJOR® PHARMACEUTICALS**

Indianapolis, IN 46268

(800) 616-2471

www.majorpharmaceuticals.com

Distributed by Cardinal Health

Dublin, OH 43017

L6083711-11025

Lot:

Exp:

Distributed by Cardinal Health

Dublin, OH 43017

L6083711-21025

WARNING CONT: Do not use ■ laxative products for longer than 1 week unless told to do so by a doctor ■ if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have ■ stomach pain ■ nausea

■ vomiting ■ noticed a sudden change in bowel habits that lasts over two weeks.

Stop and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

SENNOSIDES, DOCUSATE SODIUM

sennosides, docusate sodium tablet, film coated

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:55154-0195(NDC:0904-7440)
Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)			DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)			SENNOSIDES	8.6 mg
Inactive Ingredients				
Ingredient Name				Strength
STARCH, CORN (UNII: O8232NY3SJ)				
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)				
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)				
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)				
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)				
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
LIGHT MINERAL OIL (UNII: N6K5787QVP)				
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Product Characteristics				
Color	red	Score	no score	
Shape	ROUND	Size	10mm	
Flavor		Imprint Code	49;0	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55154-0195-0	1 in 1 BAG	11/12/2025	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	11/12/2025	

Labeler - Cardinal Health 107, LLC (118546603)

Revised: 11/2025

Cardinal Health 107, LLC