

**DYE FREE INFANTS PAIN AND FEVER- acetaminophen suspension  
WALGREEN COMPANY**

-----  
**Walgreen Dye-Free Infants' Pain + Fever Drug Facts**

***Drug Facts***

**Active ingredient (in each 5 mL)**

Acetaminophen 160 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

temporarily:

- reduces fever
- relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has** liver disease

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin

**When using this product do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- **shake well before using**
- mL = milliliter
- find right dose on chart. If possible, use weight to dose; otherwise, use age.
- push air out of syringe. Insert syringe tip into bottle opening
- flip bottle upside down. Pull yellow part of syringe to correct dose
- dispense liquid slowly into child's mouth, toward inner cheek
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- replace cap tightly to maintain child resistance

### **Dosing Chart**

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (mL) **</b>
under 24	under 2 years	ask a doctor
24-35 lbs	2-3 years	1. mL

**Attention:**use only enclosed syringe specifically designed for use with this product.  
Do not use any other dosing device.

### **Other information**

- store at room temperature
- **Each 5 mL contains:**sodium 2 mg

### **Inactive ingredients**

anhydrous citric acid, carboxymethylcellulose sodium, flavors, glycerin, microcrystalline cellulose, sodium benzoate, purified water, sodium citrate dihydrate, sorbitol liquid, sucralose, xanthan gum

### **Questions?**

**1-866-467-2748**

### **PRINCIPAL DISPLAY PANEL**

Compare to the active ingredient in Dye-Free Infants' Tylenol® Oral Suspension\*

NDC 0363-6020-02

Dye-Free

**Infants'  
Pain + Fever**

**Acetaminophen**

Oral Suspension  
Pain Reliever-Fever Reducer

#### **Free Of:**

- Dyes
- Sugar Free
- Ibuprofen
- Aspirin
- Parabens
- High Fructose Corn Syrup

**Natural Grape Flavor**

No Added Alcohol

Use Only Enclosed Syringe

**2FL OZ ( 60mL)**  
160 mg per 5 mL\*\*\*

\*\*\*Same as Children's TYLENOL

\*This Product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of the registered trademark Dye-Free Infants' Tylenol® Oral Suspension.



## DYE FREE INFANTS PAIN AND FEVER

acetaminophen suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-6020
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

**Inactive Ingredients**

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

**Product Characteristics**

Color	white (Dye Free)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-6020-02	1 in 1 CARTON	10/10/2022	
1		60 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/10/2022	

**Labeler** - WALGREEN COMPANY (008965063)