

**SHISEIDO FUTURE SOLUTION LX TOTAL PROTECTIVE S- avobenzone,  
homosalate, octisalate, and octocrylene cream  
SHISEIDO AMERICAS CORPORATION**

-----  
**SHISEIDO FUTURE SOLUTION LX TOTAL PROTECTIVE CREAM S**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
AVOBENZONE 2.3%	Sunscreen
HOMOSALATE 10.0%	Sunscreen
OCTISALATE 4.5%	Sunscreen
OCTOCRYLENE 5.0%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive Ingredients**

**WATER·GLYCERIN·DIPROPYLENE GLYCOL·SILICA·BEHENYL  
ALCOHOL·BUTYLENE GLYCOL·ALCOHOL DENAT.·MYRISTYL  
MYRISTATE·DIMETHICONE·ISODODECANE·STEARYL ALCOHOL·PHYTOSTERYL  
MACADAMIATE·PEG-6·PEG-32·TRIMETHYLSILOXYSILICATE·HYDROGENATED  
POLYISOBUTENE·TOCOPHERYL ACETATE·PEG/PPG-17/4 DIMETHYL  
ETHER·PIPERIDINEPROPIONIC ACID·XANTHAN GUM·2-O-ETHYL ASCORBIC  
ACID·PRUNUS SPECIOSA LEAF EXTRACT·SCUTELLARIA BAICALENSIS ROOT  
EXTRACT·ANGELICA ACUTILOBA ROOT EXTRACT·CAMELLIA SINENSIS LEAF  
EXTRACT·CHAENOMELES SINENSIS FRUIT EXTRACT·ISODONIS JAPONICUS  
LEAF/STALK EXTRACT·PRUNUS PERSICA (PEACH) LEAF  
EXTRACT·ZANTHOXYLUM PIPERITUM PEEL EXTRACT·HYDROLYZED  
SILK·BEHENETH-20·ALCOHOL·SUCCINOGLYCAN·TRISODIUM EDTA·SODIUM  
CITRATE·TOCOPHEROL·SODIUM METAPHOSPHATE·BHT·CITRIC ACID·SODIUM  
METABISULFITE·MICA·PHENOXYETHANOL·FRAGRANCE·IRON  
OXIDES·TITANIUM DIOXIDE·**

#### **Other information**

- protect this product in this container from excessive heat and direct sun.

#### **Questions or comments?**

Call toll free 1-800-906-7503

#### **PRINCIPAL DISPLAY PANEL - 50 mL Jar Carton**

SHISEIDO

GINZA TOKYO

FUTURE SOLUTION LX

Total Protective Cream

Inspired by Enmei Herb

BROAD SPECTRUM SPF 30  
SUNSCREEN

50mL NET WT. 1.8 OZ.

Total Protective Cream



SHISEIDO  
GINZA TOKYO

FUTURE SOLUTION LX

Total Protective Cream

Inspired by Enmei Herb

BROAD SPECTRUM SPF 30  
SUNSCREEN

50mL NET WT. 1.8 OZ.

**Drug Facts** (continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor



<http://shiseido.com/21295AA>  
See our website  
for more information.

**RECYCLED**

Packaging\* contains at least 30% recycled material.\*\*  
\*jar except cap  
\*\*recycled glass

90 x 90 x 78

1 2 3 4 5 6 7 8 9 0

SHISEIDO  
FUTURE SOLUTION LX  
TOTAL PROTECTIVE CREAM S  
BROAD SPECTRUM SPF 30

**Ever-evolving beauty. For Us.**

A soft, rich and luxurious cream with LonGenivty Science™, including Japanese Erma herb, spreads smooth, bringing resilience, plumpness, and vibrant radiance from within, while protecting against aggressors such as UV rays, fine dust and dryness. Enjoy your skin's beauty every moment, for a brilliant future.

- Formulated with scutellaria root extract, Focuses on the external environment during the day, keeps skin beautiful with moisture and promotes skin's self-protective power.
  - A skincare-enriching day cream that is also excellent as a primer, it infuses skincare benefits while prepping skin for ideal makeup application.
  - 24-hour moisturizing effect.\*
  - Apply in the morning, after softener/serum.
  - \*Clinical tested on 22 women.
- NON-COMEDOGENIC,  
DERMATOLOGIST TESTED.

Specialty formulated by Shiseido Laboratories, Japan.

SHISEIDO AMERICA CORPORATION  
NEW YORK, NY 10017  
MADE IN U.S.A.  
SUN 2006  
www.shiseido.com



**Drug Facts**

Active ingredients	Purpose
AVOBENZONE 2.3% HOMOSALATE 10.0% OCTISALATE 4.5% OCTOCRYLENE 5.0%	Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Inactive ingredients**

WATER, GLYCERIN, STEARYL ALCOHOL, ETHYLENE GLYCOL, ALCOHOL DENAT., MYRITOL, MYRISTYL METHYLGLUCOSIDE, DIMETHYLGLUCOSIDE, STEARYL ALCOHOL, PENTOSERYL MACROGOL, PEG-4, PEG-20, TRIETHYL CITRATE, HYDROGENATED POLYISOBUTENE, TOCOPHERYL ACETATE, PEG/PPG-24 DIMETHYL ETHER, PEG/PPG-18 DIBIPHENYL ACETATE, GARDOLAN GDN-20, ETHYLACRYLATE, PENTUSPENTYL LEAF EXTRACT, SOUTHERN BELL ALOE ROOT EXTRACT, ANGELOACETIL, BAROIT EXTRACT, GIBBERELLINE, BLENDED EXTRACT, CHEWAMELIS BLENDED EXTRACT, KOREAN JAPANESE LANTANA EXTRACT, PRUNUS PERSICA PEACH LEAF EXTRACT, ZANTHOXYLUM PIPERITUM EXTRACT, HYDROLYZED L-Glutathione, ALCOHOL, SODIUM BENZOATE, SODIUM CITRATE, SODIUM DECAHYLBUTANOATE, SODIUM MEADIPANOSINATE, BUTYL METHYL METHYL SULFONATE, N-ETHYLHEXANOL, FRAGRANCE, POTASSIUM DIBIPHENYL METHYLENE

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

4000-00

7 30852 21266 4

FSCマーク  
W29×H12

21266-41-5040  
AAA

**SHISEIDO FUTURE SOLUTION LX TOTAL PROTECTIVE S**  
avobenzene, homosalate, octisalate, and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-893
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.18565 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	5.155 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.31975 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2.5775 g in 50 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>MYRISTYL MYRISTATE</b> (UNII: 4042ZC00DY)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>PHYTOSTERYL MACADAMIATE</b> (UNII: 233VSF903M)	
<b>POLYETHYLENE GLYCOL 300</b> (UNII: 5655G9Y8AQ)	
<b>POLYETHYLENE GLYCOL 1600</b> (UNII: 1212Z7S33A)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>PEG/PPG-17/4 DIMETHYL ETHER</b> (UNII: 4ET18WJG5K)	
<b>PIPERIDINEPROPIONIC ACID</b> (UNII: 6L69A7VPHO)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>2-O-ETHYL ASCORBIC ACID</b> (UNII: 801M14RK9K)	
<b>PRUNUS SPECIOSA LEAF</b> (UNII: Q71D900FVJ)	
<b>SCUTELLARIA BAICALENSIS ROOT</b> (UNII: 7J95K7ID2S)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>CHAENOMELES SINENSIS FRUIT</b> (UNII: 6S5Q1Q537Z)	
<b>PRUNUS PERSICA LEAF</b> (UNII: VN3501T41P)	
<b>ZANTHOXYLUM PIPERITUM FRUIT RIND</b> (UNII: 728JDI7G4M)	
<b>BEHENETH-20</b> (UNII: BJ4GP2IFLN)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>SODIUM METAPHOSPHATE</b> (UNII: 532IUT7IRV)	

<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-893-50	1 in 1 CARTON	06/01/2024	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	06/01/2024	

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

**Registrant** - Shiseido America Inc. (782677132)

### Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	ANALYSIS(58411-893) , MANUFACTURE(58411-893)

Revised: 3/2025

SHISEIDO AMERICAS CORPORATION