# BRONCOCHEM MAXIMUM COUGH NIGHT- dextromethorphan hbr-pyrilamine maleate syrup LABORATORIO MAGNACHEM INTERNATIONAL SRL

LABORATORIO MAGI

-----

# **Broncochem Maximum Cough Night**

# Warnings

The following side effects may occur, nausea, vomiting, dizziness, headache, or nervousness may occur, if any of these effects last or worsen, contact your doctor or pharmacist immediately. Stop using this medicine and tell your doctor right away if you have dizziness, nervousness, or trouble sleeping.

### **OTC-PURPOSE SECTION**

**Antitussive** 

**Antihistamine** 

# **OTC - Active Ingredient Section**

Dextromethorphan HBr

Mepyramine maleate

### Uses

Temporarily relieves these symptoms in all formsof acute, subacute, and cronical cough of any origin, it is very effective in colds, rhinitis, pharyngitis, laryngitis, dry cough, smokers cough, ashma, nervous cough.

### Do Not Use

Stop using this medicine and contact your doctor right away if any of these unlikely but serious side effects occur, fast and irregular heartbeat, mental mood changes such as confusion, hallucinations, nervousness, seizures, tremor, problems with to pee.

If you are taking any monoamine oxidase inhibitor (MAOI), or two weeks after stopping them (certain medications for depression or psycological conditions may contain them). If you are not sure if your prescription contains an MAOI, coinsult a professional of health before taking this product.

# Ask a doctor/pharmacist

Ask a doctor before use if yoy have

Liver disease, heart disease, high blood pressure, thyroid disease, diabetes, trouble urinating due to enlarged prostate gland, cough that occurs with too much phlegm

(mucus), presistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema.

# Stop use and ask a doctor if

Symptoms last more than 7 days, symptoms worsen or come back, you develop a headache that wont go away, fever, or skin rash. If pregnant or breast-feeding ask a health professional before use.

# Keep Out of the Reach of Children

In case of accidental overdose, seek professional help or go to poison control center immediately.

## **Dosage and Administration**

Do not exceed 4 doses in a 24 hour period.

Adult and children 12 years and older: (5 or 10 mL) 3 times a day.

Children between 6 to 12 years old: (2.5 mL) 3 times a day.

# **Inactive Ingredient**

Sugar, Sodium Benzoate, FD&C Yellow #5, Orange flavor, MEthyl paraben, Propyl paraben, ethyl alcohol 95%, Sorbitol 70%, Purified water.

#### PACKAGE LABEL PRINCIPAL DISPLAY PANEL



#### Warnings

The following side effects may occur, nausea, occur, if any of these effects last or worsen, contact your doctor or pharmacist immediately. Stop using this medicine and tell your doctor right away if you

#### Stop use and ask a doctor if

- Symptoms last more than 7 days
- If you develop a headache that won't go away, fever, or skin rash.

If pregnant or breast-feeding, ask a health

Keep out of the reach of children.

**Overdose warning:** In case of accidental overdose, seek professional help or go to a Poison Control Center immediately.

Other information ■ Store at no more than 30°C (86°F) ■ Do not use if security cap is altered or broken

#### This product contains alcohol and sugar.

Inactive ingredients Refined sugar, Sodium benzoate, Yellow #5 color, Orange flavor, Methyl paraben, Propyl paraben, Ethyl alcohol 95%, Sorbitol 70%, Purified water.

# **Broncochem**<sup>6</sup>

### MAXIMUM COUGH



Relieves cough of all origins Powerful cough suppressant to help you sleep at night **Contains Alcohol & Sugar** 

Made in Dominican Republic Exclusively for: Global Corporation Inc., Boca Raton, FL 33487 U.S.A.

Lote / Batch: Expiration date:

Active ingredients (in each 5 mL)

Dextromethorphan HBr 15.00mg Mepyramine maleate 6.0mg

Antitussive

Uses Temporarily relieves these symptoms in all forms of acute, subacute, and conical cough of any origin, it is very effective in colds, thinking harnyngits, lavngoitis, dry cough, smokers' cough, asthma, nervous cough,

#### Ask a doctor before use if you have

Liver disease, heart disease, high blood pressure, thyroid disease, diabetes, trouble urinating due to enlarged prostate gland, cough that occurs with too much phlegm (mucus), persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema.

**Directions** Take only as directed. For your convenience, a dosage spoon is provide. **Do not exceed 4 doses in a 24 hour period.** 

Adults and children 12 years and older

5 or 10 mL 3 times a day

Children between 6 to 12 years old

2.5 mL 3 times a day

See carton for complete information for use.

**Questions?** Please call for medical direction weekdays 9 AM to 5 PM EST. at **1-561-338-5221** or visit us at **www.broncochem.com** 

The following side effects may occur, nausea, vomiting, dizziness, headache, or nervousness may occur, if any of these effects last or worsen, contact your doctor or pharmacist immediately. Stop using this medicine and tell your doctor right away if you have dizziness, nervousness, or trouble sleeping.

#### Stop use and ask a doctor if

- Symptoms last more than 7 days
- If symptoms worsen or come back. If you develop a headache that won't go away, fever, or skin rash.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children.

Overdose warning: In case of accidental overdose, seek professional help or go to a Poison Control Center immediately.

Other information Store at no more than 30°C (86°F) Do not use if security cap is altered or broken

This product contains alcohol and sugar.

Inactive ingredients Refined sugar, Sodium benzoate, Yellow #5 color, Orange flavor, Methyl paraben, Propyl paraben, Ethyl alcohol 95%, Sorbitol 70%, Purified water.

# **Broncochem**<sup>®</sup>

# **MAXIMUM COUGH**



Relieves cough of all origins Powerful cough suppressant to help you sleep at night Contains Alcohol & Sugar

Made in Dominican Republic Exclusively for: Global Corpora Boca Raton, FL 33487 U.S.A.

Lote / Batch:

#### Active ingredients (in each 5 mL)

Dextromethorphan HBr 15.00mg Mepyramine maleate 6.0mg

Antihistamine

Uses Temporarily relieves these symptoms in all forms of acute, subacute, and conical cough of any origin, it is very effective in colds, rhinitis, pharyngitis, laryngitis, dry cough, smokers' cough, asthma, nervous cough.

#### Ask a doctor before use if you have

Liver disease, heart disease, high blood pressure, thyroid disease, diabetes, trouble urinating due to enlarged prostate gland, cough that occurs with too much phlegm (mucus), persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema.

Directions Take only as directed. For your convenience, a dosage spoon is providexceed 4 doses in a 24 hour period.

Adults and children 12 years and older

5 or 10 mL 3 times a day

Children between 6 to 12 years old

2.5 mL 3 times a day

See carton for complete information for use.

**Questions?** Please call for medical direction weekdays 9 AM to 5 PM EST. at **1-561-338-5221** or visit us at **www.broncochem.com** 



## PACKAGE LABEL PRINCIPAL DISPLAY PANEL



# **BRONCOCHEM MAXIMUM COUGH NIGHT**

dextromethorphan hbr-pyrilamine maleate syrup

<b>Product Information</b>					
Product Type	HUMAN OTC DRUG	Item Code (S	Source)	NDC:6513	1-035
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
Active mgreatent/Active	Holety				
Ingre	dient Name		Basis of Str	ength	Strength
DEXTROMETHORPHAN HYDROBI	ROMIDE (LINII: 9D2RTI9KYH	)	DEXTROMETHORP	HAN	15 mg

Inactive Ingredients			
Ingredient Name	Strength		
SUGARCANE (UNII: 81H2R5AOH3)	2.65 mg in 5 mL		
SODIUM BENZOATE (UNII: OJ245FE5EU)	10 mg in 5 mL		
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	0.25 mg in 5 mL		
ORANGE OIL (UNII: AKN3KSD11B)	0.833 mg in 5 mL		
METHYLPARABEN SODIUM (UNII: CR6K9C2NHK)	5 mg in 5 mL		
PROPYLPARABEN SODIUM (UNII: 625NNB0G9N)	1.5 mg in 5 mL		
<b>ALCOHOL 95%</b> (UNII: 7528N5H79B)	0.25 mL in 5 mL		
SORBITOL SOLUTION 70% (UNII: 8KW3E207O2)	0.083 mL in 5 mL		
water (UNII: 059QF0KO0R)	5 mL in 5 mL		

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:65131- 035-80	1 in 1 BOX	02/09/2024		
1	120 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M	02/09/2024		

# Labeler - LABORATORIO MAGNACHEM INTERNATIONAL SRL (871446100)

# Registrant - LABORATORIO MAGNACHEM INTERNATIONAL SRL (871446100)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
LABORATORIO MAGNACHEM INTERNATIONAL SRL		871446100	manufacture(65131-035)	

Revised: 4/2024 LABORATORIO MAGNACHEM INTERNATIONAL SRL