

VGO LIGHT AND CLEAR SUNSCREEN- titanium dioxide lotion
HainanShengtaizhuoInternationalInformationDevelopmentCo.,Ltd.

TITANIUM DIOXIDE

Sunscreen

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Apply liberally 15 minutes before sun exposure and as needed.

- Reapply:
- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months of age: ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit your time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.


ATER□DIMETHICONE□ISOHEXADECANE□GLYCERIN□BUTYLENE GLYCOL□
PHENKYBENZIMIDAZOLE SULFONIC ACID□PEG-10 DIMETHICONE□SILICA□LAURYL PEG-
10 TRIS(TRIMETHYLSILOXY)SILYLETHYL DIMETHICONE□DIISOSTEARCYL MALATE□
PENTAERYTHRITYL TETRAETHYLHEXANOATE□DISTEARDIMONIUM HECTORITE□
ALUMINUM HYDROXIDE□SODIUM CHLORIDE□1,2-HEXANEDIOL□STEARIC ACID□
POTASSIUM HYDROXIDE□NIACINAMIDE□PROPYLENE CARBONATE□
HYDROXYACETOPHENONE□VINYL DIMETHICONE/METHICONE SILSESQUIOXANE
CROSSPOLYMER□CI 77288□BUTYLENE GLYCOL□PENTYLENE GLYCOL□FRAGRANCE□
HYDROXYPHENYL PROPAMIDOBENZOIC ACID□TRIETHOXYC/APRYLYLSILANE□
ASCORBYL PALMITATE□TOCOPHEROL

Helps prevent sunburn. - If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

VGO LIGHT AND CLEAR SUNSCREEN LOTION

Reduce darkness and sunburn





**LIGHT AND CLEAR
SUNSCREEN LOTION**

Reduce darkness and
sunburn

e 1.69 FL.Oz /50ML



**LIGHT AND CLEAR
SUNSCREEN LOTION**

Reduce darkness and
sunburn

e 1.69 FL.Oz /50ML

VGO LIGHT AND CLEAR SUNSCREEN

titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84556-269
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
NIACINAMIDE (UNII: 25X51I8RD4)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (500 CST) (UNII: BR768L8A3T)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PENTAERYTHRITYL TETRAETHYLHEXANOATE (UNII: XJ7052W897)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
HYDROXYPHENYL PROPAMIDOBENZOIC ACID (UNII: 25KRT26H77)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84556-269-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/17/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/17/2024	

Labeler - HainanShengtaizhuoInternationalInformationDevelopmentCo.,Ltd. (976885514)

Registrant - HainanShengtaizhuoInternationalInformationDevelopmentCo.,Ltd. (976885514)

Establishment

Name	Address	ID/FEI	Business Operations
Hainan Shengtaizhuo International Information Development Co., LTD		976885514	manufacture(84556-269)

Revised: 6/2024

HainanShengtaizhuoInternationalInformationDevelopmentCo.,Ltd.