

**GILTUSS DM- dextromethorphan hbr syrup**  
**Gil Pharmaceutical Corp**

-----  
**Giltuss<sup>®</sup> DM High Blood Pressure**  
**Dextromethorphan HBr, 30 mg**  
**Maximum Strength**

***Drug Facts***

***Active ingredient (in each 10 mL) Purpose***

Dextromethorphan HBr. 30 mg .... Cough Suppressant

***Uses***

- temporarily relieves:
  - cough due to minor throat and bronchial irritation associated with a common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep

***Warnings***

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- When using this product do not use more than directed.

**Ask a doctor before use if you have**

- a cough with too much phlegm (mucus)
- a persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if**

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache as these could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

- **Keep out of reach of children.**
- In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not exceed recommended dosage
  - do not take more than 4 doses in any 24-hour period
  - use enclosed dosing cup
  - ml= milliliter
-

Adults and children over 12 years	10 mL every 8 hours
Children under 6 years to under 12 years	5 mL every 8 hours
Children 4 years to under 6 years	2.5 mL* every 8 hours
Children under 4 years	Do not use

\*use appropriate measuring syringe or measuring cup

### **Other information**

- store at room temperature 15°-30°c (59°-86°F)
- close cap tightly
- **SAVE CARTON FOR COMPLETE DRUG FACTS**

### **Inactive ingredients**

Acesulfame potassium, citric acid, flavor, glycerin, menthol, polyethylene glycol, povidone, propylene glycol, purified water, sodium benzoate, sodium saccharin.

### **Questions or comments?**

Call **1-787-848-9114**, Monday-Friday 9AM-5PM EST. Call your doctor for medical advice in the event of side effects.

Label revised: 02/23

**MANUFACTURED FOR  
GIL PHARMACEUTICAL CORP.  
PONCE, PUERTO RICO 00717-1565**

### **PRINCIPAL DISPLAY PANEL**

Giltuss DM High Blood Pressure - NDC 58552-150-04 - Bottle Label

## Drug Facts

**Active ingredient (in each 10 mL)** *Purpose*

Dextromethorphan HBr, 30 mg.....Cough Suppressant

### Uses

temporarily relieves:

- cough due to minor throat and bronchial irritation associated with a common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

### Warnings

#### Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- When using this product do not use more than directed.

#### Ask a doctor before use if you have

- a cough with too much phlegm (mucus)
- a persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis or emphysema

#### Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache as these could be signs of a serious condition.

MAXIMUM STRENGTH. MÁXIMA CONCENTRACIÓN.

ALCOHOL FREE.  
SUGAR FREE.  
DYE FREE.

SIN ALCOHOL.  
SIN AZÚCAR.  
SIN COLORANTES.



HIGH BLOOD PRESSURE HBP  
**Giltuss**  
**DM**

**8hr** Cough  
TOS  
Dextromethorphan HBr, 30 mg

RELIEVES  
PERSISTENT COUGH UP TO 8 HOURS  
ALIVIA  
TOS PERSISTENTE HASTA POR 8 HORAS



NASAL DECONGESTANT FREE  
SAFE FOR PEOPLE WITH  
HIGH BLOOD PRESSURE  
SEGURO PARA PERSONAS CON PRESIÓN ALTA

SIN DESCONGESTIVANTE NASAL

4FL OZ (118 mL)

RASPBERRY FLAVOR.  
SABOR A FRAMBUESA.



## Drug Facts (continued).

If pregnant or breast-feeding, ask a health professional before use.

- Keep out of reach of children.
- In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- do not exceed recommended dosage
- do not take more than 4 doses in any 24-hour period
- use enclosed dosing cup
- mL = milliliter

Adults and children over 12 years	10 mL every 8 hours
Children under 6 years to under 12 years	5 mL every 8 hours
Children 4 years to under 6 years	2.5 mL* every 8 hours
Children under 4 years	Do not use

\* use appropriate measuring syringe or measuring cup

### Other information

- store at room temperature 15°-30°C (59°-86°F)
- close cap tightly
- SAVE CARTON FOR COMPLETE DRUG FACTS

### Inactive ingredients

Acesulfame potassium, citric acid, flavor, glycerin, menthol, polyethylene glycol, povidone, propylene glycol, purified water, sodium benzoate, sodium saccharin.

### Questions or comments?

Call 1-787-848-9114, Monday-Friday 9AM-5PM EST. Call your doctor for medical advice in the event of side effects.



MANUFACTURED FOR  
GIL PHARMACEUTICAL CORP.  
PONCE, PUERTO RICO 00717-1565

giltuss.com  
Label revised: 02/23

Giltuss DM High Blood Pressure - NDC 58552-150-04 - Carton Label

**Drug Facts**

**Active ingredient (in each 10 mL) Purpose**  
Dextromethorphan HBr, 30 mg...Cough Suppressant

**Uses**

- temporarily relieves:
  - cough due to minor throat and bronchial irritation associated with a common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep

**Warnings**  
**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- When using this product do not use more than directed.

**Ask a doctor before use if you have**

- a cough with too much phlegm (mucus)
- a persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if** cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache as these could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

- Keep out of reach of children.
- In case of overdose, get medical help or contact a Poison Control Center right away.

**MANUFACTURED FOR GIL PHARMACEUTICAL CORP. PONCE, PUERTO RICO 00717-1565**

**giltuss.com**

**Drug Facts (continued).**

**Directions**

- do not exceed recommended dosage
- do not take more than 4 doses in any 24-hour period
- use enclosed dosing cup
- mL = milliliter

Adults and children over 12 years	10 mL every 8 hours
Children under 6 years to under 12 years	5 mL every 8 hours
Children 4 years to under 6 years	2.5 mL* every 8 hours
Children under 4 years	Do not use

\* use appropriate measuring syringe or measuring cup

**Other information**

- store at room temperature 15°-30°C (59°-86°F)
- close cap tightly
- SAVE CARTON FOR COMPLETE DRUG FACTS**

**Inactive ingredients**  
Acesulfame potassium, citric acid, flavor, glycerin, menthol, polyethylene glycol, povidone, propylene glycol, purified water, sodium benzoate, sodium saccharin.

**Questions or comments?**  
Call 1-787-848-9114, Monday-Friday 9AM-6PM EST. Call your doctor for medical advice in the event of side effects.  
Label revised: 02/23

Tamper evident: do not use if safety seal under or around the cap is broken or missing.

DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING. NO LO USE SI LA TAPILLA EN LA TAPA ESTA ROTA O FALTA.

**ANTITUSSIVE**  
**ANTITUSIVO**

**MAXIMUM STRENGTH**  
**MÁXIMA CONCENTRACIÓN**

**HIGH BLOOD PRESSURE HBP**  
**Giltuss**  
**DM**

**HIGH BLOOD PRESSURE HBP**  
**Giltuss**  
**DM**

**Dextromethorphan HBr, 30 mg**

**ANTITUSSIVE STRENGTH TO CONTROL COUGH SYMPTOMS UP TO 8 HOURS**  
**FUERZA ANTITUSIVA PARA CONTROLAR LA TOS HASTA POR 8 HORAS**

**ALCOHOL FREE. SUGAR FREE. DYE FREE.**  
**SIN ALCOHOL. SIN AZÚCAR. SIN COLORANTES.**

**RELIEVES ALIVIA**

**PERSISTENT ✓ TOS**  
**COUGH PERSISTENTE**  
**UP TO 8 HOURS HASTA POR 8 HORAS**

**NASAL DECONGESTANT FREE**  
**SAFE FOR PEOPLE WITH HIGH BLOOD PRESSURE**  
**SEGURO PARA PERSONAS CON PRESIÓN ALTA**  
**SIN DESCONGESTIONANTE NASAL**

**RASPBERRY FLAVOR. SABOR A FRAMBUESA.** **4FL OZ (118 mL)**

**ALCOHOL FREE. SUGAR FREE. DYE FREE.**  
**SIN ALCOHOL. SIN AZÚCAR. SIN COLORANTES.**

<b>GILTUSS DM</b>			
dextromethorphan hbr syrup			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58552-150
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 10 mL
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>		<b>Strength</b>

<b>ACESULFAME POTASSIUM</b> (UNII: 23OV73Q5G9)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>RASPBERRY</b> (UNII: 4N14V5R27W)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	

### Product Characteristics

<b>Color</b>	white (clear color)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	RASPBERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58552-150-04	1 in 1 CARTON	08/09/2023	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/27/2023	

**Labeler** - Gil Pharmaceutical Corp (176826592)

Revised: 10/2025

Gil Pharmaceutical Corp