

PAIN RELIEF PATCHES- lidocaine patch

Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

PAIN RELIEF PATCHES

Active Ingredients

Lidocaine 4% Topical Anesthetic

Purpose

Temporarily relieves minor pain.

Dosage and Administration

Directions Adults and children over 12 years:

- clean and dry affected area
- carefully remove backing from patch starting at corner
- apply sticky side of patch to affected area
- use one patch for up to 8 hours. **Children under 12 years of age:** consult a physician.

Warnings

For external use only.

Indications and Usage

Uses: Temporarily relieves minor pains.

When using this product

- use only as directed
- read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not microwave
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor

- condition worsens

- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Do not Use

- more than one patch on your body at a time
- on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor
- if you are allergic to any active or inactive ingredients
- if pouch is damaged or opened.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Other Safety Information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients

Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

Questions

TOLL-FREE

Customer Care Help Line

866-326-1313

Mon–Fri 8:30 am–4:30 pm CST

DIST. BY

WALGREEN CO.

200 WILMOT RD.

DEERFIELD, IL 60015

www.walgreens.com

Made in China



Drug Facts

Active ingredient Purpose
Lidocaine 4.0% Topical Anesthetic

Uses Temporarily relieves minor pain.

Warnings

For External Use Only

Do not use ■ More than one patch on your body at a time ■ On cut, irritated or swollen skin ■ On puncture wounds ■ For more than one week without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.

When using this product ■ Use only as directed ■ Read and follow all directions and warnings on this carton ■ Do not allow contact with the eyes ■ Do not use at the same time as other topical analgesics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not microwave ■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests the patch.

Stop use and consult a doctor if ■ Condition worsens ■ Redness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

■ pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Adults and children 12 years of age and over:

Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Children under 12 years of age: consult a physician.

Other information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive ingredients

Water, Glycerin, Polyethylene Glycol, PVP, Sodium Polyacrylate, Methylparaben, Propylparaben, Aluminum Glycolate, Kaolin, Polyacrylic Acid, Polyisobutene 80, Terephthalic Acid, Titanium Dioxide

¹ Walgreens Pharmacist Survey

² The product is not manufactured or distributed by Healdex America, Inc., distributor of Solospas[®] Maximum Strength Lidocaine Patch.

MAXIMUM STRENGTH
Pain Relief Patch
Lidocaine 4% / Topical Anesthetic

WALGREENS PHARMACIST RECOMMENDED¹
Well at
Walgreens

01902114F

MAXIMUM STRENGTH

Pain Relief Patch

Lidocaine 4% / Topical Anesthetic

Well at
Walgreens

WALGREENS PHARMACIST RECOMMENDED¹

NEW

Well at
Walgreens

WALGREENS PHARMACIST RECOMMENDED¹

Well at
Walgreens

WALGREENS PHARMACIST RECOMMENDED¹

MAXIMUM STRENGTH

Pain Relief Patch

Lidocaine 4% / Topical Anesthetic

- Temporarily relieves minor pain & desensitizes aggravated nerves
- Stay-put flexible patch is easy to apply & remove
- No-mess, single-use application
- Odor free

6 PATCHES

3.94 IN X 5.5 IN (10 cm x 14 cm)

Compare to Solospas[®] Maximum Strength Lidocaine Patch active ingredient²

MAXIMUM STRENGTH
Pain Relief Patch
Lidocaine 4% / Topical Anesthetic

TOLL-FREE Customer Care Help Line 1-866-326-1313
Monday-Friday, 8:30 a.m. - 4:30 p.m. CST

DISTRIBUTED BY WALGREEN CO.
310 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
62917 Walgreen Co. MADE IN CHINA




Child resistant packaging
Model No. 08-911
02-18908 02/16 01-0046

LOT
EXP

ORG code is an internal Periscope code, that will be updated by Periscope prior to artwork release. It is okay to move this number, but do not remove.

!! ATTENTION WALGREENS/VENDOR !!
NOTE from PERISCOPE
 File is built to ARF color-count.
 It is less than Brand Standards of 7 total colors.



PAIN RELIEF PATCHES

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9110
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
Aluminum (UNII: CPD4NFA903)	
Glycerin (UNII: PDC6A3C0OX)	
Kaolin (UNII: 24H4NWX5CO)	
Methylparaben (UNII: A218C7H19T)	
POLYACRYLIC ACID (300000 MW) (UNII: A8371R0U5J)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

Propylene Glycol (UNII: 6DC9Q167V3)	
Propylparaben (UNII: Z8IX2SC1OH)	
COPOVIDONE K25-31 (UNII: D9C330MD8B)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics			
Color		Score	
Shape	RECTANGLE	Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9110-06	6 in 1 CARTON	03/01/2018	
1		9 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:0363-9110-05	5 in 1 CARTON	03/01/2019	
2		9 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/01/2018	

Labeler - Walgreen Company (008965063)

Establishment			
Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co.,Ltd.		529128763	manufacture(0363-9110)