

VOLITION PRISMATIC LUMINIZING SHIELD- zinc oxide lotion
Volition

Volition Prismatic Luminizing Shield

Volition Prismatic Luminizing Shield

Directions Shake well. Apply liberally 15 minutes before sun exposure. Reapply: after 40 minutes of swimming or sweating; immediately after towel drying; at least every 2 hours. Children under 6 months of age: Ask a doctor. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF value of 15 or higher and other sun protection measures including: limit your time in the sun, especially from 10a.m. - 2 p.m. Wear long-sleeve shirts, pants, hats and sunglasses.

Inactive Ingredients Water, C12-15 Alkyl Benzoate, Jojoba Esters, Caprylic/Capric Triglyceride, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propanediol, Tridecyl Salicylate, Niacinamide, Methylpropanediol, Silica, Coco-Caprylate, Sodium Hyaluronate, Allantoin, Helianthus Annuus (Sunflower) Extract, Oryza Sativa (Rice) Bran Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Ricinus Communis (Castor) Seed Oil, Caprylyl Glycol, Synthetic Fluorophlogopite, Titanium Dioxide, Tocopherol, Hydrogenated Castor Oil, Bisabolol, Lecithin, Hydrogenated Lecithin, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Stearalkonium Hectorite, Polyglyceryl-3 Polyricinoleate, Phenylpropanol, Tetrasodium Glutamate Diacetate, Nylon-12, Sodium Hydroxide, Sodium Chloride, Tin Oxide, Iron Oxides.

Uses • Helps prevent sunburn. • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the

Volition Prismatic Luminizing Shield

Drug Facts

Active Ingredient

Zinc Oxide: 12.0%

Purpose

Sunscreen

Volition Prismatic Luminizing Shield

Volition Prismatic Luminizing Shield

Drug Facts

Active Ingredient**Purpose**

Zinc Oxide: 12.0% Sunscreen

Warnings • For external use only. • Do not use on damaged or broken skin. • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if skin rash occurs. • **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

231 1056_Prismatic_SPF50_Relaunch_Carton

Drug Facts

Active Ingredient	Purpose
Zinc Oxide 12.0%	Sunscreen

Uses • Helps prevent sunburn. • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings • **For external use only.** • **Do not use on** damaged or broken skin. • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if skin rash occurs. • **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions Shake well. Apply liberally 15 minutes before sun exposure. Reapply after 40 minutes of swimming or sweating; immediately after towel drying at least every 2 hours. Children under 6 months of age: Ask a doctor. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF value of 15 or higher and other sun protection measures including limit your time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeve shirts, pants, hats and sunglasses.

Other Information Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Water, C12-15 Alkyl Benzoate, Diglycol Esters, Caprylyl/Capric Triglyceride, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propenediol, Triolein/Silicic Acid, Nicotinamide, Methylpropylmethoxy Silica, Coco-Caprylate, Sodium Hyaluronate, Allantoin, Helianthus Annuus (Sunflower) Extract, Dryza Sativa (Rice) Bran Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Ricinus Communis (Castor) Seed Oil, Caprylyl Glycol, Synthetic Fluorphlogopite, Titanium Dioxide, Tocopherol, Hydrogenated Castor Oil, Bisabolol, Lecithin, Hydrogenated Lecithin, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Stearalkonium Hectorite, Polyglyceryl-3 Polycyanoacrylate, Phenylpropanol, Tetrasodium Glutamate Diacetate, Nylon-12, Sodium Hydroxide, Sodium Chloride, Tin Oxide, Iron Oxides.

Questions or Comments?
Email service@volitionbeauty.com

WE EXIST TO MAKE THE BEST, MOST EFFECTIVE BEAUTY FORMULAS WITH YOU, FOR YOU.




VOLITION

PRISMATIC LUMINIZING SHIELD SPF 50

BROAD SPECTRUM SPF 50 SUNSCREEN
WATER RESISTANT (40 MINUTES)

WITH NIACINAMIDE + HYALURONIC ACID

30 mL / 1 FL OZ



WHAT IF...my sunscreen performed without all the things I hate about sunscreen?

- PERFORMANCE:**
- Weightless, breathable formula
 - Broad-spectrum sun protection
 - Luminous pearl-like finish
 - Beautifies skin worn alone or under makeup
 - Light, neutral scent
- Individual results may vary.

DISCOVERY: Dislike sunscreen? Meet the anti-sunscreen. Everything you want from a luxury skincare product, nothing you'd expect from a sunscreen.

INNOVATION: No more whitish cast, odor, irritation and chalky finish. This lightweight, mineral formula - which is reef-safe and nanoparticle-free - nourishes and beautifies skin with a kiss of hydration. The comfortable, pearl-like finish leaves a soft luminous glow, perfect for those #NoMakeup days or the last step of your morning regimen. Formulated without chemical SPF ingredients such as Octinoxate, which have been banned in Hawaii and Florida for harming coral reefs.



VOLITION®
Made in USA of domestic and foreign ingredients.
www.volitionbeauty.com | 1151 Santa Monica Blvd.
Santa Monica, CA 90401

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72577-624
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NIACINAMIDE (UNII: 25X51I8RD4)	
PROPANEDIOL (UNII: 5965N8W85T)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
HELIANTHUS ANNUUS FLOWERING TOP (UNII: BKJ0J3D1BP)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
ALLANTOIN (UNII: 344S277G0Z)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ROSMARINUS OFFICINALIS FLOWERING TOP OIL (UNII: OXN0D3N28L)	
RICINUS COMMUNIS SEED (UNII: 7EK45FN1TX)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
JOJOBA OIL (UNII: 724GKU717M)	
ORYZA SATIVA WHOLE (UNII: 84IVV0906Z)	
TRIDECYL SALICYLATE (UNII: AZ Q08K38Z1)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
COCO-CAPRYLATE (UNII: 4828G836N6)	
NYLON-12 (UNII: 446U8J075B)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
WATER (UNII: 059QF0K00R)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72577-624-02	1 in 1 CARTON	04/22/2024	
1	NDC:72577-624-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/22/2024	

Labeler - Volition (034302621)

Revised: 9/2025

Volition