MISSHA ALL AROUND VITA C SUNSCREEN- zinc oxide, homosalate, ethylhexyl salicylate, titanium dioxide cream Able C&C Co., Ltd.

Active ingredient(s)

ZINC OXIDE 13.00%

HOMOSALATE 8.50%

ETHYLHEXYL SALICYLATE 4.50%

TITANIUM DIOXIDE 3.00%

Inactive Ingredients

WATER, DISILOXANE, CYCLOPENTASILOXANE, BUTYLOCTYL SALICYLATE, ALCOHOL DENAT., POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE, BUTYLENE GLYCOL, NIACINAMIDE, PROPANEDIOL, METHYL METHACRYLATE CROSSPOLYMER, POLYMETHYLSILSESQUIOXANE, LAURYL PEG-10 TRIS(TRIMETHYLSILOXY)SILYLETHYL DIMETHICONE, SILICA, SODIUM CHLORIDE, 1,2-HEXANEDIOL, 3-O-ETHYL ASCORBIC ACID, ALUMINUM HYDROXIDE, STEARIC ACID, TRIETHOXYCAPRYLYLSILANE, FRAGRANCE, MELIA AZADIRACHTA FLOWER EXTRACT, MELIA AZADIRACHTA LEAF EXTRACT, CAPRYLYL GLYCOL, GLYCERYL CAPRYLATE, CURCUMA LONGA (TURMERIC) ROOT EXTRACT, OCIMUM SANCTUM LEAF EXTRACT, ASCORBIC ACID, ETHYLHEXYLGLYCERIN, CORALLINA OFFICINALIS EXTRACT, SODIUM HYALURONATE, TOCOPHEROL

Purpose

Sunscreen

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children if product is swallowed, get medical help or contact a Poison Control Center right away.
- Keep out of reach of children if product is swallowed, get medical help or contact a Poison Control Center right away.

Use(s)

- helps prevent sunburn
- if used as directed with other sun protection measures(see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Directions

■ Apply liberally 15 minutes before sun exposure

- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin againg. To decrease this risk, regularly use a sunscreen with SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10a.m.-2p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

Other Information


■ Protect the product in this container from excessive heat and direct sun

Questions?

support@missha.zendesk.com







MISSHA ALL AROUND VITA C SUNSCREEN

zinc oxide, homosalate, ethylhexyl salicylate, titanium dioxide cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13733-500	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 mL		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3 g in 100 mL		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	8.5 g in 100 mL		

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
HEXAMETHYLDISILOXANE (UNII: D7M4659BPU)			
CYCLOMETHICONE 5 (UNII: OTHT5PCIOR)			

Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:13733- 500-02	1 in 1 CARTON	05/01/2024	
	1	NDC:13733- 500-01	70 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	05/01/2024		

Labeler - Able C&C Co., Ltd. (689540284)

Establishment					
Name	Address	ID/FEI	Business Operations		
Kolmar Korea Co.,LTD. Gwanjeong 2 factory		963271750	manufacture(13733-500)		

Revised: 6/2024 Able C&C Co., Ltd.