

**EPSOM SALT- magnesium sulfate granule, for solution**  
**Retail Business Services, LLC**

-----  
**Care One 602.002/602AA**  
**Epsom Salt**

**Tamper Evident Statement**

Tamper Evident Packaging:

Caution: this package has been sealed for your protection.

Do not use if package is open, torn or mutilated.

**Active ingredient**

Magnesium sulfate USP (Heptahydrate) 100%

**Purpose**

Saline laxative

**Uses**

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 1/2 to 6 hours

**Warnings**

for this product

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet
- abdominal pain, nausea or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week.

**Ask a doctor or pharmacist before use if you are**

taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if**

you have rectal bleeding or failure to have a bowel movement after use. These could be

signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not exceed recommended daily dosage
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses
- dissolve the dose in 8 ounces of water. Lemon juice may be added to improve the taste.

adults and children 12 years and over - 2 to 6 level teaspoons (10 to 30 grams) daily

children 6 to under 12 years - 1 to 2 level teaspoons (5 to 10 grams) daily

children under 6 years - consult a doctor

**Other information**

- each teaspoon (5 grams) contains: magnesium content 495 mg

**Inactive Ingredient**

None

**Side Panel**

For external use as a soaking aid for minor sprains and bruises.

**Directions:** For a relaxing bath/soak liberally sprinkle into warm, running bath water.

**CAUTION: If prompt relief is not obtained or there is evidence of infection, discontinue use and consult your physician. Hot or warm soaks should not be used by individuals with diabetes except on the advice of a physician. Keep out of reach of children.**

**Adverse Reactions**

DISTRIBUTED BY:

ADUSA DISTRIBUTION, LLC

SALISBURY, NC 28147

For product questions or concerns, contact us at 1-833-992-3872

Quality guaranteed or your money back.

## Principal display panel

Cut along dotted line and press zipper to reseal.

CAREONE<sup>®</sup>

Epsom Salt

MAGNESIUM SULFATE

U.S.P. MGSO<sub>4</sub> - 7H<sub>2</sub>O

Saline Laxative For Relief of Occasional Constipation

Soaking Aid for minor sprains and bruises

NET WT 1 LB (454 g)

**Drug Facts**

**Active ingredient** Magnesium sulfate USP (heptahydrate) 100% granule (saline)

**Purpose** Saline laxative

**Uses**

- For relief of occasional constipation (topical)
- This product generally produces bowel movement in 1/2 to 6 hours

**Warnings**

Ask a doctor before use if you have:

- kidney disease
- a magnesium-restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are taking any other drugs. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- Do not exceed recommended daily dosage
- Drink at least 8 ounces of fluid with each dose
- May be taken as a single daily dose or in divided doses
- Divide the dose in 4 cups of water. Lemon juice may be added to improve the taste.

adults and children 12 years and over	2 to 4 level teaspoons (10 to 20 grams) daily
children 6 to under 12 years	1 to 2 level teaspoons (5 to 10 grams) daily
children under 6 years	consult a doctor

**Other information**

- Each teaspoon (5 grams) contains magnesium 485 mg

**Inactive ingredients** none

**CAREONE<sup>®</sup>**

**Epsom Salt**

**MAGNESIUM SULFATE**  
**U.S.P. MGSO<sub>4</sub> - 7H<sub>2</sub>O**

Saline Laxative For Relief of Occasional Constipation

Soaking Aid for Minor Sprains and Bruises

**NET WT**  
**1 LB**  
**(454g)**

DISTRIBUTED BY:  
ADUSA DISTRIBUTION, LLC  
SALISBURY, NC 28147

For product questions or concerns,  
contact us at 1-833-992-3872.  
Quality guaranteed or your money back.

T-0417 0683

3 41520 31303 5

L0014960PD

## EPSOM SALT

magnesium sulfate granule, for solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72476-602
<b>Route of Administration</b>	ORAL, TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) (MAGNESIUM CATION - UNII:T6V3LHY838)		MAGNESIUM SULFATE HEPTAHYDRATE	1 g in 1 g	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72476-602-04	1814 g in 1 POUCH; Type 0: Not a Combination Product	05/06/2015	
2	NDC:72476-602-43	454 g in 1 POUCH; Type 0: Not a Combination Product	05/06/2015	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	05/06/2015		

**Labeler** - Retail Business Services, LLC (967989935)

**Registrant** - Nice-Pak Products, LLC (119091520)

### Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(72476-602)

Revised: 2/2026

Retail Business Services, LLC