

RODAN FIELDS SOOTHE 4 MINERAL SUNSCREEN BROAD SPECTRUM SPF 30 - titanium dioxide cream
Rodan & Fields

RODAN + FIELDS SOOTHE 4 Mineral Sunscreen BROAD SPECTRUM SPF 30

RODAN + FIELDS SOOTHE 4 Mineral Sunscreen BROAD SPECTRUM SPF 30

ACTIVE INGREDIENTS:

Titanium Dioxide 2% Zinc Oxide 12%

PURPOSE

Sunscreens

USES:

To protect from sunburn and sun-induced skin irritations.

WARNINGS:

For external use only.

Do not use

on damaged or broken skin.

Stop use and ask a doctor

If rash occurs.

When using this product

keep out of eyes. Rinse with water to remove.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

Shake well before use. Apply a generous dime-sized amount evenly over the entire face every morning as the final step in the Regimen. Reapply every 2 - 3 hours as needed. Avoid the eye area. Children under 6 months of age: ask a doctor.


INACTIVE INGREDIENTS:

Alumina, Aluminum Starch Octenylsuccinate, Butylene Glycol, Camellia Sinesis Extract, Caprylyl Glycol, Caprylyl Methicone, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Dipotassium Glycyrrhizate, Disodium EDTA, Distearidimonium Hectorite, Ethylhexylglycerin, Glycerin, Glycyrrhiza Glabra (Licorice) Root Extract, Hydrolyzed Wheat Protein/PVP Crosspolymer, Methicone, Panthenol, PEG-10 Dimethicone, Phenoxyethanol, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium PCA, Tocopheryl Acetate, Water

OTHER INFORMATION

Protect this product from excessive heat and direct sun.

RODAN + FIELDS SOOTHE 4 Mineral Sunscreen BROAD SPECTRUM SPF 30 50ml (14222-0000-1)





Step 4 in the SOOTHE Regimen for Sensitive, Irritated Skin and Facial Redness. Formulated without chemical sunscreens, fragrance, dyes or alcohol that can irritate sensitive skin, this lightweight formula protects without compromising skin's delicate moisture barrier as it calms and soothes. Broad spectrum UVA/UVB formula contains only mineral-based sunscreen ingredients that deflect the sun's rays, keeping the skin's surface cooler to minimize the appearance of facial redness. Suitable for all skin types and conditions, including rosacea-prone skin. Use as part of the SOOTHE Regimen for best results.

Developed by Stanford-trained Dermatologists Dr. Katie Rodan and Dr. Kathy Fields.

visit rodanandfields.com

Drug Facts	
Active Ingredients	Purpose
Titanium Dioxide 2% } Zinc Oxide 12%	Sunscreen
Uses	
<ul style="list-style-type: none"> • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> • Shake well before use. Apply liberally over the entire face every morning as the final step in the SOOTHE Regimen. • Apply liberally 15 minutes before sun exposure • Use a water resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor 	
Other information	
Protect this product from excessive heat and direct sun.	
Inactive ingredients	
Alumina, Aluminum Starch Octenylsuccinate, Butylene Glycol, Camellia Sinesis Extract, ▶	

Drug Facts (continued)
Caryxyl Glycol, Caprylyl Methylcane, D-Cyclohexanecarboxylic Acid, Dimethylsiloxane, Dimethicone, Dimethylsiloxane/Methyl Dimethicone Copolymer, Dipotassium Glycyrrhizate, Disodium EDTA, DisodiumIron Hexafluorophosphate, Ethylhexylsorbate, Glycerin, Glyceryl Stearate, Helianthus Annuus (Sunflower) Seed Extract, Hydrolyzed Wheat Protein/PPG-Crosspolymer, Mentholene, Pentaerythrityl Tetraethylhexanoate, PEG-10 Dimethicone, Phenoxethanol, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium PCA, Tocopheryl Acetate, Water

Manufactured for Rodan & Fields, LLC
San Francisco, CA 94105 Made in USA S05S050
85-06-0026 Please Recycle

QUESTIONS OR COMMENTS 1-888-995-5656



RODAN FIELDS SOOTHE 4 MINERAL SUNSCREEN BROAD SPECTRUM SPF 30

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-0000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	20 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	120 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LMI26O6933)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
CAMELLIA SINENSIS FLOWER (UNII: 9I2BJY2J17)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
LICORICE (UNII: 61ZBX54883)	
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)	
PANTHENOL (UNII: WW9CM0O67Z)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-0000-1	1 in 1 CARTON	12/19/2017	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/03/2013	

Labeler - Rodan & Fields (051659584)

Establishment

Name	Address	ID/FEI	Business Operations
Englewood Lab, Inc.		172198223	manufacture(14222-0000)

