

# **STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled Walgreens**

-----  
**Drug Facts**

## **Active ingredient (in each softgel)**

Docusate sodium 100 mg

## **Purpose**

Stool softener laxative

## **Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

## **Warnings**

### **Do not use**

if you are presently taking mineral oil, unless told to do so by a doctor.

### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

### **Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.

---

adults and children 12 years and over | take 1-3 softgels daily

children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

### **Other information**

- **each softgel contains:**sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### **Inactive ingredients**

D&C red #33\*, edible ink, FD&C blue #1\*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol\*, purified water, sorbitan, sorbitol, titanium dioxide

\*contains one or more of these ingredients

### **Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### **Principal Display Panel**

**Compare to the active ingredient in Colace® Regular Strength Stool Softener††**

#### **Stool Softener**

DOCUSATE SODIUM 100 mg / STOOL SOFTENER LAXATIVE

REGULAR STRENGTH SOFTGELS

- Effective relief of constipation
- Gentle & dependable
- Stimulant free

SOFTGELS

††This product is not manufactured or distributed by Purdue Products L.P. , distributor of Colace® Regular Strength Stool Softener.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

**Product Label**

Walgreens

Compare to the active ingredient in Colace® Regular Strength Stool Softener††

NDC 0363-0016-06

# Stool Softener

DOCUSATE SODIUM 100 mg / STOOL SOFTENER LAXATIVE

REGULAR STRENGTH

SOFTGELS

- Effective relief of constipation
- Gentle & dependable
- Stimulant free

60

SOFTGELS



ACTUAL SIZE

**Drug Facts**

Active ingredient (in each softgel)	Purpose
Docusate sodium 100 mg.....	Stool softener laxative

**Uses** ■ relieves occasional constipation (irregularity)  
■ generally produces bowel movement in 12 to 72 hours

**Warnings**  
**Do not use** if you are presently taking mineral oil, unless told to do so by a doctor.

**Ask a doctor before use if you have**  
■ stomach pain ■ nausea ■ vomiting  
■ noticed a sudden change in bowel habits that lasts over 2 weeks

**Stop use and ask a doctor if**  
■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.  
■ you need to use a laxative for more than 1 week

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
■ take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

**Drug Facts (continued)**

**Other information**  
■ each softgel contains: sodium 6 mg  
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** D&C red #33, edible ink, FD&C blue #1\*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol\*, purified water, sorbitan, sorbitol, titanium dioxide  
\*contains one or more of these ingredients

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

†Walgreens Pharmacist Survey  
††This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Regular Strength Stool Softener.



Discard Seal, Empty & Replace Cap

PAPER BOX PLASTIC BOTTLE

©2018 Walgreen Co.

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED walgreens.com ©2018 Walgreen Co.

ITEM 503674 W10024-0418-L



3 11917 02600 8

PLD-E2L  
FC004711

Lot No.:  
Exp. Date:

## WALGREENS Stool Softener

**PACKAGE LABEL**

*Walgreens*

Compare to the active ingredient in Colace® Regular Strength Stool Softener††

NDC 0363-0016-06

# Stool Softener

DOCUSATE SODIUM 100 mg / STOOL SOFTENER LAXATIVE

REGULAR STRENGTH

SOFTGELS

- Effective relief of constipation
- Gentle & dependable
- Stimulant free

60  
SOFTGELS



ACTUAL SIZE

ITEM 503674 W10024-0418-L



PLD-E2L  
FC004711

Lot No.:  
Exp. Date:

### Drug Facts

Active ingredient (in each softgel)	Purpose
Docusate sodium 100 mg.....	Stool softener laxative

**Uses** ■ relieves occasional constipation (irregularity)  
■ generally produces bowel movement in 12 to 72 hours

**Warnings**  
**Do not use** if you are presently taking mineral oil, unless told to do so by a doctor.

**Ask a doctor before use if you have**  
■ stomach pain ■ nausea ■ vomiting  
■ noticed a sudden change in bowel habits that lasts over 2 weeks

**Stop use and ask a doctor if**  
■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.  
■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
■ take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

### Drug Facts (continued)

**Other information**  
■ each softgel contains: sodium 6 mg  
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** D&C red #33, edible ink, FD&C blue #1\*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol\*, purified water, sorbitan, sorbitol, titanium dioxide  
\*contains one or more of these ingredients

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

† Walgreens Pharmacist Survey  
†† This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Regular Strength Stool Softener.



DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED walgreens.com ©2018 Walgreen Co.

## WALGREENS Stool Softener

### STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0016
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII: M7P27195AG)	DOCUSATE SODIUM	100 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	red, white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	P10;SCU2;D1
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0016-06	1 in 1 BOX	08/31/2017	12/31/2025
1		60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-0016-20	1 in 1 BOX	08/31/2017	12/31/2025
2		200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:0363-0016-40	1 in 1 BOX	08/31/2017	12/31/2025
3		400 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/31/2017	12/31/2025

**Labeler** - Walgreens (008965063)

