

**CLETINA HAIR OIL- minoxidil liquid**  
**Guangdong Aimu Biological Technology Co., Ltd**

-----

**Active ingredients**

PROPYLENE GLYCOL 10%  
BUTYLENE GLYCOL 5%  
MINOXIDIL 5%

**Purpose**

Hair growth

**Uses**

apply half a capful 2 times a day to the scalp in the hair loss area  
massage into scalp with fingers, then wash hands well

**Warning**

For external use only.

**Stop use and ask a doctor if**

rash occurs.

**Do not use**

on damaged or broken skin.

**When using this product**

keep out of eyes. Rinse with water to remove.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Dosage**

apply half a capful 2 times a day to the scalp in the hair loss area

**inactive ingredient**

WATER 46.5599%  
 ALCOHOL 33%  
 PHENOXYETHANOL 0.3%  
 ETHYLHEXYLGLYCERIN 0.1%  
 DISODIUM EDTA 0.02%

**PRINCIPAL DISPLAY PANEL**

**Extra Strength for Men**  
**MINOXIDIL**  
 CLETTINA

**CLETINA**  
**MINOXIDIL**  
 Extra Strength for Men

**5% MINOXIDIL TOPICAL SOLUTION**

**HAIR REGROWTH TREATMENT**

**ANTI LOSS & HAIR GROWTH**

**FOR BEST RESULTS USE TWICE DAILY APPLY DIRECTLY TO SCALP**

**NOT FOR USE BY WOMEN**

2x60ml(2 FL OZ) BOTTLES  
 TOTAL 120ML(4FL OZ)

**5% MINOXIDIL TOPICAL SOLUTION**  
 hair regrowth treatment

**THIS PACKAGE CONTAINS**

• Two 60 ml (2 fl.oz) Bottle of Men's Extra Strength (two month supply)

• Information booklet with complete directions on how to use and obtain best results

**Active ingredient Minoxidil 5% w/v**  
**Ingredients**  
 WATER, ALCOHOL, PROPYLENE GLYCOL, BUTYLENE GLYCOL, MINOXIDIL, PHENOXYETHANOL, ETHYLHEXYLGLYCERIN, DISODIUM EDTA, CARAMEL, CI 19140

**Warnings**  
**For external use only. For use by men only. Keep away from fire or flame**  
 Avoid contact with eyes. Discontinue use if irritation occurs. Store in a cool dry place.

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton, or your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful.
- you use other medicines on the scalp

**Ask a doctor before use if you have heart disease**

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.**  
 If swallowed, get medical help or contact a Poison Control Center right away.

**Direction**

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

**Other information**

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months.
- see hair loss pictures on side of this carton
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information.
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container.
- do not expose to heat or store at temperatures above 120° F (49° C).
- before use, read all information on package and enclosed booklet.

Minoxidil topical solution USP 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil topical solution USP 5% has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.

**VERTEX**

**VERTEX**

**VERTEX**

**FOR BEST RESULTS USE TWICE DAILY APPLY DIRECTLY TO SCALP**

**If men have more hair loss or hair loss in a place different than shown above, minoxidil topical solution USP 5% may not work.**

Distributed by:  
 Guangdong Aima Biotechnology Co., Ltd  
 Address:  
 24K, 24th, 4th Floor, No. 2 Factory Building,  
 No. 20-1, Xianggang Road, Beang Town,  
 Jianshi District, Foshan City  
 (residence declaration)  
 MADE IN CHINA

**CLETINA HAIR OIL**

minoxidil liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83566-166
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)	PROPYLENE GLYCOL	10 g in 100 mL
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA) (BUTYLENE GLYCOL - UNII:3XUS85K0RA)	BUTYLENE GLYCOL	5 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>MAGNESIUM DISODIUM EDTA</b> (UNII: NDT563S5VZ)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83566-166-01	120 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)	06/12/2024	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M032	06/12/2024	

**Labeler** - Guangdong Aimu Biological Technology Co., Ltd (712647107)**Establishment**

Name	Address	ID/FEI	Business Operations
Guangdong Aimu Biological Technology Co., Ltd		712647107	manufacture(83566-166)

Revised: 6/2024

Guangdong Aimu Biological Technology Co., Ltd