

**GLOSSIER INVISIBLE SHIELD SPF 50- glossier invisible shield spf 50 gel  
Autumn Harp**

-----  
**Glossier Invisible Shield SPF 50**

Avobenzone 3% - Sunscreen

Homosalate 7% - Sunscreen

Octisalae 5% - Sunscreen

Octocrylene 10% - Sunscreen

Use: Helps prevent sunburn

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes, Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Apply generously 15 minutes before sun exposure.

Reapply at least every 2 hours.

Use a water-resistant sunscreen if swimming or sweating.

Children under 6 months of age: ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive Ingredients:** Isododecane, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Polysilicone-22, Dimethicone Crosspolymer, Dicaprylyl Ether, Glycine Soja (Soybean) Oil, Carthamus Tinctorius (Safflower) Seed Oil, Polyglyceryl-3 Diisostearate, Oryza Sativa (Rice) Extract, Oryza Sativa (Rice) Germ Extract, Aloe Barbadensis Leaf Extract, Bisabolol, Tocopherol, Zingiber Officinale (Ginger) Root Extract.

Protect the product in this container from excessive heat and direct sun.

gTEAM@glossier.com

Apply generously 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Children under 6 months of age: ask a doctor.




For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Other information: Protect the product in this container from excessive heat and direct sun.

<p><b>Drug Facts</b></p> <table border="1"><thead><tr><th>Active Ingredients</th><th>Purpose</th></tr></thead><tbody><tr><td>Azobenzene 5%</td><td>Sunscreen</td></tr><tr><td>Homosalate 7%</td><td>Sunscreen</td></tr><tr><td>Octisalate 5%</td><td>Sunscreen</td></tr><tr><td>Octocrylene 10%</td><td>Sunscreen</td></tr></tbody></table> <p><b>Use</b></p> <ul style="list-style-type: none"><li>- Helps prevent sunburn.</li></ul> <p><b>Warnings</b></p> <p>For external use only.</p> <p>Do not use on damaged or broken skin.</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"><li>- Apply generously 15 minutes before sun exposure.</li><li>- Reapply at least every 2 hours.</li><li>- Use a water-resistant sunscreen if swimming or sweating.</li><li>- Children under 6 months of age- ask a doctor.</li></ul> <p><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:</p> <ul style="list-style-type: none"><li>- limit time in the sun, especially from 10 a.m. - 2 p.m.</li><li>- wear long-sleeved shirts, pants, hats, and sunglasses.</li></ul> <p><b>Inactive Ingredients</b></p> <p>Isododecane, Dimethicone/Bis-isobutyl PPG-20 Crosspolymer, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Polysilicone-22, Dimethicone Crosspolymer, Dicaprylyl Ether, Glycine Soja (Soybean) Oil, Carthamus Tinctorius (Safflower) Seed Oil, Polyglyceryl-5 Disostearate, Oryza Sativa (Rice) Germ Extract, Oryza Sativa (Rice) Extract, Aloe Barbadosensis Leaf Juice, Bisabolol, Tocopherol, Zingiber Officinale (Ginger) Root Extract.</p> <p><b>Other information</b></p> <p>Protect the product in this container from excessive heat and direct sun.</p> <p><b>Questions?</b></p> <p>gTEAM@glossier.com</p>	Active Ingredients	Purpose	Azobenzene 5%	Sunscreen	Homosalate 7%	Sunscreen	Octisalate 5%	Sunscreen	Octocrylene 10%	Sunscreen	<p>Made in USA of global materials</p> <p>Glossier.com</p> <p>Dist. by Glossier, Inc. New York, NY 10013</p> 	 <p><b>SPF 50</b></p> <p><b>Glossier.</b></p> <p>invisible shield daily sunscreen</p> <p>BROAD SPECTRUM SPF 50 50 ml 1.7 fl oz</p>	<p>Apply over your entire face after moisturizer, before makeup. Good job.</p> 
Active Ingredients	Purpose												
Azobenzene 5%	Sunscreen												
Homosalate 7%	Sunscreen												
Octisalate 5%	Sunscreen												
Octocrylene 10%	Sunscreen												



## GLOSSIER INVISIBLE SHIELD SPF 50

glossier invisible shield spf 50 gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51514-0368
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	7 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISODODECANE</b> (UNII: A8289P68Y2)	

<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)
<b>DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER</b> (UNII: 04I3UFO6ZF)
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)
<b>FARNESOL</b> (UNII: EB41QIU6JL)
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)
<b>DICAPRYLYL ETHER</b> (UNII: 77JZM5516Z)
<b>RICE GERM</b> (UNII: 7N2B70SFEZ)
<b>.ALPHA.-BISABOLOL, (+/-)-</b> (UNII: 36HQN158VC)
<b>GINGER</b> (UNII: C5529G5JPQ)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51514-0368-2	50 in 1 CARTON	06/01/2024	
1	NDC:51514-0368-1	43 g in 1 TUBE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2024	

**Labeler** - Autumn Harp (064187883)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Autumn Harp		064187883	manufacture(51514-0368)

Revised: 6/2024

Autumn Harp