

CURIST CHILDRENS ALLERGY RELIEF- loratadine 5 mg chewable tablets tablet, chewable
Little Pharma, Inc.

Children's Allergy Relief

Drug Facts

Active ingredient (in each chewable tablet)

Loratadine USP, 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

- chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablets in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions? Call **1-844-243-1241** or email hi@curistrelief.com

Keep the carton. It contains important information. See end panel for expiration date.

REV: 031-43-01

NDC: 72559-031-43

Distributed by: Little Pharma, Inc.

New York, NY 10023

Tableted and Packaged in USA

curist kids**Children's Allergy Relief****Loratadine Chewable Tablets USP, 5 mg****Antihistamine**

Indoor and Outdoor Allergies

24 Hour Relief of Sneezing;

Runny Nose; Itchy, Watery Eyes;

Itchy Throat or Nose

Non-Drowsy*

60 CHEWABLE TABLETS

The chewable tablets are to be chewed before swallowing.

AGES 2+ YEARS

*When taken as directed. See Drug Facts Panel.

Grape Flavored

Dye-Free

curistrelief.com

curistkids

AGES 2+ YEARS

*When taken as directed. See Drug Facts Panel.

Children's Allergy Relief

Loratadine Chewable Tablets USP, 5 mg
Antihistamine

Indoor and Outdoor Allergies
24 Hour Relief of Sneezing;
Runny Nose; Itchy, Watery Eyes;
Itchy Throat or Nose
Non-Drowsy*

60 CHEWABLE TABLETS
The chewable tablets are to be chewed before swallowing.



curistrelief.com

Drug Facts

Active ingredient
(in each chewable tablet) **Purpose**
Loratadine USP, 5 mg Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

■ chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

■ phenylephrine: contains phenylephrine 1.25 mg per tablet.
 ■ **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
 ■ store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions? Call 1-844-243-1241 or email hi@curistrelief.com

Keep the carton. It contains important information. See end panel for expiration date.

CURIST CHILDRENS ALLERGY RELIEF

loratadine 5 mg chewable tablets tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72559-031
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03B07QN) (LORATADINE - UNII: 7AJ03B07QN)	LORATADINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
MANNITOL (UNII: 3OWL53L36A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	white (white to off-white)	Score	no score
Shape	ROUND (bevelled edge)	Size	10mm
Flavor	GRAPE	Imprint Code	106
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72559-031-43	6 in 1 CARTON	06/12/2024	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210088	06/12/2024	

Labeler - Little Pharma, Inc. (074328189)

Revised: 9/2024

Little Pharma, Inc.