

OIL LIN SUNMILK SUNSCREEN SPF 25 - sunscreen, titanium dioxide emulsion
Sunrider Manufacturing L.P.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

OIL LIN® SUNMILK SUNSCREEN SPF 25

ACTIVE INGREDIENT: TITANIUM DIOXIDE 8.5%

INACTIVE INGREDIENT: WATER (DEIONIZED)

USES: HELPS PREVENT SUNBURN.

RECOMMENDATION: APPLY EVENLY TO ANY AREA OF THE BODY BEFORE SUN EXPOSURE TO PROVIDE MODERATE PROTECTION AGAINST SUNBURN. REAPPLY AS NEEDED OR AFTER PROLONGED PHYSICAL ACTIVITY OR SWIMMING. HIGHER SPF GIVES MORE SUNBURN PROTECTION. RETAINS SPF AFTER 40 MINUTES OF ACTIVITY IN THE WATER. CHILDREN UNDER 6 MONTHS OF AGE:CONSULT A DOCTOR BEFORE USE.

WARNING: FOR EXTERNAL USE ONLY, IF SWALLOWED SEEK MEDICAL HELP OR CONTACT A POISON CONTROL CENTER IMMEDIATELY, IF CONTACT WITH EYES OCCURS, RINSE THOROUGHLY WITH WATER, DISCONTINUE USE AND CONSULT A DOCTOR IF PERSISTENT SIGNS OF IRRITATION OR RASH APPEAR

KEEP OUT OF REACH OF CHILDREN.

MM1

US OL Sunmilk 4oz btl lbl Front



US S8750914

Keyline Does Not Print

US OL Sunmilk 4oz btl lbl Back

USES: • HELPS PREVENT SUNBURN. HIGHER SPF GIVES MORE SUNBURN PROTECTION. RETAINS SPF AFTER 40 MINUTES OF ACTIVITY IN THE WATER.

RECOMMENDATION: APPLY EVENLY TO ANY AREA OF THE BODY BEFORE SUN EXPOSURE TO PROVIDE MODERATE PROTECTION AGAINST SUNBURN. REAPPLY AS NEEDED OR AFTER PROLONGED PHYSICAL ACTIVITY OR SWIMMING. • CHILDREN UNDER 6 MONTHS OF AGE: CONSULT A DOCTOR BEFORE USE.

ACTIVE INGREDIENT: TITANIUM DIOXIDE 8.5%.

WARNINGS: KEEP OUT OF REACH OF CHILDREN. FOR EXTERNAL USE ONLY. IF SWALLOWED, SEEK MEDICAL HELP OR CONTACT A POISON CONTROL CENTER IMMEDIATELY. IF CONTACT WITH EYES OCCURS, RINSE THOROUGHLY WITH WATER. DISCONTINUE USE AND CONSULT A DOCTOR IF PERSISTENT SIGNS OF IRRITATION OR RASH APPEAR.



SUNRIDER®

Kandesn®

DISTRIBUTED BY
SUNRIDER INTERNATIONAL
TORRANCE, CALIFORNIA 90501

MADE IN USA

PRODUCT INQUIRY: 1-310-781-6096

US S8750915

Keyline Does Not Print

USE: • HELPS PREVENT SUNBURN. HIGH SPF GIVES ANCHL
SUNBURN PROTECTION. RETAINS SPF AFTER 40 MINUTES OF
ACTIVITY IN THE WATER.

RECOMMENDATION: APPLY EVENLY TO ANY AREA OF THE BODY
BEFORE SUN EXPOSURE TO PROVIDE MODERATE PROTECTION.
AGAINST SUNBURN. REAPPLY AS NEEDED OR AFTER PROLONGED
PHYSICAL ACTIVITY OR SWIMMING. • CHILDREN UNDER 6
MONTHS OF AGE CONSULT A DOCTOR BEFORE USE.

ACTIVE INGREDIENT: TITANIUM DIOXIDE 8.5%.

WARNINGS: KEEP OUT OF REACH OF
CHILDREN. FOR EXTERNAL USE ONLY. IF
SWALLOWED, SEEK MEDICAL HELP OR
CONTACT A POISON CONTROL CENTER
IMMEDIATELY. IF CONTACT WITH EYES
OCCURS, RINSE THOROUGHLY WITH WATER.
DISCONTINUE USE AND CONSULT A DOCTOR
IF PERSISTENT SIGNS OF IRRITATION OR RASH
APPEAR.



Kandesn®

A PRODUCT OF
SUNRIDER MANUFACTURING, L.P.
CITY OF INDUSTRY, CA 91746
MADE IN USA
US S8756102

Oi-lin®

SUNMILK

**SUNSCREEN
SPF 25**



WATER / PERSPIRATION
RESISTANT

NET WT.
0.5 FL. OZ. (15 mL)

OI LIN SUNMILK SUNSCREEN SPF 25

sunscreen, titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62191-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	85 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

2-HYDRO XYETHYL ACRYLATE (UNII: 25GT92NY0C)	
ALANINE (UNII: OF5P57N2ZX)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0)	
ARGININE (UNII: 94ZLA3W45F)	
BETAINE (UNII: 3SCV180C9W)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 1.5) (UNII: V2W71V8T0X)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
GLYCINE (UNII: TE7660XO1C)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
isononyl isononanoate (UNII: S4V5BS6GCX)	
LYSINE (UNII: K3Z4F929H6)	
OAT (UNII: Z6J799EAJK)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROLINE (UNII: 9DLQ4CIU6V)	
SERINE (UNII: 452VLY9402)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM HYDROXYMETHYLGLYCINATE (UNII: DIG6BWZ9XT)	
SODIUM MYRISTOYL SARCO SINATE (UNII: J07237209D)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
SORBITOL (UNII: 506T60A25R)	
SQUALANE (UNII: GW89575KF9)	
THREONINE (UNII: 2ZD004190S)	
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62191-012-01	15 g in 1 TUBE		
2	NDC:62191-012-02	125 g in 1 BOTTLE, PLASTIC		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/23/2009	

Labeler - Sunrider Manufacturing L.P. (786951475)

Registrant - Sunrider Manufacturing L.P. (786951475)

