INCONTINENCE CARE WIPE- dimethicone swab Cardinal Health 200, Inc.

INCONTINENCE CARE WIPE

Drug Facts

Active Ingredient

Dimethicone 3.2%

Purpose

Skin Protectant

Uses

- temporarily protects and helps relieve chapped or cracked skin
- helps prevent perineal dermatitis
- protects minor skin irritation associated with perineal dermatitis

Warnings

For external use only

When using this product

Avoid direct contact with the eyes

Stop use and contact a physician

- if condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact Posion Control Center right away.

- Discontinue if irritation or redness develops
- Gloves diminish sensitivity to heat
- Closely monitor heat level with infants, unresponsive or skin sensitive individuals

Do not use

- On deep or puncture wounds
- Animal bites
- Serious burns

Directions

• Tear open pouch and remove wipes

- Thoroughly cleanse soiled area, using one wipe at a time
- Use as often as necessary
- Dispose of cloths in a waste receptacle
- Do not flush
- Wipes may be used at room temperature but if heating is desired, wipes may be warmed in a wipes warmer. Wipes should be warmed:
- In a single warming session at temperatures not exceeding 52°C (125°F) and
- for a maximum of 200 hours. Discard wipes that have been:
- Exposed to warming temperatures exceeding 52°C (125°F); or
- Stored longer than 200 hours within the warmer; or
- Been warmed, allowed to cool, and then re-warmed

Warming Instructions:


Other Information

Store at room temperature.

Inactive Ingredients

Aqua, Glycerin, Cetearyl Alcohol, PPG-15 Stearyl Ether, Glyceryl Stearate, PEG-100 Stearate, Phenoxyethanol, Aloe Barbadensis Leaf Extract, Caprylyl Glycol, Xanthan Gum

Package Labeling:



INCONTINENCE CARE WIPE

dimethicone swab

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:63517-131	
Route of Administration	TOPICAL				
Active Ingredient/Active	Mojety				
Active mgredient/Active	Molecy				
Ingredient Name			Basis of Strength		Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)		J3N3Y1O)	DIMETHICONE		32 mg in 1 g
Inactive Ingredients					
Ingredient Name			Strength		
WATER (UNII: 059QF0K00R)					

GLYCERIN (UNII: PDC6A3C0OX)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PPG-15 STEARYL ETHER (UNII: 1II18XLS1L)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC:63517-131- 22	3 in 1 PACKET	05/15/2019	
1	1 in 1 POUCH		
1	52.93 g in 1 PATCH; Type 0: Not a Combination Product		
Marketing	nformation		
Marketing Marketing Category		Marketing Start Date	Marketing End Date

Labeler - Cardinal Health 200, Inc. (961027315)

Revised: 10/2023

Cardinal Health 200, Inc.