

**MOTION SICKNESS RELIEF- meclizine hcl tablet**  
**Meijer Distribution Inc**

-----  
**Meijer 44-403A**

***Active ingredient (in each tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Uses***

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

***Warnings***

**Do not use**

for children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **do not take more than directed**
- take first dose 1/2 to 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

***Inactive ingredients***

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

***Questions or comments?***

**1-800-426-9391**

***Principal display panel***

**COMPARE TO  
DRAMAMINE®  
LESS DROWSY  
ACTIVE INGREDIENT\***

**meijer®**

NDC 41250-930-19

**Motion  
Sickness Relief  
MECLIZINE HCl 25 mg  
ANTIEMETIC**

**HELPS PREVENT NAUSEA AND DIZZINESS  
DUE TO MOTION SICKNESS FOR UP TO 24 HOURS**

**Ages 12 Years and Over**

**LESS  
DROWSY  
FORMULA**

**8  
Tablets**

**Actual Size**

**TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by  
Medtech Products Inc., owner of the registered  
trademark Dramamine® Less Drowsy.

50844 REV0423A40319

**DIST. BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
[www.meijer.com](http://www.meijer.com)**

COMPARE TO  
DRAMAMINE®  
LESS DROWSY  
ACTIVE INGREDIENT\*

NDC 41250-930-19

LESS  
DROWSY  
FORMULA

8  
Tablets



Actual Size

meijer

# Motion Sickness Relief

MECLIZINE HCl 25 mg  
ANTIEMETIC

HELPS PREVENT NAUSEA AND DIZZINESS  
DUE TO MOTION SICKNESS FOR UP TO 24 HOURS

Ages 12 Years and Over

E1044

\*This product is not manufactured or distributed by  
Medtech Products Inc., owner of the registered  
trademark Dramamine® Less Drowsy.  
50844 REV0423A40319

DIST. BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com



B-1214-403A-19-R  
REV0423A40319

TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING


do not use if  
package is opened or if  
blister unit is torn,  
broken or shows  
any signs of tampering

**Warnings**  
Do not use for children under 12 years of age unless directed by a doctor.  
Ask a doctor before use if you have  
■ difficulty in urination due to enlargement of the prostate gland  
■ glaucoma  
■ a breathing problem such as emphysema or chronic bronchitis  
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.  
**When using this product**  
■ drowsiness may occur  
■ avoid alcoholic beverages  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ use caution when driving a motor vehicle or operating machinery

activity  
■ adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor  
**Other information**  
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
■ protect from heat and humidity  
■ see end flap for expiration date and lot number  
**Inactive ingredients** colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, preblended starch  
**(Questions or comments?)**  
1-800-426-9391



PfD 465390



Meijer 44-403A

## MOTION SICKNESS RELIEF

meclizine hcl tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-930
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MECLIZINE HYDROCHLORIDE</b> (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	44;403
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:41250-930-19	1 in 1 CARTON	03/27/2019	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	03/27/2019	

**Labeler** - Meijer Distribution Inc (006959555)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(41250-930)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41250-930) , pack(41250-930)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(41250-930)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(41250-930)

Revised: 3/2025

Meijer Distribution Inc