TABCIN FLU- acetaminophen, dextromethorphan hbr, phenylephrine hcl tablet, effervescent Pharmadel LLC

Tabcin Blue Effervescent (V)

Drug Facts

Active ingredients & Purposes

Active ingredients (in each tablet)	Purposes	
Acetaminophen 325 mg	Pain reliever/ fever reducer	
Dextromethorphan HBr 10 mg	Cough suppressant	
Phenylephrine HCl 5 mg	Nasal decongestant	

Uses

For the temporary relief of symptoms due to the common cold/flu:

- nasal congestion
- minor aches and pain
- headache
- and temporarily reduces fever

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 12 tablets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask your doctor or pharmacist before taking this product

Ask a doctor before use if you have

- liver disease
- heart disease

- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland
- a persistent or chronic cough such as occurs with smoking, asthma, or emphysema, or if cough is accompanied by excessive phlegm (mucus)

Ask a doctor or pharmacist before use if you are

• taking the blood thinning drug warfarin

When using this product

do not exceed the recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- pain, cough, or nasal congestion persists for more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with a rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children.

In case of an accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ adults and children 12 years of age and older: take two (2) tablets fully dissolved in a 4 oz glass of water every 4 hours. Do not exceed 12 tablets in 24 hours or as directed by a doctor.

■ children under 12 years of age: ask a doctor

Other information

- each tablet contains: potassium 10mg, sodium 274mg
- store in a cool dry place
- protect from sunlight

Inactive Ingredients

acesulfame potassium, anhydrous citric acid, lemon flavor, polysorbate 80, povidone k-30, simethicone, sodium benzoate, sodium bicarbonate, sucralose, water

Questions & comments?

1-866-359-3478 (M-F) 9 AM to 5 PM EST or www.pharmadel.com

Dist. by:

Pharmadel LLC.

New Castle, DE 19720

Principle Display Panel





TABCIN FLU

acetaminophen, dextromethorphan hbr, phenylephrine hcl tablet, effervescent

Droduct	Intorm	2 TIAN
Product		ativii

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55758-413

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
POLYSORBATE 80 (UNII: 60ZP39ZG8H)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
POVIDONE K30 (UNII: U725QWY32X)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		

DIMETHICONE (UNII: 92RU3N3Y10)

Product Characteristics			
Color	white	Score	score with uneven pieces
Shape	ROUND	Size	23mm
Flavor	LEMON	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:55758-413- 36	36 in 1 CARTON	06/30/2024		
1		2 in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/30/2024	

Labeler - Pharmadel LLC (030129680)

Revised: 6/2024 Pharmadel LLC