RAPIDOL TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment Pharmadel LLC

Rapidol Triple Antibiotic (KENIL)

Drug Facts

Active ingredients & Purpose

Active ingredients	Purpose
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 5,000 units	First aid antibiotic

Uses

First aid to help prevent infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store between (68-77°F) 20-25°C
- don't use if foil seal under cap is punctured, torn, or missing

Inactive ingredients

cocoa butter, cottonseed oil, mineral oil, olive oil, paraffin, sodium pyruvate, tocopherol acetate (vit. E), white petrolatum

Principal Display Panel

NDC 55758-440-02



Triple Antibiótico

UNGUENTO DE PRIMEROS AUXILIOS

Bacitracina Zinc/Sulfato de Neomicina/Sulfato de Polimixina B

Peso Neto 2 oz (57g)





Triple Antibiotic / **Antibiótico**

EFECTIVO EFFECTIVE
24- Horas 24-Hour
Protección Infection
contra infecciones Protection



Net Wt 2 oz (56a)

Bacitracin Zinc/ Neomycin Sulfate/ Polymyxin B Sulfate



RAPIDOL TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

D				
uro	\sim	IICT	Intorn	nation
ЕЮ				

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55758-440

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I)	BACITRACIN	400 [USP'U] in 1 g

NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII: J2VZ 07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients			
Ingredient Name	Strength		
PARAFFIN (UNII: 1900E3H2ZE)			
COTTONSEED OIL (UNII: H3E878020N)			
COCOA BUTTER (UNII: 5120YT1CRR)			
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
OLIVE OIL (UNII: 6UYK2W1W1E)			
MINERAL OIL (UNII: T5L8T28FGP)			
SODIUM PYRUVATE (UNII: POD38AIF08)			
WHITE PETROLATUM (UNII: B6E5W8RQJ4)			

Product Characteristics			
Color	white (Translucent)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:55758-440- 02	1 in 1 CARTON	11/04/2024		
1		56 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	11/04/2024	

Labeler - Pharmadel LLC (030129680)

Revised: 10/2024 Pharmadel LLC