

**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
AZUCAR BLANCA 110-C- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
AVELLANA 270-C- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
CHOCOTRUFAS 430-N- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
VAINILLA 140-C- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
PANELA 320-C- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
CACAO 350-N- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
CHANTILLY 130-F- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
CHOCOCHIP 330-C- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 NUEZ  
180-F- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
TOFFEE 240-C- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
ESPRESSO 450-C- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
DULCE DE LECHE 260-N- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
AZUCAR MORENO 300-N- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
BOMBON 400-N- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
CANELA 280-F- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
AVENA 170-N- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 MIEL  
200-C- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
ALMENDRA 230-N- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
BROWNIE 380-F- octinoxate, zinc oxide cream  
STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20  
CAMELO 210-F- octinoxate, zinc oxide cream  
BEL STAR S A**

-----  
**Studio Look base de alta cobertura para el rostro con FPS 20**

**Active Ingredients Purpose**

Octinoxate 4.00% Sunscreen

Zinc Oxide 2.40% Sunscreen

## **Uses**

Helps Prevent Sunburn

**Keep out reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if** rash occurs.

## **Warnings**

**Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn not skin cancer or early skin aging.

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove

**For external use only**

## **Directions**

Apply liberally and evenly 15 minutes before sun exposure

Reapply at least every 2 hours.

Use a water-resistant sunscreen if swimming or sweating

Children under 6 months of age: ask a doctor.

## **Other information**

- Protect the product in this container from excessive heat and direct sun

Water, Dimethicone, PEG-10 Dimethicone, Glycerin, Isododecane, Polymethylsilsesquioxane, Trimethylsiloxysilicate, HDI/TRIMETHYLOL Hexyllactone Crosspolymer, PEG/PPG-18/18 Dimethicone, Silica, Lecithin, Silica Dimethyl Silylate, Polypropylsilsesquioxane, Polysilicone-11, Sodium Chloride, Phenoxyethanol, Jojoba Esters, Distearidimonium Hectorite, Tocopheryl Acetate, Dimethicone/Vinyl Dimethicone Crosspolymer, CETYL PEG/PPG-10/1 Dimethicone, POLYGLYCERYL-4 ISOSTEARATE, Helianthus Annuus (Sunflower) Seed Wax, Hexyl Laurate, Caprylyl Glycol, Chlorphenesin, Fragrance, Acacia Deccurens Flower Wax, Polyglycerin-3, Laureth-12, Benzyl Alcohol, Linalool, Hexyl Cinnamal, Limonene.

May Contain: Titanium Dioxide, Iron Oxides, Triethoxycaprylylsilane.

Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Azucar Blanca 110-C

Net. Wt. 1.05 oz e(30 g)





La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours

- Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

CYZONE<sup>™</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja		
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC	
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES
Metodo de Impresión 1: OFFSET		
Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS		
Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE		
Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET		
Color Impresión de Retira 1: NO LLEVA		

Color Hot Stamping: NO LLEVA				
Repujado: NO LLEVA				
Acabado 1: BARNIZ BRILLANTE				
Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)




Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Chantilly 130-F

Net. Wt. 1.05 oz e(30 g)





Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Vainilla 140-C  
 Net. Wt. 1.05 oz e(30 g)





**EN PROCESO  
NO REPRODUCIR**

Scarlet Araujo / MAQUILLAJE / NUEVO(4)

La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

CYZONE<sup>®</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts  
(continued)**

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. May contain: titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)




Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Avena 170-N

Net. Wt. 1.05 oz e(30 g)





Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)







Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Nuez 180-F  
 Net. Wt. 1.05 oz e(30 g)



La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hdi/trimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>13</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
 PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz e (30 g)

**Drug Facts**  
 (continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com



Arte - Caja				
Arte N°: CJ-56729-A		Nombre del Producto: Base Studio look CC		
Plano: DS010243B		Fecha: 09/01/2020	Destino: PAISES	
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
Studio Look  
Base De Alta Cobertura Para El Rostro Con FPS 20 Miel 200-C  
Net. Wt. 1.05 oz e(30 g)





La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hdi/trimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

CYZONE<sup>CI</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. (30 g)

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja		
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC	
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>		

Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Caramelo 210-F

Net. Wt. 1.05 oz e(30 g)



**EN PROCESO  
NO REPRODUCIR**

Scarlet Araujo / MAQUILLAJE / NUEVO(4)



La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours

- Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.


CYZONE<sup>13</sup>

Studio LOOK

BASE DE ALTA COBERTURA

**Drug Facts (continued)**

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium h e c t o r i t e , tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.



Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Almendra 230-N  
 Net. Wt. 1.05 oz e(30 g)





La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hdi/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>ll</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts  
(continued)**

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja		
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC	
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES
Metodo de Impresión 1: OFFSET		

Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS

Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE

Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET

Color Impresión de Retira 1: NO LLEVA

Color Hot Stamping: NO LLEVA

Repujado: NO LLEVA

Acabado 1: BARNIZ BRILLANTE

Acabado 2: BARNIZ MATE

Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA

Observaciones:

LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL
---------------------------------------	----------------------------------	------------------------------------	----------------------------	-------------

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Toffee 240-C

Net. Wt. 1.05 oz e(30 g)



**EN PROCESO  
NO REPRODUCIR**  
Scarlet Araujo / MAQUILLAJE / NUEVO(4)



La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings** ■ Skin Cancer / Skin Aging Alert:  
Spending time in the sun increases your risk of skin

cyzone<sup>®</sup>

Studio LOOK

**Drug Facts  
(continued)**

polypropylsilsesquioxane,  
polysilicone-11,  
sodium chloride,  
phenoxyethanol,  
jojoba esters,  
disteardimonium  
h e c t o r i t e ,  
tocopheryl acetate,  
dimethicone/vinyl  
dimethicone  
crosspolymer,  
cetyl peg/ppg-10/1  
dimethicone,  
polyglyceryl-4  
isostearate, helianthus



Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)





Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Dulce De Leche 260-N

Net. Wt. 1.05 oz e(30 g)



**EN PROCESO  
NO REPRODUCIR**

Scarlet Araujo / MAQUILLAJE / NUEVO(4)

La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours  
■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hdi/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>ci</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts  
(continued)**

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium h e c t o r i t e , tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.


www.cyzone.com

Arte - Caja				
Arte N°: CJ-56729-A		Nombre del Producto: Base Studio look CC		
Plano: DS010243B		Fecha: 09/01/2020	Destino: PAISES	
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Avellana 270-C  
 Net. Wt. 1.05 oz e(30 g)



La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>ll</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium h e c t o r i t e , tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

**PUERTO RICO:** Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL



Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Canela 280-F

Net. Wt. 1.05 oz e(30 g)



La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours

- Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyl lactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>ll</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz e(30 g)

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com



Arte - Caja				
Arte N°: CJ-56729-A		Nombre del Producto: Base Studio look CC		
Plano: DS010243B		Fecha: 09/01/2020	Destino: PAISES	
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Azucar Moreno 300-N

Net. Wt. 1.05 oz e(30 g)





La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

CYZONE<sup>TM</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium Hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp., Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja		
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC	
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES
Metodo de Impresión 1: OFFSET		
Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS		
Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE		
Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET		
Color Impresión de Botón 1: NO LLEVA		

Color impresion de Retira 1: NO LLEVA				
Color Hot Stamping: NO LLEVA				
Repujado: NO LLEVA				
Acabado 1: BARNIZ BRILLANTE				
Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Panela 320-C  
 Net. Wt. 1.05 oz e(30 g)



La **Base** Studio Look de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**


Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children** - if swallowed, get medical help or contact

cyzone<sup>®</sup>

Studio LOOK

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl



Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Chocochip 330-C  
 Net. Wt. 1.05 oz e(30 g)







**EN PROCESO  
NO REPRODUCIR**

Scarlet Araujo / MAQUILLAJE / NUEVO(4)

La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsiloxane, trimethylsiloxysilicate, hdI/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>™</sup>

StudioLOOK

**BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20**

Net Wt. 1.05 oz. e (30 g)

**Drug Facts  
(continued)**

polypropylsiloxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

**PUERTO RICO:** Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.


[www.cyzone.com](http://www.cyzone.com)

Arte - Caja				
Arte N°: CJ-56729-A		Nombre del Producto: Base Studio look CC		
Plano: DS010243B		Fecha: 09/01/2020	Destino: PAISES	
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Cacao 350-N  
 Net. Wt. 1.05 oz e(30 g)





**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**  
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsiloxane, trimethylsiloxysilicate, hd/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

Studio LOOK

disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

PUERTO RICO: Dist. by Ventura Corp., Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Brownie 380-F  
 Net. Wt. 1.05 oz e(30 g)



La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que emparea el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>TM</sup>

StudioLOOK

**BASE DE ALTA COBERTURA  
 PARA EL ROSTRO CON FPS 20**

Net Wt. 1.05 oz. e (30 g)

**Drug Facts  
 (continued)**

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

**PUERTO RICO:** Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com



Arte - Caja				
Arte N°: CJ-56729-A		Nombre del Producto: Base Studio look CC		
Plano: DS010243B		Fecha: 09/01/2020	Destino: PAISES	
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Bombon 400-N

Net. Wt. 1.05 oz e(30 g)





La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings** ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxysilicate, hdi/trimethylol hexylactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

CYZONE<sup>TM</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. May contain: titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja		
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC	
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILANTE</p>		

Acabado 1: BARNIZ BRILLANTE				
Acabado 2: BARNIZ MATE				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone

Studio Look

Base De Alta Cobertura Para El Rostro Con FPS 20 Chocotrufa 430-N

Net. Wt. 1.05 oz e(30 g)



La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

Drug Facts	
Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age:

cyzone<sup>13</sup>

Studio LOOK

**Drug Facts (continued)**

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylsilane.



Arte - Caja				
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC			
Plano: DS010243B	Fecha: 09/01/2020	Destino: PAISES		
<p>Metodo de Impresión 1: OFFSET</p> <p>Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS</p> <p>Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE</p> <p>Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET</p> <p>Color Impresión de Retira 1: NO LLEVA</p> <p>Color Hot Stamping: NO LLEVA</p> <p>Repujado: NO LLEVA</p> <p>Acabado 1: BARNIZ BRILLANTE</p> <p>Acabado 2: BARNIZ MATE</p>				
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA				
Observaciones:				
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL	MAGDA PRADA SOLICITANTE	FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



Cyzone  
 Studio Look  
 Base De Alta Cobertura Para El Rostro Con FPS 20 Espresso 450-C  
 Net. Wt. 1.05 oz e(30 g)







La **Base Studio Look** de Cyzone te ofrece una alta cobertura con un acabado natural que empareja el tono de tu piel al instante. Su fórmula con FPS 20 contiene filtros solares que ayudan a la protección de los rayos UVB y UVA del sol.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.00%.....	Sunscreen
Zinc Oxide 2.40%.....	Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings ■ Skin Cancer / Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if rash occurs.** ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** water, dimethicone, peg-10 dimethicone, glycerin, isododecane, polymethylsilsesquioxane, trimethylsiloxy silicate, hdi/trimethylol hexyllactone crosspolymer, peg/ppg-18/18 dimethicone, silica, lecithin, silica dimethyl silylate,

cyzone<sup>™</sup>

Studio LOOK

BASE DE ALTA COBERTURA  
PARA EL ROSTRO CON FPS 20

Net Wt. 1.05 oz. e (30 g)

**Drug Facts**  
(continued)

polypropylsilsesquioxane, polysilicone-11, sodium chloride, phenoxyethanol, jojoba esters, disteardimonium hectorite, tocopheryl acetate, dimethicone/vinyl dimethicone crosspolymer, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, helianthus annuus (sunflower) seed wax, hexyl laurate, caprylyl glycol, chlorphenesin, fragrance, acacia decurrens flower wax, polyglycerin-3, laureth-12, benzyl alcohol, linalool, hexyl cinnamal, limonene. **May contain:** titanium dioxide, iron oxides, triethoxycaprylylsilane.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.cyzone.com

Arte - Caja		
Arte N°: CJ-56729-A	Nombre del Producto: Base Studio look CC	
Plazo: DS010243R	Fecha: 09/01/2020	Destino: PAISES

Planillo: D3010243D	Fecha: 09/01/2020	Destino: PAISES
Metodo de Impresión 1: OFFSET Color de Fondo 1: NEGRO: CARA FRONTAL + CARA POSTERIOR + SOLAPAS Color Impresión 1: PANTONE 2366 C : LATERALES + LOGOTIPO CYZONE Color Impresión 2: BLANCO CALADO AL MATERIAL: TEXTOS FRONTALES + TEXTOS POSTERIORES + ÁREA DE INKJET Color Impresión de Retira 1: NO LLEVA Color Hot Stamping: NO LLEVA Repujado: NO LLEVA Acabado 1: BARNIZ BRILLANTE Acabado 2: BARNIZ MATE		
Control de Calidad: DE ACUERDO A PATRON MAXIMO Y MINIMO DE CARTA DE COLOR APROBADA		
Observaciones:		
LORENA VIZCARRA DISEÑADORA GRAFICA	SCARLET ARAUJO ARTE FINALISTA	MITSUKO IREI JEFE DE ARTE FINAL  MAGDA PRADA SOLICITANTE  FIRMA LEGAL

CÓDIGO: FM.IN.02.23.02.07 (06/15 – V2)



## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AZUCAR BLANCA 110-C

octinoxate, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-863
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>LAURETH-12</b> (UNII: OAH19558U1)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-863-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	10/20/2024

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AVELLANA 270-C

octinoxate, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-873
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZ E9IY9)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-873-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CHOCOTRUFAS 430-N

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-881
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V15VM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y10)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	

<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>LAURETH-12</b> (UNII: OAH19558U1)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-881-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 VAINILLA 140-C

octinoxate, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-865
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZ E9IY9)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-865-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 PANELA 320-C

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-876
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y10)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL Silylate</b> (UNII: EU2PSP0G0W)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)	



<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-876-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CACAO 350-N

octinoxate, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-878
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	

<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>LAURETH-12</b> (UNII: OAH19558U1)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-878-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	07/13/2024

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CHANTILLY 130-F

octinoxate, zinc oxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-864
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL Silylate</b> (UNII: EU2PSP0G0W)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-864-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CHOCOCHIP 330-C

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-877
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	

<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>LAURETH-12</b> (UNII: OAH19558U1)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-877-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 NUEZ 180-F

octinoxate, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-867
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-867-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	08/07/2024

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 TOFFEE 240-C

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-871
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL Silylate</b> (UNII: EU2PSP0G0W)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	

<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>LAURETH-12</b> (UNII: OAH19558U1)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-871-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 ESPRESSO 450-C

octinoxate, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-882
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	



<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)</b>
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)</b>
<b>WATER (UNII: 059QF0KO0R)</b>
<b>SODIUM CHLORIDE (UNII: 451W47IQ8X)</b>
<b>DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)</b>
<b>LAURETH-12 (UNII: OAH19558U1)</b>
<b>LINALOOL, (+/-)- (UNII: D81QY6I88E)</b>
<b>SILICON DIOXIDE (UNII: ETJ7Z6XBU4)</b>
<b>PHENOXYETHANOL (UNII: HIE492ZZ3T)</b>
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)</b>
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)</b>
<b>ACACIA DECURRENS FLOWER WAX (UNII: AU6XZE9IY9)</b>
<b>PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)</b>
<b>CHLORPHENESIN (UNII: I670DAL4SZ)</b>
<b>PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)</b>
<b>LECITHIN, SOYBEAN (UNII: 1DI56QDM62)</b>
<b>POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)</b>
<b>HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)</b>
<b>HEXYL LAURATE (UNII: 4CG9F9W01Q)</b>
<b>DIMETHICONE (UNII: 92RU3N3Y1O)</b>
<b>ISODODECANE (UNII: A8289P68Y2)</b>
<b>.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)</b>
<b>POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)</b>
<b>BENZYL ALCOHOL (UNII: LKG8494WBH)</b>
<b>FERRIC OXIDE RED (UNII: 1K09F3G675)</b>
<b>FERRIC OXIDE YELLOW (UNII: EX438O2MRT)</b>
<b>TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)</b>
<b>LIMONENE, (+)- (UNII: GFD7C86Q1W)</b>
<b>TITANIUM DIOXIDE (UNII: 15FIX9V2JP)</b>
<b>CAPRYLYL GLYCOL (UNII: 00YIU5438U)</b>
<b>SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)</b>

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-882-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

**STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 DULCE DE LECHE 260-N**

octinoxate, zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-872
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL Silylate</b> (UNII: EU2PSP0G0W)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	

<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-872-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AZUCAR MORENO 300-N

octinoxate, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-875
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>GLYCERIN</b> (UNII: PDC6A3C00X)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TRIMETHYLSILOXSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>LAURETH-12</b> (UNII: OAH19558U1)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-875-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	07/25/2024

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 BOMBON 400-N

octinoxate, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-880
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL Silylate</b> (UNII: EU2PSP0G0W)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-880-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	07/18/2024

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CANELA 280-F

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-874
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
ACACIA DECURRENS FLOWER WAX (UNII: AU6XZ E9IY9)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
WATER (UNII: 059QF0KO0R)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LAURETH-12 (UNII: OAH19558U1)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENOXYETHANOL (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-874-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 AVENA 170-N

octinoxate, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-866
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
CHLORPHENESIN (UNII: I670DAL4SZ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	

<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TRIMETHYLSILOXSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>LAURETH-12</b> (UNII: OAH19558U1)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZ E9IY9)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-866-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020



# STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 MIEL 200-C

octinoxate, zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-868
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6037OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZ E9IY9)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	

<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-868-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 ALMENDRA 230-N

octinoxate, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-870
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	

<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>GLYCERIN</b> (UNII: PDC6A3C00X)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZ E9IY9)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>LAURETH-12</b> (UNII: OAH19558U1)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-870-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	04/01/2020

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 BROWNIE 380-F

octinoxate, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-879
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)	
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZE9IY9)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL Silylate</b> (UNII: EU2PSP0G0W)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-879-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	07/17/2024

## STUDIO LOOK BASE DE ALTA COBERTURA PARA EL ROSTRO CON FPS 20 CAMELO 210-F

octinoxate, zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-869
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HELIANTHUS ANNUUS SEED WAX</b> (UNII: 42DG15CHXV)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y10)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	

<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>GLYCERIN</b> (UNII: PDC6A3C00X)
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2)</b> (UNII: 78GX033D7I)
<b>ACACIA DECURRENS FLOWER WAX</b> (UNII: AU6XZ E9IY9)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>WATER</b> (UNII: 059QF0K00R)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>LAURETH-12</b> (UNII: OAH19558U1)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-869-01	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2020	09/26/2024

**Labeler** - BEL STAR S A (880160197)

### Establishment

Name	Address	ID/FEI	Business Operations
BEL STAR S A		880160197	manufacture(14141-863, 14141-864, 14141-865, 14141-866, 14141-867, 14141-868, 14141-869, 14141-870, 14141-871, 14141-872, 14141-873, 14141-874, 14141-875, 14141-876, 14141-877, 14141-878, 14141-879, 14141-880, 14141-881, 14141-882)

Revised: 12/2023

BEL STAR S A