

**MAXIMUM STRENGTH LIDOCAINE PATCH- lidocaine patch**  
**ONE2ZEE LIMITED LIABILITY COMPANY**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**MAXIMUM STRENGTH LIDOCAINE PATCH (lidocaine) patch**

***Active ingredient***

Lidocaine 4%

***Purpose***

Topical Anesthetic

***Uses***

Temporarily relieves minor pain associated with: arthritis, simple backache, bursitis, tendonitis, muscle strains, sprains & bruises.

***Warning***

**For external use only**

***Do not Use***

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

***When Using This Product***

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

***Stop Use and Ask a Doctor if***

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

## If Pregnant or Breast Feeding

- ask a health professional before use.

## Keep Out of Reach of Children and Pets

- If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

### Adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch for up to 12 hours

**children 12 years or younger:** ask a doctor


## Inactive Ingredients

aluminum silicate, butylated hydroxytoluene, silicon dioxide, mineral oil, rosin, polyisobutylene (1000 mw), styrene/isoprene/styrene block copolymer, titanium dioxide, .alpha.-tocopherol acetate

## Package / Principle Label



## Package / Inner Pouch



## MAXIMUM STRENGTH LIDOCAINE PATCH

lidocaine patch

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:55629-060 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength |
|--|-------------------|----------|
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE         | 40 mg    |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| ALUMINUM SILICATE (UNII: T1FAD4SS2M)                        |          |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)                 |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                          |          |
| MINERAL OIL (UNII: T5L8T28FGP)                              |          |
| ROSIN (UNII: 88S87KL877)                                    |          |
| POLYISOBUTYLENE (1000 MW) (UNII: 5XB3A63Y52)                |          |
| STYRENE/ISOPRENE/STYRENE BLOCK COPOLYMER (UNII: K7S96QM8DV) |          |
| TITANIUM DIOXIDE (UNII: 15FX9V2JJP)                         |          |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)               |          |

### Product Characteristics

|                 |           |                     |  |
|-----------------|-----------|---------------------|--|
| <b>Color</b>    | white     | <b>Score</b>        |  |
| <b>Shape</b>    | RECTANGLE | <b>Size</b>         |  |
| <b>Flavor</b>   |           | <b>Imprint Code</b> |  |
| <b>Contains</b> |           |                     |  |

### Packaging

Marketing Start      Marketing End

| # | Item Code        | Package Description                             | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:55629-060-02 | 20 in 1 BOX                                     | 06/27/2021           |                    |
| 1 | NDC:55629-060-01 | 1 in 1 POUCH; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part348                                  | 01/21/2021           |                    |

**Labeler** - ONE2ZEE LIMITED LIABILITY COMPANY (078656111)

**Registrant** - ONE2ZEE LIMITED LIABILITY COMPANY (078656111)

### Establishment

| Name                      | Address | ID/FEI    | Business Operations                          |
|---------------------------|---------|-----------|--|
| DR SABHARWAL'S WOUND CARE |         | 862184668 | manufacture(55629-060) , analysis(55629-060) |

Revised: 1/2021

ONE2ZEE LIMITED LIABILITY COMPANY