MEDPURA BENZOYL PEROXIDE- benzoyl peroxide liquid Akron Pharma Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

MEDPURA 5% and 10% Benzoyl Peroxide Acne Treatment Wash

Drug Facts

Active ingredient

Benzoyl peroxide 5%

Benzoyl peroxide 10%

Purpose

Acne treatment

Use

for the treatment of acne

Warnings

For external use only

Do not use this medication if you have very sensitive skin or if you are sensitive to benzoyl peroxide.

When using this product

- avoid unnecessary sun exposure and use a sunscreen.
- avoid contact with eyes, lips, and mouth, eyelids and mucous membranes.
- avoid contact with hair or dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling.
- irritation may be reduced by using the product less frequently or in a lower concentration.
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- Shake well
- Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- wet area to be cleansed
- apply acne wash and gently massage area for 1-2 minutes
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information

store at controlled room temperature, 15°- 30°C (59°- 86°F)

Inactive ingredients

citric acid, edetate disodium, germall 115, glycerin, phophomer x polymer, purified water, sodium olefin sulfonate, sodium hydroxide

Questions or comments?

call toll-free 1-877-225-6999

Manufactured for:

Akron Pharma, Inc. Fairfield, NJ-07004 www.akronpharma.com

stive Ingredient	Purpose
nzoyl peroxide USP, 5% Acr	e medication
e for the treatment of acne	
arnings r external use only	
not use if you a have very sensitive skin a are sensitive to benzoyl peroxide	
hen using this product avoid unnecessary sun exposure and use a sunscreen. avoid contact with eyes, lips, and mouth, eyelids and mucous membranes. avoid contact with hair or dyed fabrics, which may be bleached by this product skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly sy rritation may be reduced by using the product less frequently or in a lower concentration. skin irritation and dryness is more likely to occur if you use another topical acne medication the. If irritation occurs, only use one topical acne medication at a time.	v
op use and ask a doctor if a irritation becomes severe.	
ep out of reach of children. If swallowed, get medical help or contact a Poison Control nter right away.	
rections shake well Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas is 0 days. If no discomfort occurs, follow the directions stated below. wet area to be cleansed upply acne wash and gently massage area for 1-2 minutes inse thoroughly and pat dry because excessive drying of the skin may occur, start with one application daily, then grad	

citric acid, carbopol 940, edetate disodium, germall 115, glycerin, purified water, sodium olefin sulfonate, sodium hydroxide



Manufactured for: Akron Pharma, Inc. Fairfield, NJ-07004 www.akronpharma.com Rev.:11/21

Akr©n Pharma

Active Ingredient	Purpos
Benzoyl peroxide USP, 5	% Acne medication
Use for the treatment of	acne
Warnings	
For external use only	
Do not use if you 🖬 have	very sensitive skin 🖬 are sensitive to benzoyl peroxide
When using this produc	t
	n exposure and use a sunscreen.
	s, lips, and mouth, eyelids and mucous membranes.
	r or dyed fabrics, which may be bleached by this product
	ur, characterized by redness, burning, itching, peeling, or possibly swelling.
	ed by using the product less frequently or in a lower concentration.
	ess is more likely to occur if you use another topical acne medication at the sam
	only use one topical acne medication at a time.
Stop use and ask a doc	tor if irritation becomes severe.
Keep out of reach of chi	ildren If swallowed, get medical help or contact a Poison Control
Keep out of reach of chi Center right away.	ildren If swallowed, get medical help or contact a Poison Control
Center right away. Directions = shake we	all
Center right away. Directions = shake we ∎ Sensitivity Test for a N	ell ew User. Apply product sparingly to one or two small affected areas during the
Center right away. Directions = shake we = Sensitivity Test for a N first 3 days. If no discon	all ew User. Apply product sparingly to one or two small affected areas during the fort occurs, follow the directions stated below.
Center right away. Directions Shake we Sensitivity Test for a N first 3 days. If no discon wet area to be cleanse	ell ew User. Apply product sparingly to one or two small affected areas during the rfort occurs, follow the directions stated below. d
Center right away. Directions shake we Sensitivity Test for a N first 3 days. If no discon wet area to be cleanse apply acne wash and e	ell ew User. Apply product sparingly to one or two small affected areas during the ifort occurs, follow the directions stated below. d gently massage area for 1-2 minutes
Center right away. Directions a shake we Sensitivity Test for a N first 3 days. If no discon wet area to be cleanse apply acne wash and (rinse thoroughly and p	ell en User. Apply product sparingly to one or two small affected areas during the nfort occurs, follow the directions stated below. d gently massage area for 1-2 minutes at dry
Center right away. Directions Shake we Sensitivity Test for a N first 3 days. If no discon wet area to be cleanse apply acne wash and inse thoroughly and p because excessive dry	ell ew User. Apply product sparingly to one or two small affected areas during the fort occurs, follow the directions stated below. d gently massage area for 1-2 minutes at dry ing of the skin may occur, start with one application daily, then gradually increas
Center right away. Directions a shake we Sensitivity Test for a N lirst 3 days. If no discon wet area to be cleanse apply acne wash and r inse thoroughly and p because excessive dry to two or three times dai	ell ew User. Apply product sparingly to one or two small affected areas during the fort occurs, follow the directions stated below. d gently massage area for 1-2 minutes at dry ing of the skin may occur, start with one application daily, then gradually increas ly if needed or as directed by a doctor
Center right away. Directions shake we Sensitivity Test for a N first 3 days. If no discon wet area to be cleanse apply acne wash and inise thoroughly and p because excessive dry to two or three times dal if bothersome dryness	all ew User. Apply product sparingly to one or two small affected areas during the nfort occurs, follow the directions stated below. d gently massage area for 1-2 minutes at dry ing of the skin may occur, start with one application daily, then gradually increas ly if needed or as directed by a doctor or peeling occurs, reduce application to once a day or every other day
Center right away. Directions shake we Sensitivity Test for a N liftst 3 days. If no discon wet area to be cleanse apply acne wash and e inse throroughly and p because excessive dry to two or three times dai if bothersome dryness if going outside, apply	all ew User. Apply product sparingly to one or two small affected areas during the fort occurs, follow the directions stated below. d gently massage area for 1-2 minutes at dry ring of the skin may occur, start with one application daily, then gradually increas ly if needed or as directed by a doctor or peeling occurs, reduce application to once a day or every other day sunscreen after using this product. If irritation or sensitivity develops, stop use
Center right away. Directions shake we Sensitivity Test for a N lifrst 3 days. If no discon wet area to be cleanse apply acne wash and i rinse thoroughly and p because excessive dfy to two or three times dai if bothersome dryness if going outside, apply of both products and asi	all ew User. Apply product sparingly to one or two small affected areas during the fort occurs, follow the directions stated below. d gently massage area for 1-2 minutes at dry ring of the skin may occur, start with one application daily, then gradually increas ly if needed or as directed by a doctor or peeling occurs, reduce application to once a day or every other day sunscreen after using this product. If irritation or sensitivity develops, stop use
Center right away. Directions a shake we Sensitivity Test for a N first 3 days. If no discon wet area to be cleanse apply acne wash and rinse thoroughly and p because excessive dry to two or three times dal if bothersome dryness if going outside, apply of both products and asi Other information	ell ew User. Apply product sparingly to one or two small affected areas during the fort occurs, follow the directions stated below. d gently massage area for 1-2 minutes lat dry ing of the skin may occur, start with one application daily, then gradually increas ly if needed or as directed by a doctor or peeling occurs, reduce application to once a day or every other day sunscreen after using this product. If irritation or sensitivity develops, stop use k a doctor.
Center right away. Directions shake we Sensitivity Test for a N first 3 days. If no discon wet area to be cleanse apply acne wash and irinse thoroughly and p because excessive dry to two or three times dal if bothersome dryness if going outside, apply of both products and asi Other information store at controlled roo	ell ew User. Apply product sparingly to one or two small affected areas during the fort occurs, follow the directions stated below. d gently massage area for 1-2 minutes lat dry ing of the skin may occur, start with one application daily, then gradually increas ly if needed or as directed by a doctor or peeling occurs, reduce application to once a day or every other day sunscreen after using this product. If irritation or sensitivity develops, stop use k a doctor. m temperature, 15°- 30°C (59°- 86°F)
Center right away. Directions shake we Sensitivity Test for a N liftst 3 days. If no discon wet area to be cleanse apply acne wash and inse thoroughly and p because excessive dry to two or three times dai if bothersome dryness if going outside, apply of both products and asi Other information store at controlled roo Inactive ingredients	ell ew User. Apply product sparingly to one or two small affected areas during the fort occurs, follow the directions stated below. d gently massage area for 1-2 minutes lat dry ing of the skin may occur, start with one application daily, then gradually increas ly if needed or as directed by a doctor or peeling occurs, reduce application to once a day or every other day sunscreen after using this product. If irritation or sensitivity develops, stop use k a doctor. m temperature, 15°- 30°C (59°- 86°F)





Akron Pharma, Inc. Fairfield, NJ-07004 www.akronpharma.com Rev.:11/21



Benzoyl Peroxide 5%

TOPICAL WASH

Acne medication

– For Topical Use ——

Made in USA

Made in USA

NET WT. (5 Oz) 148g

NDC 71399-9234-5

NDC 71399-9234-8

NET WT. (8 Oz) 237g



Benzoyl Peroxide 5%

Acne medication

ctive Ingredient	Purpose
enzoyl peroxide USP, 10% Acr	e medication
se for the treatment of acne	
larnings	
pr external use only	
o not use if you = have very sensitive skin = are sensitive to benzoyl peroxide	
/hen using this product	
avoid unnecessary sun exposure and use a sunscreen.	
avoid contact with eyes, lips, and mouth, eyelids and mucous membranes.	
avoid contact with hair or dyed fabrics, which may be bleached by this product	
skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly sw	velling.
irritation may be reduced by using the product less frequently or in a lower concentration.	
skin irritation and dryness is more likely to occur if you use another topical acne medication	1 at the same
me. If irritation occurs, only use one topical acne medication at a time.	
top use and ask a doctor if a irritation becomes severe.	
eep out of reach of children. If swallowed, get medical help or contact a Poison Control	
enter right away.	
<i>irections</i> = shake well	
Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas	during the
rst 3 days. If no discomfort occurs, follow the directions stated below. wet area to be cleansed	
apply acne wash and gently massage area for 1-2 minutes	
rinse thoroughly and pat dry	
because excessive drying of the skin may occur, start with one application daily, then gradu	ually increase
two or three times daily if needed or as directed by a doctor	any morease
if bothersome dryness or peeling occurs, reduce application to once a day or every other d	av
if going outside, apply sunscreen after using this product. If irritation or sensitivity develops	
f both products and ask a doctor.	,
Henry Indexnoor Days	
iner information	
ther information store at controlled room temperature, 15°- 30°C (59°- 86°F)	
store at controlled room temperature, 15°- 30°C (59°- 86°F)	



Akr in Pharma Manufactured for: Akron Pharma, Inc. Fairfield, NJ-07004 www.akronpharma.com Rev.:11/21

Active Ingredient	Purpos
Benzoyl peroxide USP, 10%	Acne medication
Use for the treatment of acne	
Warnings	
For external use only	
Do not use if you a have very sensitive skin are sensitive to benzoyl pe	eroxide
When using this product	
avoid unnecessary sun exposure and use a sunscreen.	
avoid contact with eyes, lips, and mouth, eyelids and mucous membra	
avoid contact with hair or dyed fabrics, which may be bleached by this	
 skin irritation may occur, characterized by redness, burning, itching, p 	
 irritation may be reduced by using the product less frequently or in a least in irritation and drawers in more likely to accurate frequently or in a least in the second drawers in the s	
 skin irritation and dryness is more likely to occur if you use another to time. If irritation occurs, only use one topical acne medication at a time. 	
Stop use and ask a doctor if a irritation becomes severe.	
Keep out of reach of children. If swallowed, get medical help or contact Center right away.	a Poison Control
· ·	
Directions shake well Sensitivity Test for a New User. Apply product sparingly to one or two	small affected areas during the
first 3 days. If no discomfort occurs, follow the directions stated below.	sinali allecteu aleas uuring the
wet area to be cleansed	
apply acne wash and gently massage area for 1-2 minutes	
rinse thoroughly and pat dry	
because excessive drying of the skin may occur, start with one application	ation daily, then gradually increas
to two or three times daily if needed or as directed by a doctor	
 if bothersome dryness or peeling occurs, reduce application to once a 	
if going outside, apply sunscreen after using this product. If irritation of	r sensitivity develops, stop use
of both products and ask a doctor. Other information	

citric acid, edetate disodium, germall 115, glycerin, phophomer x polymer, purified water, sodium olefin sulfonate, sodium hydroxide



Akroin Pharma Manufactured for: Akron Pharma, Inc. Fairfield, NJ-07004 www.akronpharma.com Rev:11/21



Benzoyl Peroxide

TOPICAL WASH

Acne medication

— For Topical Use ——

Made in USA 📖

NET WT. (5 Oz) 148g

NDC 71399-9236-8



Benzoyl Peroxide



Made in USA

NET WT. (8 Oz) 237g

	nzoyl peroxide							
Ρ	roduct Infor	mation						
Product Type HUMAN OTC DRUG Item Code (urce)	1399-9234	
	oute of Admin	istration	TOPICAL			,		
		istration						
A	ctive Ingred	ient/Active	Moiety					
		Ingre	dient Name			Basis Streng		Strength
Benzoyl Peroxide (UNII: W9WZN9A0GM) (Benzoyl Pe UNII:W9WZN9A0GM)				oxide -		Benzoyl Perox		50 mg in 1 mL
In	active Ingre	edients						
			Ingredient I	Name				Strength
	OCUSATE SODIL		T2JA0)					
	COHOL (UNII: 3k							
	THYL SALICYL							
			OSPHORYLCHOLIN	IE (UNII: 59RL	86058D)			
	ater (UNII: 059QF DIUM HYDROX		000221)					
30								
P	roduct Char	acteristics						
	roduct Chara	acteristics	white	Score				
Co	olor	acteristics		Score Size				
Ca Sł		acteristics		Size	de			
Ca Sł Fl	olor Nape	acteristics			de			
Ca Sł Fl	blor nape avor	acteristics		Size	de			
Ca Sł Fl	blor nape avor	acteristics		Size	de			
Ca Sh Fl Ca	olor Iape avor Intains			Size Imprint Co	Marko	eting Start Date	Mar	keting Enc Date
Ca Sh Fl Ca Pi	olor hape avor ontains ackaging	Pa	white	Size Imprint Co	Marko	Date	Mar	-
Ca Sł Fl	olor hape avor ontains ackaging item Code NDC:71399-	Pa 148 mL in 1 BC Product	white ckage Descripti	Size Imprint Co on Combination	Marke	Date 21	Mar	keting End Date
Ca Sh Fl Ca Pa #	olor hape avor ontains ackaging item Code NDC:71399- 9234-5 NDC:71399-	Pac 148 mL in 1 BC Product 237 mL in 1 BC	white ckage Descripti	Size Imprint Co on Combination	Marke 11/04/20	Date 21	Mar	-
Ca Sh Fl Ca P # 1	olor hape avor ontains ackaging item Code NDC:71399- 9234-5 NDC:71399-	Pace 148 mL in 1 BC Product 237 mL in 1 BC Product	white ckage Descripti OTTLE; Type 0: Not a OTTLE; Type 0: Not a	Size Imprint Co on Combination	Marke 11/04/20	Date 21	Mar	-
Ca Sh Fl Ca P # 1	olor hape avor ontains ackaging item Code NDC:71399- 9234-5 NDC:71399- 9234-8	Pace 148 mL in 1 BC Product 237 mL in 1 BC Product Informat	white ckage Descripti OTTLE; Type 0: Not a OTTLE; Type 0: Not a	Size Imprint Co on Combination	Marke 11/04/20 11/04/20	Date 21		-

be	EDPURA I		PEROXIDE						
	roduct Info								
		mation							
	roduct Type		HUMAN OTC DRUG	TC DRUG Item Code (Source)			NDC:71	399-9236	
Ro	oute of Admin	istration	TOPICAL						
A	ctive Ingred	ient/Active	Moiety						
			dient Name			Basis o Strengt		Strength	
Benzoyl Peroxide (UNII: W9WZN9A0GM) (Benzoyl Peroxide - UNII:W9WZN9A0GM)						Benzoyl Peroxide 100 mg in 1 mL			
In	active Ingre	edients						0	
				lame				Strength	
	CUSATE SODIU		∠JAU)						
	ETHYL SALICYL		5022Y)						
			OSPHORYLCHOLIN	E (UNII: 59RU	860S8D)				
wa	ater (UNII: 059QF	OKOOR)							
sc	DIUM HYDROX	I DE (UNII: 55X04	QC32I)						
Pı	roduct Char	acteristics							
Co	olor		white	Score					
Sł	nape			Size					
Fla	avor			Imprint Code					
Co	ontains								
Pa	ackaging								
#	ltem Code	Pac	kage Description		Mark	eting Start Date	Mar	keting End Date	
	NDC:71399- 9236-5	148 mL in 1 BO Product	TTLE; Type 0: Not a	11/04/20	21				
1	9230-5		237 mL in 1 BOTTLE; Type 0: Not a Combination Product			11/04/2021			
1 2	9236-5 NDC:71399- 9236-8		TTLE; Type 0: Not a	Combination	11/04/20	21			
_	NDC:71399-		TTLE; Type 0: Not a	Combination	11/04/20	21			
2	NDC:71399-	Product		Combination	11/04/20	21			
	NDC:71399- 9236-8	Product				21 Keting Start Date	Maı	keting End Date	

Revised: 3/2023

Akron Pharma Inc.