WELLFOLA- beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, pyridoxine hydrochloride, biotin, folic acid, levomefolate calcium, cyanocobalamin, calcium carbonate, magnesium oxide, ferrous bisglycinate, and potassium iodide tablet

Redmont Pharmaceuticals, LLC

WellFola

71741-365-30 Multivitamin Dietary Supplement **Dispensed by Prescription**

DESCRIPTION

WellFola is a prescription multivitamin/multimineral dietary supplement.

| Supplement Facts | | | |
|------------------------------------------------------|----------------|--------------|--|
| Serving size 1 Tablet | | | |
| Amount per Serving: | | %Daily Value | |
| Vitamin A (as Beta-Carotene) | 300 mcg RAE | 33% | |
| Vitamin C (as Ascorbic Acid) | 60 mg | 67% | |
| Vitamin D (as Cholecalciferol) | 10 mcg | 50% | |
| Vitamin E (as dl-Alpha Tocopherol Acetate) | 4.5 mg (10 IU) | 33% | |
| Vitamin B6 (as Pyridoxine HCl) | 26 mg | 1529% | |
| Biotin | 0.280 mg | 933% | |
| Folate | 1.67 mg DFE | 418% | |
| (from Folic Acid) | 0.67 mg DFE | * | |
| (from 5-Methyl Tetrahydrofolate, Calcium Salt) | 1 mg DFE | * | |
| Vitamin B12 (as Cyanocobalamin) | 0.013 mg | 542% | |
| Calcium (as Calcium Carbonate) | 80 mg | 6% | |
| Magnesium (as Magnesium Oxide) | 25 mg | 6% | |
| Ferrochel™ Iron (as Ferrous BisGlycinate Chelate) | 20 mg | 111% | |
| lodine (as Potassium lodide) | 0.150 mg | 100% | |

^{*} Daily Value not established

OTHER INGREDIENTS: Microcrystalline Cellulose, Maltodextrin, Croscarmellose Sodium, Silicon Dioxide, Stearic Acid, Magnesium Stearate, Film Coating (Hydroxypropyl Methylcellulose, Polyethylene Glycol, Titanium Dioxide, FD&C Blue # 1)

Allergen: NONE

INDICATIONS

WellFola is a prescription multivitamin/multimineral dietary supplement formulated for the clinical dietary management of suboptimal nutritional status in patients where advanced folate, vitamin B supplementation, and maintenance of good health is needed.

CONTRAINDICATIONS

WellFola is contraindicated in patients with a known hypersensitivity to any of the ingredients.

PRECAUTIONS

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poising in children under 6. Keep this product out of the reach of children. In the case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS

Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

You should call your doctor for medical advice about serious adverse events. To report adverse side effects or to obtain product information, contact Redmont Pharmaceuticals, LLC at 1-800-986-5909.

DOSAGE AND ADMINISTRATION

One tablet daily or as directed by a physician.

HOW SUPPLIED

Bottles of 30 tablets (71741-365-30¹). Tablet is light blue, oblong.

1 Redmont Pharmaceuticals does not represent this product code to be National Drug Code (NDC). Product codes are formatted according to standard industry practice, to meet the formatting requirement by pedigree reporting and supply-chain control including pharmacies.

This product is a prescription-folate with or without other dietary ingredients that – due to increased folate levels increased risk associated with masking B12 deficiency (pernicious anemia) requires administration under the care of a licensed medical practitioner (64 FR 8760). 1-3 The most appropriate way to ensure pedigree reporting consistent with these regulatory guidelines and safety monitoring is to dispense this product only by prescription. This is not an Orange Book product. This product may be

administered only under a physician's supervision and all prescriptions using this product shall be pursuant to state statues as applicable. The ingredients, indication or claims of this product are not to be construed to be drug claims.

- 1. Federal Register Notice of August 2, 1973 (38 FR 20750)
- 2. Federal Register Notice of October 17, 1980 (45 FR 69043, 69044)
- 3. Federal Register Notice of March 5, 1996 (61 FR 8760)

STORAGE AND HANDLING

STORAGE

Store at 20°-25° C (68°-77°F) excursions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature.] Avoid excessive heat, light and moisture.

TAMPER EVIDENT: Do not use if seal is broken or missing.

MADE IN USA

Distributed by:

Redmont Pharmaceuticals, LLC Birmingham, AL 35209 800-986-5909

Ferrochel[™] is a trademark of Albion Laboratories, Inc.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN

© 2023 Redmont Pharmaceuticals, LLC 365111-0623

PRINCIPAL DISPLAY PANEL - 30 Tablet Bottle Label

71741-365-30

WellFola

DIETARY SUPPLEMENT

30 TABLETS

Dispensed by Prescription

DOSAGE AND ADMINISTRATION:

Usual adult dosage is 1 tablet taken orally once daily or as prescribed by a licensed medical practitioner.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6.
KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN. In the case of accidental overdose, call a doctor or poison control center immediately.

STORAGE: Store at 20°-25°C (68°-77°F) excursions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature.] Avoid excessive heat, light and moisture.

71741-365-30



DIETARY SUPPLEMENT

30 TABLETS

See package outsert for full prescribing information.



Distributed by: Redmont Pharmaceuticals, LLC Birmingham, AL 35209 (800) 986-5909

© 2023 Redmont Pharmaceuticals, LLC
MADE IN USA 365221-0623



WELLFOLA

beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, pyridoxine hydrochloride, biotin, folic acid, levomefolate calcium, cyanocobalamin, calcium carbonate, magnesium oxide, ferrous bisglycinate, and potassium iodide tablet

| Product Information | | | |
|-------------------------|--------------------|--------------------|-----------------|
| Product Type | DIETARY SUPPLEMENT | Item Code (Source) | NHRIC:71741-365 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | | | |
|------------------------------------------------------------------------------------|-----------------------------|----------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| BETA CAROTENE (UNII: 01YAE03M7J) (BETA CAROTENE - UNII:01YAE03M7J) | BETA CAROTENE | 300 ug | | |
| Ascorbic Acid (UNII: PQ6CK8PD0R) (Ascorbic Acid - UNII:PQ6CK8PD0R) | As corbic Acid | 60 mg | | |
| Cholecalciferol (UNII: 1C6V77QF41) (Cholecalciferol - UNII:1C6V77QF41) | Cholecalciferol | 10 ug | | |
| .ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0) (.ALPHATOCOPHEROL - UNII: H4N855PNZ 1) | .ALPHATOCOPHEROL ACETATE | 4.5 mg | | |
| PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII: KV2JZ 1BI6Z) | PYRIDOXINE | 26 mg | | |
| Biotin (UNII: 6SO6U10H04) (Biotin - UNII:6SO6U10H04) | Biotin | 0.280 mg | | |
| Folic Acid (UNII: 935E97BOY8) (Folic Acid - UNII:935E97BOY8) | Folic Acid | 0.400 mg | | |
| LEVOMEFOLATE CALCIUM (UNII: A9R10K3F2F) (LEVOMEFOLIC ACID - UNII:8S95DH25XC) | LEVOMEFOLIC ACID | 0.600 mg | | |
| Cyanocobalamin (UNII: P6YC3EG204) (Cyanocobalamin - UNII:P6YC3EG204) | Cyanocobalamin | 0.013 mg | | |
| Calcium Carbonate (UNII: H0G9379FGK) (Calcium Cation - UNII:2M83C4R6ZB) | Calcium Cation | 80 mg | | |
| Magnesium Oxide (UNII: 3A3U0GI71G) (MAGNESIUM CATION - UNII:T6V3LHY838) | MAGNESIUM CATION | 25 mg | | |
| FERROUS BISGLYCINATE (UNII: SFW1D987QV) (FERROUS CATION - UNII:GW89581OWR) | FERROUS CATION | 20 mg | | |
| Potassium Iodide (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q) | IODIDE ION | 0.150 mg | | |

| Inactive Ingredients | | |
|---------------------------------------------------|----------|--|
| Ingredient Name | Strength | |
| MICROCRYSTALLINE CELLULOSE 102 (UNII: PNR0YF693Y) | | |

| Maltodextrin (UNII: 7CVR7L4A2D) | |
|-----------------------------------------------------|--|
| Croscarmellose Sodium (UNII: M28OL1HH48) | |
| Silicon Dioxide (UNII: ETJ7Z 6XBU4) | |
| Stearic Acid (UNII: 4ELV7Z65AP) | |
| MAGNESIUM PALMITOSTEARATE (UNII: R4OXA9G5BV) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| Titanium Dioxide (UNII: 15FIX9V2JP) | |
| FD&C Blue No. 1 (UNII: H3R47K3TBD) | |

| Packaging | | | | | | |
|------------|-----------------------|--------------------------------------|-----------|----------------------|------|-----------------------|
| # | Item Code | Package Description | Marketing | g Start Date | Mar | keting End Date |
| 1 N | NHRIC:71741-365-30 | 30 in 1 BOTTLE | | | | |
| M: | arketing Info | ormation | | | | |
| IVI | arketing init | ormation | | | | |
| | Marketing Category | Application Number or Mo Citation | nograph | Marketing St Date | tart | Marketing End Date |
| | | | | | | Date |

| Supplement Facts | | | |
|--------------------|---------------------------|-------------------------|--|
| Serving Size : | | Serving per Container : | |
| | Amount Per Serving | % Daily Value | |
| color | | | |
| scoring | 1 | | |
| shape | | | |
| size (solid drugs) | 19 mm | | |

Labeler - Redmont Pharmaceuticals, LLC (080843607)

Revised: 7/2023 Redmont Pharmaceuticals, LLC