

TARGET EYE DROPS MAXIMUM REDNESS RELIEF EYE- glycerin, naphazoline hydrochloride solution/ drops

Target Corporation

Target Eye Drops Maximum Redness Relief Eye (PLD)

Active ingredients

Glycerin 0.5%

Naphazoline hydrochloride 0.03%

Purpose

Glycerin...Lubricant

Naphazoline hydrochloride...Redness reliever

Uses

- For the relief of redness of the eye due to minor eye irritations
- For the temporary relief of burning and irritation due to dryness of the eye
- For use as a protectant against further irritation or dryness of the eye

Warnings

For external use only

Do not use if solution changes color or becomes cloudy

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Instill 1 or 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using
- **Tamper Evident:** Do not use this product if imprinted neckband is missing or broken.

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Target
maximum redness relief
eye drops

Drug Facts

Active ingredients	Purpose
Glycerin 0.5%	Lubricant
Naphazoline hydrochloride 0.03%	Redness reliever

Uses

- For the relief of redness of the eye due to minor eye irritations.
- For the temporary relief of burning and irritation due to dryness of the eye.
- For use as a protectant against further irritation or dryness of the eye.

Warnings
For external use only

Do not use if solution changes color or becomes cloudy

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions
Instill 1 or 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using
- Tamper Evident:** Do not use this product if imprinted neckband is missing or broken.

Inactive ingredients
benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

*This product is not manufactured or distributed by Prestige Brands, Inc., owner of the registered trademark Clear Eyes® Maximum Redness Relief.

Distributed by
Target Corporation
Minneapolis, MN 55403
Made in U.S.A.
TM & ©2019
Target Brands, Inc.
Guest Services
1-800-910-6874

Compare to active ingredients in **Clear Eyes® Maximum Redness Relief***

eye drops
maximum redness relief

lubricant
redness reliever
relieves dryness, burning and irritation

up&up

STERILE
0.5 FL OZ (15 mL)

NDC-11673-100-01

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPEN OR NECKBAND ON THE BOTTLE IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

See Website for Bottle
how2recycle.info
PAPER BOX

CEDCM0051T60
245 09 0331 R00 C-000974-01-011
8 29576 02383 7

LOT
EXP

TARGET EYE DROPS MAXIMUM REDNESS RELIEF EYE

glycerin, naphazoline hydrochloride solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-100
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	500 mg in 100 mL
NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	30 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BORIC ACID (UNII: R57ZHV85D4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0K00R)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-100-01	1 in 1 BOX	02/08/2019	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	02/08/2019	

Labeler - Target Corporation (006961700)

Registrant - KC Pharmaceuticals, Inc. (174450460)

Establishment

Name	Address	ID/FEI	Business Operations
KC Pharmaceuticals, Inc.		174450460	manufacture(11673-100) , label(11673-100) , pack(11673-100)

Revised: 12/2023

Target Corporation