

**HYDRASHEER MINERAL SUNSCREEN- zinc oxide lotion**  
**THE OUTSET GROUP LLC**

-----  
**ACTIVE INGREDIENTS**

ZINC OXIDE 14.93% ...

**PURPOSE**

..... SUNSCREEN

**USES**

- HELPS PREVENT SUNBURN

**WARNINGS**

- FOR EXTERNAL USE ONLY
- DO NOT USE ON DAMAGED OR BROKEN SKIN
- WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE.
- STOP USE AND ASK A DOCTOR IF RASH OCCURS

**KEEP OUT OF REACH OF CHILDREN.**

IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**DIRECTIONS**

- APPLY LIBERALLY 15 MINUTES BEFORE SUN EXPOSURE
- CHILDREN UNDER 6 MONTHS OF AGE ASK A DOCTOR
- REAPPLY AT LEAST EVERY 2 HOURS
- USE A WATER RESISTANT SUNSCREEN IF SWIMMING OR SWEATING
- SUN PROTECTION MEASURES. SPENDING TIME IN THE SUN INCREASES YOUR RISK OF SKIN CANCER AND EARLY SKIN AGING. TO DECREASE THIS RISK, REGULARLY USE A SUNSCREEN WITH A BROAD SPECTRUM SPF VALUE OF 15 OR HIGHER AND OTHER SUN PROTECTION MEASURES INCLUDING
- LIMIT TIME IN THE SUN, ESPECIALLY FROM 10 A.M. - 2 P.M. • WEAR LONG SLEEVED SHIRTS, PANTS, HATS, AND SUNGLASSES

**OTHER INFORMATION**

- PROTECT THE PRODUCT IN THIS CONTAINER FROM EXCESSIVE HEAT AND DIRECT SUN

**INACTIVE INGREDIENTS**

AQUA/WATER/EAU, ISONONYL ISONONANOATE, PROPANEDIOL, ARGANIA SPINOSA KERNEL OIL, TOCOPHERYL ACETATE, DICAPRYLYL CARBONATE, LAURYL GLUCOSIDE, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, 1,2-HEXANEDIOL, POTASSIUM CETYL PHOSPHATE, HYDROGENATED LECITHIN, GLYCERIN, NIACINAMIDE, TREMELLA

FUCIFORMIS SPOROCARP EXTRACT, HELIANTHUS ANNUUS SUNFLOWER SEED OIL, CASSIA ANGUSTIFOLIA SEED POLYSACCHARIDE, CANDIDA BOMBICOLA/GLUCOSE/METHYL RAPESEEDATE FERMENT, PONGAMIA PINNATA SEED EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, CERAMIDE NP, CETEARYL ALCOHOL, POLYHYDROXYSTEARIC ACID, SILICA, ETHYLHEXYL METHOXYCRYLENE, TRIETHOXYCAPRYLYLSILANE, COCO-CAPRYLATE CAPRATE, COCO-GLUCOSIDE, TRIHEPTANOIN, HYDROXYACETOPHENONE, XANTHAN GUM, BISABOLOCAPRYLIC/CAPRIC TRIGLYCERIDE, CITRIC ACID, C9-12 ALKANE, DILINOLEIC ACID BUTANEDIOL COPOLYMER, ALLANTOIN, BENZOTRIAZOLYL DODECYL P-CRESOL, TRISODIUM ETHYLENEDIAMINE DISUCCINATE, ISOSTEARIC ACID, PHENOXYETHANOL, DIPROPYLENE GLYCOL, LECITHIN, POLYGLYCERYL-3 POLYRICINOLEATE, HYDROXYETHYLCELLULOSE, CASTOR OIL IPDI COPOLYMER, SODIUM HYDROXIDE, TOCOPHEROL



THE OUTSET

**DRUG FACTS**

**ACTIVE INGREDIENTS PURPOSE**  
ZINC OXIDE 14.83% ... SUNSCREEN

**USES**

•HELPS PREVENT SUNBURN

**WARNINGS**

•FOR EXTERNAL USE ONLY

•DO NOT USE ON DAMAGED OR  
BRICKEN SKIN

•WHEN USING THIS PRODUCT KEEP  
OUT OF EYES RINSE WITH WATER TO  
REMOVE

•STOP USE AND ASK A DOCTOR IF  
RASH OCCURS

•KEEP OUT OF REACH OF CHILDREN.  
IF SWALLOWED, GET MEDICAL HELP  
OR CONTACT A POISON CONTROL  
CENTER RIGHT AWAY.

**DIRECTIONS**

•APPLY LIBERALLY 15 MINUTES BEFORE  
SUN EXPOSURE

•CHILDREN UNDER 6 MONTHS OF AGE:  
ASK A DOCTOR

•REAPPLY AT LEAST EVERY 2 HOURS

•USE A WATER RESISTANT SUNSCREEN  
IF SWIMMING OR SWEATING

•SUN PROTECTION MEASURES:

SPENDING TIME IN THE SUN INCREASES  
YOUR RISK OF SKIN CANCER AND  
EARLY SKIN AGING. TO DECREASE THIS  
RISK, REGULARLY USE A SUNSCREEN  
WITH A BROAD SPECTRUM SPF VALUE  
OF 15 OR HIGHER AND OTHER SUN  
PROTECTION MEASURES INCLUDING:  
•LIMIT TIME IN THE SUN, ESPECIALLY  
FROM 10 A.M. - 2 P.M. •WEAR LONG-  
SLEEVED SHIRTS, PANTS, HATS, AND  
SUNGLASSES

**OTHER INFORMATION**

•PROTECT THE PRODUCT IN THIS  
CONTAINER FROM EXCESSIVE HEAT  
AND DIRECT SUN

**INACTIVE INGREDIENTS:**

AQUA/WATER/EAU, ISONONYL ISONON-  
ANATE, PROPANEDIOL, ARGANIA SPIN-  
OSAKERNEL OIL, TOCOPHERYL ACETATE,  
DIPROPYLYL CARBONATE, LAURYL GLUCO-  
SIDATE, POLYGLYCERYL-2 DIPOUYHYDR-  
OXYSTEARATE, 1,2-HEXANEDIOL, POTASSI-  
UM CETYL PHOSPHATE, HYDROGENATED  
LECITHIN, GLYCERIN, NACINAMIDE, TRE-  
MELLA FUCIFORMIS SPOROCARP EXTR-  
ACT, HELIANTHUS ANNUUS (SUNFLOWER)  
SEED OIL, CASSIA ANGUSTIFOLIA SEED  
POLYSACCHARIDE, CANDIDA BOMBI-  
COLA/GLUCOSE/METHYL RAFFINOSIDE  
FERMENT, PONGAMIA PINNATA SEED  
EXTRACT, CAMELLIA SINENSIS LEAF  
EXTRACT, CERAMIDE NP, CETEARYL  
ALCOHOL, POLYHYDROXYSTEARIC ACID,  
SILICA, ETHYLHEXYL METHOXYCRYLENE,  
TRITHOXYPAPRYLYLSUANE, COCO-CAP-  
RYLATE/CAPRATE, COCO-GLUCOSIDE,  
TRIHEPTANON, HYDROXYACETOPHEN-

**INACTIVE INGREDIENTS CONTINUED:**  
ONE, XANTHAN GUM, BISABOLOL,  
CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRIC  
ACID, C9-12 ALKANE, DIMETHYL ACID/  
BUTANEDIOL COPOLYMER, ALLANTOIN,  
BENZOTRIAZOLYL DOCECYL P-CRESOL,  
TRISODIUM ETHYLENEDIAMINE DE-  
LUCINATE, BOSTEARIC ACID, PHENOXY-  
ETHANOL, DIPROPYLENE GLYCOL,  
LECITHIN, POLYGLYCERYL-3 POLYACRYL-  
OATE, HYDROXYETHYLCELLULOSE,  
CASTOR OIL/PI DI COPOLYMER, SODIUM  
HYDROXIDE, TOCOPHEROL

**NOTICE**

**INGRÉDIENT ACTIF PURPOSE**  
OXYDE DE ZINC 14.83% . ÉCRAN SOLAIRE

**UTILISATION**

•POUR PRÉVENIR LES COUPS DE SOLEIL

**AVERTISSEMENT**

•UNIQUEMENT À USAGE EXTERNE.

•NE PAS APPLIQUER SUR UNE PEAU  
ABÎMÉE OU SUR UNE LÉSION

•LORS DE L'UTILISATION DE CE PRODUIT,  
ÉVITER LE CONTACT AVEC LES YEUX.  
RINCER À L'EAU POUR ÉLIMINER LE  
PRODUIT.

•CESSER L'UTILISATION ET CONSULTER  
UN MÉDECIN EN CAS D'ÉRUPTION  
CUTANÉE

•NE PAS LAISSER À LA PORTEE DES  
ENFANTS. EN CAS D'INGESTION,  
DEMANDER UNE AIDE MÉDICALE OU  
CONTACTER IMMÉDIATEMENT UN  
CENTRE ANTI-POISON.

**MODE D'EMPLOI**

•ÉTALER GÉNÉREUSEMENT 15 MINUTES  
AVANT L'EXPOSITION AU SOLEIL

•ENFANTS DE MOINS DE 6 MOIS : SE  
FIER À L'AVIS MÉDICAL

•RENOUVELER AU MOINS TOUTES  
LES 2 HEURES

•UTILISER UN ÉCRAN SOLAIRE RÉSISTANT  
À L'EAU EN CAS DE BAINNADE OU DE  
TRANSPIRATION

•MESURES DE PROTECTION:  
PASSER DU TEMPS AU SOLEIL ACCROÎT  
LE RISQUE DE CANCER ET LE  
VIEILLESSEMENT PRÉMATURÉ DE LA  
PEAU. POUR MINIMISER CE RISQUE,  
UTILISER RÉGULIÈREMENT UN ÉCRAN  
SOLAIRE AVEC UN INDICE DE  
PROTECTION ÉGAL OU SUPÉRIEUR À 15.  
PARMI LES AUTRES MESURES : •LIMITER  
LE TEMPS PASSÉ AU SOLEIL, SURTOUT  
ENTRE 10 ET 14 HEURES •PORTER DES  
MANCHES LONGUES, UN PANTALON, UN  
CHAPEAU ET DES LUNETTES DE SOLEIL.

**INFORMATIONS SUPPLÉMENTAIRES**

•PROTÉGER LE PRODUIT DE LA CHALEUR  
EXCESSIVE ET DU SOLEIL

CLEAN. VEGAN. CRUELTY FREE.  
CLINICALLY TESTED. DERMATOLOGIST  
TESTED. FREE OF FRAGRANCE, NUT  
ALLERGENS AND GLUTEN.

PROPRE. VÉGAN. TESTÉ CLINIQUEMENT  
TESTÉ PAR UN DERMATOLOGUE.  
SANS PARFUM, NOIX NI ARACHIDES  
ET GLUTEN.

PROTECT. HYDRATE. RESTORE.  
SUNCARE PROTECTION MEETS  
SKINCARE PERFECTION. THIS 100%  
MINERAL SUNSCREEN WITH ZERO  
WHITE CAST, SHIELDS SKIN FROM  
HARMFUL UVA/UVB RAYS THAT CAN  
CAUSE PREMATURE AGING AND SUN  
DAMAGE LIKE DARK SPOTS AND  
HYPERPIGMENTATION WITH SNOW  
MUSHROOM, AND ANTIOXIDANT AND  
SUPER HYDRATOR, THIS FORMULA  
MOISTURIZES SKIN INSTANTLY AND  
THROUGHOUT THE DAY. FORMULATED  
WITH NACINAMIDE AND CERAMIDES  
KNOWN TO BRIGHTEN AND SUPPORT  
THE SKIN'S BARRIER FOR MORE  
RESILIENT SKIN. THIS LIGHTWEIGHT,  
FRAGRANCE-FREE LOTION ABSORBS  
EASILY AND IS SAFE FOR SENSITIVE  
SKIN.

PROTÈGE. HYDRATE. RESTAURE.  
UNE PROTECTION SOLAIRE AU  
SOMMET DE LA PERFECTION. CET  
ÉCRAN SOLAIRE 100% MINÉRAL, SANS  
TRACES BLANCHES, BLOQUE LES  
RAYONS NOCIFS UVA ET UVB QUI  
PROVOQUENT UN VIEILLESSEMENT  
PRÉMATURÉ ET DES DOMMAGES  
COMME LES TACHES BRUNES ET  
L'HYPERPIGMENTATION. FORMULÉE  
AVEC DES CHAMPIGNONS DES NEIGES  
AUX PUISSANTES VERTUS HYDRAT-  
ANTES ET ANTIOXYDANTES, CETTE  
LOTION PROTÈGE LA PEAU INSTANTANÉ-  
MENT, PENDANT TOUTE LA JOURNÉE.  
CE SOIN CONTIENT ÉGALEMENT  
DE LA NACINAMIDE ET DES CERAMIDES  
QUI ÉCLAIRCISSENT ET SOUTIENNENT  
LA BARRIÈRE CUTANÉE. POUR UNE  
PEAU PLUS RÉSISTANTE, LÉGER ET  
SANS PARFUM, CET ÉCRAN SOLAIRE  
EST FACILEMENT ABSORBE ET  
CONVIENT AUX PEAUX SENSIBLES.

MADE IN THE USA FROM GLOBALLY  
SOURCED INGREDIENTS/FABRIQUÉ AUX  
É-U AVEC DES INGRÉDIENTS D'ORIGINE  
MONDIALE.



DISTRIBUTED BY / DISTRIBUÉ  
PAR THE OUTSET GROUP LLC  
NEW YORK, NY 10003

HYDRASHEER™  
MINERAL SUNSCREEN  
WITH SNOW MUSHROOM

ÉCRAN SOLAIRE  
AUX CHAMPIGNONS  
DES NEIGES

SPF  
30

BROAD  
SPECTRUM  
À LARGE  
SPECTRE

1.7FL OZ | 50ML

FRONT

REF 67702Y23



THEOUTSET  
WWW.THEOUTSET.COM



HYDRASHEER MINERAL SUNSCREEN  
zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84436-0001
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	149.3 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>PONGAMIA PINNATA SEED</b> (UNII: C2BRV53B1V)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LAURYL GLUCOSIDE</b> (UNII: 76LN7P7UCU)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>ARGANIA SPINOSA SEED</b> (UNII: 8H7X7XB54H)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:84436-0001-2	1 in 1 BOX	06/24/2024	
1	NDC:84436-0001-1	50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:84436-0001-4	1 in 1 BOX	06/24/2024	
3	NDC:84436-	5 mL in 1 TUBE; Type 0: Not a Combination Product		

0001-3 | 5 mL in 1 TUBE; Type 0: Not a Combination Product

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/24/2024	

**Labeler** - THE OUTSET GROUP LLC (111280839)

Revised: 11/2024

THE OUTSET GROUP LLC