

HYDRASHEER MINERAL SUNSCREEN- zinc oxide lotion
THE OUTSET GROUP LLC

ACTIVE INGREDIENTS

ZINC OXIDE 14.93% ...

PURPOSE

..... SUNSCREEN

USES

- HELPS PREVENT SUNBURN

WARNINGS

- FOR EXTERNAL USE ONLY
- DO NOT USE ON DAMAGED OR BROKEN SKIN
- WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE.
- STOP USE AND ASK A DOCTOR IF RASH OCCURS

KEEP OUT OF REACH OF CHILDREN.

IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

- APPLY LIBERALLY 15 MINUTES BEFORE SUN EXPOSURE
- CHILDREN UNDER 6 MONTHS OF AGE ASK A DOCTOR
- REAPPLY AT LEAST EVERY 2 HOURS
- USE A WATER RESISTANT SUNSCREEN IF SWIMMING OR SWEATING
- SUN PROTECTION MEASURES. SPENDING TIME IN THE SUN INCREASES YOUR RISK OF SKIN CANCER AND EARLY SKIN AGING. TO DECREASE THIS RISK, REGULARLY USE A SUNSCREEN WITH A BROAD SPECTRUM SPF VALUE OF 15 OR HIGHER AND OTHER SUN PROTECTION MEASURES INCLUDING
- LIMIT TIME IN THE SUN, ESPECIALLY FROM 10 A.M. - 2 P.M. • WEAR LONG SLEEVED SHIRTS, PANTS, HATS, AND SUNGLASSES

OTHER INFORMATION

- PROTECT THE PRODUCT IN THIS CONTAINER FROM EXCESSIVE HEAT AND DIRECT SUN

INACTIVE INGREDIENTS

AQUA/WATER/EAU, ISONONYL ISONONANOATE, PROPANEDIOL, ARGANIA SPINOSA KERNEL OIL, TOCOPHERYL ACETATE, DICAPRYLYL CARBONATE, LAURYL GLUCOSIDE, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, 1,2-HEXANEDIOL, POTASSIUM CETYL PHOSPHATE, HYDROGENATED LECITHIN, GLYCERIN, NIACINAMIDE, TREMELLA

FUCIFORMIS SPOROCARP EXTRACT, HELIANTHUS ANNUUS SUNFLOWER SEED OIL, CASSIA ANGUSTIFOLIA SEED POLYSACCHARIDE, CANDIDA BOMBICOLA/GLUCOSE/METHYL RAPESEEDATE FERMENT, PONGAMIA PINNATA SEED EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, CERAMIDE NP, CETEARYL ALCOHOL, POLYHYDROXYSTEARIC ACID, SILICA, ETHYLHEXYL METHOXYCRYLENE, TRIETHOXYCAPRYLYLSILANE, COCO-CAPRYLATE CAPRATE, COCO-GLUCOSIDE, TRIHEPTANOIN, HYDROXYACETOPHENONE, XANTHAN GUM, BISABOLOCAPRYLIC/CAPRIC TRIGLYCERIDE, CITRIC ACID, C9-12 ALKANE, DILINOLEIC ACID BUTANEDIOL COPOLYMER, ALLANTOIN, BENZOTRIAZOLYL DODECYL P-CRESOL, TRISODIUM ETHYLENEDIAMINE DISUCCINATE, ISOSTEARIC ACID, PHENOXYETHANOL, DIPROPYLENE GLYCOL, LECITHIN, POLYGLYCERYL-3 POLYRICINOLEATE, HYDROXYETHYLCELLULOSE, CASTOR OIL IPDI COPOLYMER, SODIUM HYDROXIDE, TOCOPHEROL



THE OUTSET

DRUG FACTS

ACTIVE INGREDIENTS PURPOSE
ZINC OXIDE 14.83% ... SUNSCREEN

USES

•HELPS PREVENT SUNBURN

WARNINGS

•FOR EXTERNAL USE ONLY

•DO NOT USE ON DAMAGED OR
BRICKEN SKIN

•WHEN USING THIS PRODUCT KEEP
OUT OF EYES RINSE WITH WATER TO
REMOVE

•STOP USE AND ASK A DOCTOR IF
RASH OCCURS

•KEEP OUT OF REACH OF CHILDREN.
IF SWALLOWED, GET MEDICAL HELP
OR CONTACT A POISON CONTROL
CENTER RIGHT AWAY.

DIRECTIONS

•APPLY LIBERALLY 15 MINUTES BEFORE
SUN EXPOSURE

•CHILDREN UNDER 6 MONTHS OF AGE:
ASK A DOCTOR

•REAPPLY AT LEAST EVERY 2 HOURS

•USE A WATER RESISTANT SUNSCREEN
IF SWIMMING OR SWEATING

•SUN PROTECTION MEASURES:

SPENDING TIME IN THE SUN INCREASES
YOUR RISK OF SKIN CANCER AND
EARLY SKIN AGING. TO DECREASE THIS
RISK, REGULARLY USE A SUNSCREEN
WITH A BROAD SPECTRUM SPF VALUE
OF 15 OR HIGHER AND OTHER SUN
PROTECTION MEASURES INCLUDING:
•LIMIT TIME IN THE SUN, ESPECIALLY
FROM 10 A.M. - 2 P.M. •WEAR LONG-
SLEEVED SHIRTS, PANTS, HATS, AND
SUNGLASSES

OTHER INFORMATION

•PROTECT THE PRODUCT IN THIS
CONTAINER FROM EXCESSIVE HEAT
AND DIRECT SUN

INACTIVE INGREDIENTS:

AQUA/WATER/EAU, ISONONYL ISONON-
ANATE, PROPANEDIOL, ARGANIA SPIN-
OSA KERNEL OIL, TOCOPHERYL ACETATE,
DIPROPYLYL CARBONATE, LAURYL GLUCO-
SIDATE, POLYGLYCERYL-2 DIPOUYHYDR-
OXYSTEARATE, 1,2-HEXANEDIOL, POTASSI-
UM CETYL PHOSPHATE, HYDROGENATED
LECITHIN, GLYCERIN, NACINAMIDE, TRE-
MELLA FUCIFORMIS SPOROID CARP EXTR-
ACT, HELIANTHUS ANNUUS (SUNFLOWER)
SEED OIL, CASSIA ANGUSTIFOLIA SEED
POLYSACCHARIDE, CANDIDA BOMBI-
COLA GLUCOSE/METHYL RAFFINOSIDE
FERMENT, PONGAMIA PINNATA SEED
EXTRACT, CAMELLIA SINENSIS LEAF
EXTRACT, CERAMIDE NP, CETEARYL
ALCOHOL, POLYHYDROXYSTEARIC ACID,
SILICA, ETHYLHEXYL METHOXYCRYLENE,
TRITHOXYPROPYLDIBLANE, COCO-CAP-
RYLATE/CAPRATE, COCO-GLUCOSIDE,
TRHEPTANOLIN, HYDROXYACETOPHEN-

INACTIVE INGREDIENTS CONTINUED:
ONE, XANTHAN GUM, BISABOLOL,
CAPRYLIC/CAPRIC TRIGLYCERIDE, CITRIC
ACID, C9-12 ALKANE, DIMETHOIC ACID/
BUTANEDIOL COPOLYMER, ALLANTOIN,
BENZOTRIAZOLYL DOCECYL P-CRESOL,
TRISODIUM ETHYLENEDIAMINE DE-
LUCINATE, BOSTEARIC ACID, PHENOXY-
ETHANOL, DIPROPYLENE GLYCOL,
LECITHIN, POLYGLYCERYL-3 POLYRICIN-
OLEATE, HYDROXYETHYLCELLULOSE,
CASTOR OIL/PODI COPOLYMER, SODIUM
HYDROXIDE, TOCOPHEROL

NOTICE

INGRÉDIENT ACTIF PURPOSE
OXYDE DE ZINC 14.83% . ÉCRAN SOLAIRE

UTILISATION

•POUR PRÉVENIR LES COUPS DE SOLEIL

AVERTISSEMENT

•UNIQUEMENT À USAGE EXTERNE.

•NE PAS APPLIQUER SUR UNE PEAU
ABÎMÉE OU SUR UNE LÉSION

•LORS DE L'UTILISATION DE CE PRODUIT,
ÉVITER LE CONTACT AVEC LES YEUX.
RINCER À L'EAU POUR ÉLIMINER LE
PRODUIT.

•CESSER L'UTILISATION ET CONSULTER
UN MÉDECIN EN CAS D'ÉRUPTION
CUTANÉE

•NE PAS LAISSER À LA PORTEE DES
ENFANTS. EN CAS D'INGESTION,
DEMANDER UNE AIDE MÉDICALE OU
CONTACTER IMMÉDIATEMENT UN
CENTRE ANTI-POISON.

MODE D'EMPLOI

•ÉTALER GÉNÉREUSEMENT 15 MINUTES
AVANT L'EXPOSITION AU SOLEIL

•ENFANTS DE MOINS DE 6 MOIS : SE
FIER À L'AVIS MÉDICAL

•RENOUVELER AU MOINS TOUTES
LES 2 HEURES

•UTILISER UN ÉCRAN SOLAIRE RÉSISTANT
À L'EAU EN CAS DE BAINNADE OU DE
TRANSPIRATION

•MESURES DE PROTECTION:
PASSER DU TEMPS AU SOLEIL ACCROÎT
LE RISQUE DE CANCER ET LE
VIEILLESSEMENT PRÉMATURÉ DE LA
PEAU. POUR MINIMISER CE RISQUE,
UTILISER RÉGULIÈREMENT UN ÉCRAN
SOLAIRE AVEC UN INDICE DE
PROTECTION ÉGAL OU SUPÉRIEUR À 15.
PARMI LES AUTRES MESURES : •LIMITER
LE TEMPS PASSÉ AU SOLEIL, SURTOUT
ENTRE 10 ET 14 HEURES •PORTER DES
MANCHES LONGUES, UN PANTALON, UN
CHAPEAU ET DES LUNETTES DE SOLEIL.

INFORMATIONS SUPPLÉMENTAIRES

•PROTÉGER LE PRODUIT DE LA CHALEUR
EXCESSIVE ET DU SOLEIL

CLEAN. VEGAN. CRUELTY FREE.
CLINICALLY TESTED. DERMATOLOGIST
TESTED. FREE OF FRAGRANCE, NUT
ALLERGENS AND GLUTEN.

PROPRE. VÉGAN. TESTÉ CLINIQUEMENT
TESTÉ PAR UN DERMATOLOGUE.
SANS PARFUM, NOIX NI ARACHIDES
ET GLUTEN.

PROTECT. HYDRATE. RESTORE.
SUNCARE PROTECTION MEETS
SKINCARE PERFECTION. THIS 100%
MINERAL SUNSCREEN WITH ZERO
WHITE CAST, SHIELDS SKIN FROM
HARMFUL UVA/UVB RAYS THAT CAN
CAUSE PREMATURE AGING AND SUN
DAMAGE LIKE DARK SPOTS AND
HYPERPIGMENTATION WITH SNOW
MUSHROOM, AND ANTIOXIDANT AND
SUPER HYDRATOR, THIS FORMULA
MOISTURIZES SKIN INSTANTLY AND
THROUGHOUT THE DAY. FORMULATED
WITH NACINAMIDE AND CERAMIDES
KNOWN TO BRIGHTEN AND SUPPORT
THE SKIN'S BARRIER FOR MORE
RESILIENT SKIN. THIS LIGHTWEIGHT,
FRAGRANCE-FREE LOTION ABSORBS
EASILY AND IS SAFE FOR SENSITIVE
SKIN.

PROTÈGE. HYDRATE. RESTAURE.
UNE PROTECTION SOLAIRE AU
SOMMET DE LA PERFECTION. CET
ÉCRAN SOLAIRE 100% MINÉRAL, SANS
TRACES BLANCHES, BLOQUE LES
RAYONS NOCIFS UVA ET UVB QUI
PROVOQUENT UN VIEILLESSEMENT
PRÉMATURÉ ET DES DOMMAGES
COMME LES TACHES BRUNES ET
L'HYPERPIGMENTATION. FORMULÉE
AVEC DES CHAMPIGNONS DES NEIGES
AUX PUISSANTES VERTUS HYDRAT-
ANTES ET ANTIOXYDANTES, CETTE
LOTION PROTÈGE LA PEAU INSTANTANÉ-
MENT, PENDANT TOUTE LA JOURNÉE.
CE SOIN CONTIENT ÉGALEMENT DE
LA NACINAMIDE ET DES CERAMIDES
QUI ÉCLAIRCISSENT ET SOUTIENNENT
LA BARRIÈRE CUTANÉE. POUR UNE
PEAU PLUS RÉSISTANTE, LÉGER ET
SANS PARFUM, CET ÉCRAN SOLAIRE
EST FACILEMENT ABSORBE ET
CONVIENT AUX PEAUX SENSIBLES.

MADE IN THE USA FROM GLOBALLY
SOURCED INGREDIENTS/FABRIQUÉ AUX
É-U AVEC DES INGRÉDIENTS D'ORIGINE
MONDIALE.



DISTRIBUTED BY / DISTRIBUÉ
PAR THE OUTSET GROUP LLC
NEW YORK, NY 10003

HYDRASHEER™
MINERAL SUNSCREEN
WITH SNOW MUSHROOM

ÉCRAN SOLAIRE
AUX CHAMPIGNONS
DES NEIGES

SPF
30

BROAD
SPECTRUM
À LARGE
SPECTRE

1.7FL OZ | 50ML

FRONT

REF 67702Y23



THEOUTSET
WWW.THEOUTSET.COM



HYDRASHEER MINERAL SUNSCREEN
zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84436-0001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	149.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
NIACINAMIDE (UNII: 25X51I8RD4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
TOCOPHEROL (UNII: R0ZB2556P8)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ALLANTOIN (UNII: 344S277G0Z)	
WATER (UNII: 059QF0KO0R)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
PONGAMIA PINNATA SEED (UNII: C2BRV53B1V)	
CERAMIDE NP (UNII: 4370DF050B)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
LAURYL GLUCOSIDE (UNII: 76LN7P7UCU)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
ARGANIA SPINOSA SEED (UNII: 8H7X7XB54H)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPANEDIOL (UNII: 5965N8W85T)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84436-0001-2	1 in 1 BOX	06/24/2024	
1	NDC:84436-0001-1	50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:84436-0001-4	1 in 1 BOX	06/24/2024	
3	NDC:84436-	5 mL in 1 TUBE; Type 0: Not a Combination Product		

0001-3

5 mL in 1 TUBE; Type 0: Not a Combination Product

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/24/2024	

Labeler - THE OUTSET GROUP LLC (111280839)

Revised: 1/2026

THE OUTSET GROUP LLC