

**FEXOFENADINE HYDROCHLORIDE- fexofenadine hydrochloride tablet**  
**Dollar General**

-----  
**Fexofenadine HCl 180mg Tablets USP**

**Active ingredient(s)**

Fexofenadine HCl USP, 180 mg

**Purpose**

Antihistamine

**Use(s)**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have**

kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

## Other information

safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing

## Storage

- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- this product meets the requirements of USP Dissolution Test 4

## Inactive ingredients

colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C Red no. 40, hypromellose, iron oxide black, magnesium stearate, mannitol, polyethylene glycol, powder cellulose and titanium dioxide

## Questions?

Call **1-888-375-3784**

## Carton Label

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  runny nose  itchy, watery eyes  sneezing  itching of the nose or throat

**Warnings**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.  
 When using this product  do not take more than directed  do not take at the same time as aluminum or magnesium antacids  
 do not take with fruit juices (see Directions)

**Directions**  
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 adults and children 12 years of age and over: take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours  
 children under 12 years of age: do not use  
 adults 65 years of age and older: ask a doctor  
 consumers with kidney disease: ask a doctor

**Other information**  
 safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing  store between 20° and 25°C (68° and 77°F)  protect from excessive moisture  this product meets the requirements of USP Dissolution Test 4

**Inactive ingredients**  
 black, magnesium stearate, mannitol, polyethylene glycol, powder cellulose and titanium dioxide

**Questions? Call 1-888-375-3784**

**COATING FREE AREA**  
 150076052



## FEXOFENADINE HYDROCHLORIDE

fexofenadine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-111(NDC:55111-784)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Fexofenadine Hydrochloride</b> (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	Fexofenadine Hydrochloride	180 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSE 2910 (6 MPA.S)</b> (UNII: 0WZ8WG20P6)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

**Product Characteristics**

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	194;R
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-111-30	1 in 1 CARTON	07/17/2019	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076502	07/17/2019	

**Labeler** - Dollar General (068331990)**Establishment**

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Dr. Reddy's Laboratories Limited (FTO III) | 918608162 | analysis(55910-111) , manufacture(55910-111)

## Establishment

Name	Address	ID/FEI	Business Operations
Reed-Lane, Inc.		001819879	repack(55910-111)

Revised: 2/2020

Dollar General