

LOTRIMIN ULTRA RINGWORM- butenafine hydrochloride cream
Bayer Healthcare LLC.

Lotrimin Ultra

Ringworm

Drug Facts

Active ingredient

Butenafine hydrochloride 1%

Purpose

Antifungal

Uses

- cures most ringworm
- cures most jock itch
- cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown.
- relieves itching, burning, cracking, and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or irritation gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and older:

- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- **for ringworm and jock itch:** apply once a day to affected skin for 2 weeks or as

directed by a doctor

- **for athlete's foot between the toes:** apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- wash hands after each use

children under 12 years: ask a doctor

Other information

- do not use if seal on tube is broken or not visible
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, stearic acid, trolamine, white petrolatum

Questions?

Questions? 1-866-360-3266 or visit us at www.lotrimin.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Carton



LOTTRIMIN ULTRA RINGWORM

butenafine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-0158
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BUTENAFINE HYDROCHLORIDE (UNII: R8XA2029Z1) (BUTENAFINE - UNII:91Y494NLOX)	BUTENAFINE HYDROCHLORIDE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETETH-23 (UNII: 495CTZ441V)	
PROPYLENE GLYCOL DICAPRYLATE (UNII: 581437HWX2)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 9O3K93S3TK)	
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white (white to off white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0158-2	1 in 1 CARTON	07/31/2024	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021307	01/02/2024	

Labeler - Bayer Healthcare LLC. (112117283)

Revised: 7/2024

Bayer Healthcare LLC.