

FORTICEPT ANTIFUNGAL FOOT GEL- clotrimazole gel
Lidan, Inc.

Forticept Antifungal Foot Gel

DRUG FACTS

Active Ingredient/Purpose

Clotrimazole - 1% (Antifungal)

Uses

- Cures most athlete's foot, jock itch and ringworm
- Relieves itching, burning, cracking, scaling and discomfort which accompany these conditions
- Helps keep feet dry and free of fungal infection

For the treatment of fungal infections caused by: Athlete's foot (tinea pedis), Jock itch (tinea cruris), and Ringworm (tinea corporis)

WARNINGS:

For external use only!

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Do not use on children under 2 years of age unless directed by a doctor.

Stop use and ask a doctor if:

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch).

When using this product avoid contact with eyes.

DIRECTIONS:

Adults and children 2 years of age and older:

- wash affected area and dry thoroughly
- apply a thin layer over affected area once or twice daily
- supervise children in the use of this product
- for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated
- shoes and change socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
- if condition persists longer, ask a doctor

Inactive Ingredients:

Allantoin, Alpha Tocopherol, Benzethonium Chloride, Cetosearyl Alcohol, Aluminum Starch Octenylsuccinate, Ethylhexylglycerin, Hexamethyldisilazane, Isohexadecane, Lanolin, Paraffinum Liquidum, Peppermint Oil, Petrolatum, Phenoxyethanol, Polyhexanide, Polysorbate 80, Propylene Glycol, Shea Butter, Sodium Acrylate / Sodium Acryloyldimethyl Taurate Copolymer, Steareth-2, Steareth-21, Tea Tree Oil, Thymol, Water

Other Information:

- To open: unscrew cap and remove the seal.
- Store between 68° - 77°F (20° - 25°C)

For Questions:

Please call: +1 212 709-8133
Lidan, Inc.
30 Wall Street, 8th Floor
New York, NY 10005
www.forticept.com



Antifungal Foot Gel

(Clotrimazole 1%)

Fast-Acting Drying Formula

With Tea Tree & Peppermint



Advanced Polymer Technology

For the treatment of:

- Athlete's Foot
- Jock Itch
- Ringworm

Keeps Feet Healthy & Dry

3 oz./ 85g


Forticept® Antifungal Foot Gel

Drug Facts	
Active Ingredient Clotrimazole (1%).....	Purpose Antifungal
Uses Cures most athlete's foot, jock itch and ringworm. Relieves itching, burning, cracking, scaling and discomfort which accompany these conditions. Helps keep feet dry and free of fungal infection	
Warnings For external use only Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with eyes. Stop use and ask a doctor if irritation occurs, or there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch). Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions Adults and children 2 years of age and older: Wash affected area and dry thoroughly. Apply a thin layer over affected area once or twice daily. Supervise children in the use of this product. For athlete's foot pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, ask a doctor	
Inactive Ingredients: Allantoin, Alpha Tocopherol, Benzethonium Chloride, Cetosearyl Alcohol, Aluminum Starch Octenylsuccinate, Ethylhexylglycerin, Hexamethyldisilazane, Isohexadecane, Lanolin, Paraffinum Liquidum, Peppermint Oil, Petrolatum, Phenoxyethanol, Polyhexanide, Polysorbate 80, Propylene Glycol, Shea Butter, Sodium Acrylate / Sodium Acryloyldimethyl Taurate Copolymer, Steareth-2, Steareth-21, Tea Tree Oil, Thymol, Water	
Other Information: To open: unscrew cap and remove the seal. Store between 20° - 25°C (68° - 77°F)	



LIDAN, INC 30 WALL STR., 8th FLOOR
NEW YORK, NY 10005 USA
WWW.FORTICEPT.COM
For questions, please call:
+1 (212) 709-8133

MADE IN USA



Forticept® is registered Trademark of Lidan, Inc. all rights reserved 2016

FORTICEPT ANTIFUNGAL FOOT GEL

clotrimazole gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72127-0806
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	0.01 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
ALLANTOIN (UNII: 344S277G0Z)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZETHONIUM CHLORIDE (UNII: PH41D05744)	

CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HEXAMETHYLDISILAZANE (UNII: H36C68P1BH)
ISOHEXADECANE (UNII: 918X1OUF1E)
LANOLIN (UNII: 7EV65EAW6H)
MINERAL OIL (UNII: T5L8T28FGP)
TEA TREE OIL (UNII: VIF565UC2G)
PEPPERMINT OIL (UNII: AV092KU4JH)
PETROLATUM (UNII: 4T6H12BN9U)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
POLIHEXANIDE (UNII: 322U039GMF)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
SHEA BUTTER (UNII: K49155WL9Y)
SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (4000000 MW) (UNII: 1DXE3F3OZX)
Stearth-2 (UNII: V56DFE46J5)
STEARETH-21 (UNII: 53J3F32P58)
THYMOL (UNII: 3J50XA376E)
WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72127-0806-0	0.085 kg in 1 TUBE; Type 0: Not a Combination Product	04/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	04/12/2020	

Labeler - Lidan, Inc. (014456716)

Registrant - Lidan, Inc. (014456716)

Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture(72127-0806) , label(72127-0806) , pack(72127-0806) , api manufacture(72127-0806)