

MENS ROGAINE MINOXIDIL - UNSCENTED FORMULA- minoxidil aerosol, foam
Kenvue Brands LLC

MEN's Rogaine® UNSCENTED

Drug Facts

Active ingredient

Minoxidil 5% w/w (without propellant)

Purpose

Hair regrowth treatment for men

Use

to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

Warnings

For external use only. For use by men only.

Extremely Flammable

Avoid fire, flame, or smoking during and immediately following application.

Do not Use if

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you

see results.

- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information
- store at controlled room temperature 20° to 25° C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol40-B, stearyl alcohol

Questions?

- call toll-free **800-ROGAINE** or **215-273-8755** (collect)
- visit **www.rogaine.com**

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - Three 60 g Can Package

#1 DERMATOLOGIST RECOMMENDED BRAND

MEN'S

Rogaine®

5% MINOXIDIL TOPICAL AEROSOL

HAIR REGROWTH TREATMENT

REACTIVATES

HAIR FOLLICLES

TO STIMULATE REGROWTH

EASY-TO-USE

FOAM

CLINICALLY PROVEN TO HELP REGROW HAIR

UNSCENTED

Not For Use By Women

Three Month Supply • Three 60 g (2.11 oz) Cans

Drug Facts

Active Ingredient Minoxidil 5% w/v (highest propellant)..... **Purpose** Hair regrowth treatment for men

Use To regrow hair on the top of the scalp (vertex only, one picture on side of the carton)

Warnings
For external use only. For use by men only.
Irritant: Avoid contact with eyes, nose, or mouth during and immediately following application.

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- swollen, unexplained weight gain occurs
- your hands or feet swell
- scaly patches or rashes occur
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used where pregnant or breast-feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Other Warnings

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers. Then wash hands well
- use enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again


Other Information

- hair growth has been shown in a clinical study of men (mostly white) aged 19-48 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container.
- Do not expose to heat or store at temperatures above 120° F (49° C).

Inactive Ingredients
aluminum, butylated hydroxytoluene, cetyl alcohol, cetyl wax, glycerin, isobutane, lauryl acid, polybutene-6, propene, purified water, SLS alcohol, SLS, stearic alcohol

Other Names?
call toll-free 800-ROGAINE or 212-272-4786 (collect); visit www.rogaïne.com

Men's ROGAINE® Foam is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Men's ROGAINE® Foam has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, Men's ROGAINE® Foam may not work.

FOR BEST RESULTS USE TWICE DAILY

#1 DERMATOLOGIST RECOMMENDED BRAND

MEN'S Rogaine®

5% MINOXIDIL TOPICAL AEROSOL HAIR REGROWTH TREATMENT

REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

EASY-TO-USE FOAM

CLINICALLY PROVEN TO HELP REGROW HAIR

UNSCENTED

Not For Use By Women

Three Month Supply • Three 60 g (2.11 oz) Cans

THIS PACKAGE CONTAINS

- Three 60 g (2.11 oz) cans of Men's ROGAINE® Foam (three month supply)

DIRECTIONS FOR USE

See information booklet with complete directions on how to use and obtain best results.

1. PREP HANDS WITH COLD WATER
Rinse your fingers in cold water and dry them. Make sure you will maintain contact with warm surface.

2. OPEN CHILD RESISTANT CAP
Be sure to align arrow on the cap with arrow on white ring. Turn cap back and pull off.

3. DISPENSE VERTICALLY ONTO A COLD SURFACE
Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).

4. APPLY TO SCALP NOT HAIR
Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.

5. CLOSE CAP AND WASH HANDS
Snap cap back into place. Be sure arrow is not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.



Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08588 20049016
Active Made in Italy
© J&J 2001
Product incorporates technology licensed from Cosmetics Corporation.
The overall look and design of this packaging is subject to trademark protection.

MENS ROGAINE MINOXIDIL - UNSCENTED FORMULA

minoxidil aerosol, foam

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0031
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOBUTANE (UNII: BXR49TP611)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPANE (UNII: T75W9911L6)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0031-1	1 in 1 PACKAGE	10/01/2010	
1		60 g in 1 CAN; Type 0: Not a Combination Product		
2	NDC:69968-0031-3	3 in 1 PACKAGE	10/01/2010	
2		60 g in 1 CAN; Type 0: Not a Combination Product		
3	NDC:69968-0031-4	4 in 1 PACKAGE	10/01/2010	
3		60 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021812	10/01/2010	

Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2024

Kenvue Brands LLC