

**MIPASTE PLUS STRAWBERRY- sodium fluoride paste, dentifrice
GC America Inc.**

MIPaste Plus Strawberry

Active Ingredient

Sodium Fluoride 0.2% (w/w).....Anticavity

Use

Aids in the prevention of dental cavities

Warnings

Keep out of reach of children under 6 years of age.

Warnings

Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction, stop use, rinse mouth with water and seek medical advice. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center right away.

Directions

* Adults and children over 12: brush teeth with your normal toothpaste at least twice a day, or as directed by your dental profession or doctor, rinse mouth after brushing, dispense a pea-sized portion of MI Paste Plus onto your finger, apply thoroughly, coating the upper teeth with an even layer, repeat for lower teeth, allow to remain on teeth for 3 minutes. Do not rinse.

* Children under the age of 12: consult your dental professional or doctor.

Other information

For additional application instructions, refer to the product insert.

Inactive ingredients

Butyl p-hydroxybenzoate, Casein phosphopeptides and amorphous calcium phosphate, D-sorbitol, Ethyl p-hydroxybenzoate, Flavoring, Glycerol, Phosphoric acid, Propyl p-hydroxybenzoate, Propylene glycol, Silicon dioxide, sodium carboxymethyl cellulose, Sodium saccharin, Titanium dioxide, Water, Xylitol

Questions or comments?

1-800-323-7063

Recommended Indications

To be used for cleaning and polishing procedures as part of a professionally administered prophylaxis treatment. Secondly, MI Paste Plus can be used for the management of tooth sensitivity, post-scaling, root planing and bleaching.

Tube Box Strawberry

MI Paste Plus[™]
Strawberry

Contains RECALDENT[™] derived from MILK protein

MI Paste Plus[™]
Strawberry

Professional use only

Anticavity dentifrice cream with bio-available calcium, phosphate and fluoride

STORAGE: Recommended for optimal performance, store in a cool dry humidity area away from direct sunlight (5-25°C) (45-77°F).

CAUTION RECALDENT[™] is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction; stop use, rinse mouth with water, and seek medical advice.

Recaldent Caution: U.S. Federal Law restricts this device to sale by or on the order of a dentist or physician.

Drug Facts

Active ingredient Purpose
Sodium fluoride 0.20% (w/w) Anticavity

Use • aids in the prevention of dental cavities

Warnings
Keep out of reach of children under 6 years of age.
Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction; stop use, rinse mouth with water and seek medical advice. If you experience swelling more pronounced or breathing get medical help or contact a Poison Control Center right away.

Directions
• **adults and children over 12:** brush teeth with your normal toothpaste at least twice a day, or as directed by your dental professional or doctor, three months after brushing, dispense a pea-sized portion of MI Paste Plus onto your finger, apply thoroughly, coating the upper teeth with an even layer, repeat for lower teeth, allow to remain on teeth for 3 minutes. Do not rinse.
• **children under the age of 12:** consult your dental professional or doctor

Other information
For additional application instructions, refer to the product insert.

Inactive ingredients
Butyl p-hydroxybenzoate, Casein phosphopeptides and amorphous calcium phosphate, D-sorbitol, Ethyl p-hydroxybenzoate, Flavoring, Glycerol, Phosphoric acid, Propyl p-hydroxybenzoate, Propylene glycol, Silicon dioxide, Sodium carboxymethyl cellulose, Sodium saccharin, Titanium dioxide, Water, Xylitol

Questions or comments?
1-800-323-7063

MI Paste Plus[™]

CAUTION
RECALDENT[™] is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy.

MI Paste Plus[™]

Anticavity dentifrice cream with bio-available calcium, phosphate and fluoride

- Anticavity
- Fluoride enamel
- Helps against sensitivity

Sodium Fluoride 0.20% WW (800ppm F)

Strawberry

Consult Instructions for use Insert and drug facts panel.

Recaldent

RECALDENT is a trademark used under license.
CPP-ACP technology developed by School of Dental Science, The University of Melbourne, Australia.

Recaldent

NET WT. 40g (85mL)

Contains RECALDENT[™] derived from MILK protein


CC

MANUFACTURED BY
GC AMERICA INC.
ALBANY, NY 12212 U.S.A.

DISTRIBUTED BY
GC AMERICA INC.
ALBANY, NY 12212 U.S.A.

7471014

GC AME-00040-A



Tube Box Mint

MI Paste Plus™

Mint

Contains RECALDENT™ derived from MILK protein

MI Paste Plus™
Mint

Professional use only

Artificially dentifrice crème with bio-available calcium, phosphate and fluoride

STORAGE: Recommended for optimal performance, store in a cool dry low humidity area away from direct sunlight (0-25°C) (46-77.0°F).

CAUTION RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction; stop use, rinse mouth with water, and seek medical advice.

Recaldent Caution: U.S. Federal Law restricts this device to sale by or on the order of a dentist or physician.

6CAME-00031-A

Drug Facts

Active ingredient Purpose
Sodium fluoride 0.20% (w/w) Anticavity

Use • aids in the prevention of dental cavities

Warnings
Keep out of reach of children under 6 years of age.

Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction; stop use, rinse mouth with water and seek medical advice. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center right away.

Directions
• adults and children over 12: brush teeth with your normal toothpaste at least twice a day, or as directed by your dental professional or doctor, rinse mouth after brushing, dispense a pea-sized portion of MI Paste Plus onto your finger, apply thoroughly, coating the upper teeth with an even layer, repeat for lower teeth, allow to remain on teeth for 3 minutes. Do not rinse.
• children under the age of 12: consult your dental professional or doctor

Other information
For additional application instructions, refer to the product insert.

Inactive ingredients
Butyl p-hydroxybenzoate, Casein phospholipides and amorphous calcium phosphate, D-calcitol, Ethyl p-hydroxybenzoate, Flavouring, Glycerol, Phosphoric acid, Propyl p-hydroxybenzoate, Polyvinyl alcohol, Silicon

MI Paste Plus™
Mint

Artificially dentifrice crème with bio-available calcium, phosphate and fluoride

• Anticavity
• Rebuilds enamel
• Helps against sensitivity
Sodium Fluoride 0.20% WW (800ppm F)

Recaldent Contains RECALDENT™ derived from MILK protein

NET WT. 40g (85mL)

MI Paste Plus™


CAUTION
RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy.

MI Paste Plus™
Mint


Artificially dentifrice crème with bio-available calcium, phosphate and fluoride


• Anticavity
• Rebuilds enamel
• Helps against sensitivity
Sodium Fluoride 0.20% WW (800ppm F)

Recaldent Consult Instructions for use insert and drug facts panel.




Tube Box Vanilla





Tube Box Melon



GCAME-00032-A

GCAME-00032-A

MI Paste Plus Melon

Professional use only

Actively stabilizes color with bio-white color, phosphate and fluoride

NOTE: Fluoride will stain patients with tetracycline tooth discoloration (see instructions for use)

CAUTION RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxyapatite allergy. In case of allergic reaction, stop use, rinse mouth with water, and seek medical advice.

Caution: U.S. Federal Law restricts this device to sale by or on the order of a dentist or physician.

Drug Facts

Active Ingredient Polyanionic Sodium Fluoride (2.25%) **Polyanionic**

Use • aids in the prevention of dental caries

Warnings
Keep out of reach of children under 6 years of age.

Contains fluoride which may cause tooth staining. Avoid use on patients with a milk protein or hydroxyapatite allergy. In case of allergic reaction, stop use, rinse mouth with water, and seek medical advice.

Directions
• adults and children over 12: brush teeth with your usual toothpaste at least twice a day, or as directed by your dental professional or doctor, then apply MI Paste Plus into your finger, apply thoroughly coating the upper teeth with an even layer, repeat for lower teeth, allow to remain on teeth for 3 minutes. Do not rinse.
• children under the age of 12: consult your dental professional or doctor

Other information
For additional application instructions, refer to the product insert.

Inactive Ingredients
Ethoxyhydroxyapatite, Calcium phosphate, polyphosphoric acid, polyphosphate, polyphosphate, polyphosphate, Polyvinylpyrrolidone, Polyethylene glycol, Polyanionic Sodium Fluoride, Water, Glycerin, Zinc Oxide

Questions or comments?
1-800-323-7088

Melon

Contains RECALDENT™ derived from MILK protein



MI Paste Plus

Actively stabilizes color with bio-white color, phosphate and fluoride

- Actively
 - Stabilizes enamel
 - Helps against sensitivity
- Sodium Fluoride 4.25% W/W (800ppm F)**



Melon



NET WT. 4g (0.14oz)

Contains RECALDENT™ derived from MILK protein



MI Paste Plus

CAUTION

RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxyapatite allergy.

MI Paste Plus

Actively stabilizes color with bio-white color, phosphate and fluoride

- Actively
 - Stabilizes enamel
 - Helps against sensitivity
- Sodium Fluoride 4.25% W/W (800ppm F)**



Melon

Consult instructions for use insert and drug facts panel.



RECALDENT™ is a trademark used under license. CPT-ACP technology developed by School of Dental Science, The University of Melbourne, Australia.

7541014



MANUFACTURED BY
PURINA
ST. LOUIS, MO 63108

MANUFACTURED BY
PURINA
ST. LOUIS, MO 63108

MADE IN USA



MIPASTE PLUS STRAWBERRY

sodium fluoride paste, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61596-986
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	0.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ETHYLPARABEN (UNII: 14255EXE39)	
CALCIUM PHOSPHATE (UNII: 97Z1W3NDX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
XYLITOL (UNII: VCQ006KQ1E)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	STRAWBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61596-986-41	1 in 1 BOX	06/01/2015	
1	NDC:61596-986-40	40 g in 1 TUBE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

MI Paste Plus™

Strawberry



MI Paste Plus™ Strawberry

Professional use only

Articinely dentifrice crème with bio-available calcium, phosphate and fluoride

STORAGE: Recommended for optimal performance, store in a cool dry low humidity area away from direct sunlight (8-25°C) (46.4-77.0°F).

CAUTION: RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction, stop use, rinse mouth with water, and seek medical advice.



Caution: U.S. Federal Law restricts this device to sale by or on the order of a dentist or physician.

Drug Facts

Active Ingredient Purpose
Sodium fluoride 0.20% (w/w) _____ Articinely

Use • aids in the prevention of dental cavities

Warnings

Keep out of reach of children under 6 years of age.

Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction, stop use, rinse mouth with water and seek medical advice. If you accidentally swallow more than used or breathing get medical help or contact a Poison Control Center right away.

Directions

- adults and children over 12: brush teeth with your normal toothpaste at least twice a day, or as directed by your dental professional or doctor; rinse mouth after brushing; dispense a pea-sized portion of MI Paste Plus onto your finger, apply thoroughly, coating the upper teeth with an even layer, repeat for lower teeth, allow to remain on teeth for 3 minutes. Do not rinse.
- children under the age of 12: consult your dental professional or doctor

Other information

For additional application instructions, refer to the product insert.

Inactive ingredients

Butyl p-hydroxybenzoate, Casein phosphopeptide and amorphous calcium phosphate, D-xylofuranose, Ethyl p-hydroxybenzoate, Flavouring, Glycerol, Phosphoric acid, Propyl p-hydroxybenzoate, Propylene glycol, Silicon dioxide, Sodium carboxymethyl cellulose, Sodium saccharin, Titanium dioxide, Water, Xylitol

Questions or comments?

1-800-323-7063



MI Paste Plus™

Articinely dentifrice crème with bio-available calcium, phosphate and fluoride

- Articinely
- Rebuilds enamel
- Helps against sensitivity

Sodium Fluoride 0.20% W/W (800ppm F)



Strawberry



NET WT. 40g (85mL)



MI Paste Plus™

CAUTION
RECALDENT™ is derived from milk casein. Do not use on patients with a milk protein or hydroxybenzoates allergy.

MI Paste Plus™

Articinely dentifrice crème with bio-available calcium, phosphate and fluoride

- Articinely
- Rebuilds enamel
- Helps against sensitivity

Sodium Fluoride 0.20% W/W (800ppm F)



Strawberry

Consult Instructions for use Insert and drug facts panel.



RECALDENT is a trademark used under license. GPP-ACP technology developed by School of Dental Science, The University of Melbourne, Australia.

GCAME-00040-A

GCAME-00040-A

7471014

3CC
MANUFACTURED BY
3CC AMERICA INC.
ALPH, L 8008 USA
DISTRIBUTED BY
3CC AMERICA INC.
ALPH, L 8008 USA
MADE IN U.S.A.



SEEK RECYCLING INFO
ON PARTICIPATING STORES

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	06/01/2015	

Labeler - GC America Inc. (005473608)

Registrant - GC America Inc. (005473608)

Establishment

Name	Address	ID/FEI	Business Operations
GC America Inc.		005473608	manufacture(61596-986)

Revised: 12/2025

GC America Inc.