#### CARBON DIOXIDE - carbon dioxide gas Praxair Distribution Southeast LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

### Carbon Dioxide

Un1013 CARBON DIOXIDE USP

CONTENTS LOT NUMBER

CAUTION! HIGH-PRESSURE LIQUID AND GAS. CAN CAUSE RAPID SUFFOCATION. CAN INCREASE RESPIRATION AND HEART RATE , MAY CUASE NERVOUS DAMAGE MAY CAUSE FROSTBITE. MAY CAUSEDIZZINESS AND DROWSINESS.

TLV: 5,000 PPM (ACGIH 2008). Avoid breathing gas. Store and use with adequate ventilation. Keep cylinder upright when in use. Do

not get liquid in eyes, on skin, or on clothing. Close valve after each use; keep closed even when empty. Use with equipment rated for

cylinder pressure. Cylinder temperature should not exceed 125°F (52°C). Always secure cylinder. Install cap, if provided, when not in

use. Use a backflow prevention device in any piping. Use per Praxair MSDS form P-4574 and safe practices booklets P-3499, P-14-153,

and P-15-073; obtain from your local supplier. FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, qualified personnel may give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING! Administration of carbon dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed

practitioner who is experienced in the use and administration of carbon dioxide and is familiar with the indications, effects, dosages, methods and


frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

Rx only IN CASE OF EMERGENCY CALL 1-800-645-4633

CAS 124-39-9 DO NOT REMOVE THIS LABEL PMG-1 (07/08)

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc.

DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113



UN2187 CARBON DIOXIDE, REFRIGERATED LIQUID, USP

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

LOT NUMBER NET CONTENTS

DANGER! COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN INCREASE RESPIRATION AND HEART RATE. MAY CAUSE NERVOUS SYSTEM DAMAGE. MAY CAUSE FROSTBITE. MAY CAUSE DIZZINESS AND DROWSINESS. TLV-TWA: 5,000 PPM (ACGIH 2008)

Avoid breathing gas. Store and use with adequate ventilation. Do not drop. Use hand truck for container movement. Do not get liquid in eyes, on skin, or on clothing. Cylinder temperature should not exceed 125°F (52°C). For liquid withdrawal, wear face shield or goggles, and gloves. Close valve when not in use; keep

closed even when empty. Always secure container so it cannot be knocked over. Use a backflow prevention device in any piping. Use per Praxair MSDS P-4573, and safe practices booklets P-3499, P-14-153, and P-15-073 (obtain from your local supplier), and manufacturer's operating instructions for this container.

## Rx ONLY

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING! Administration of carbon dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of carbon dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken. DO NOT REMOVE THIS LABEL

CAS: 124-38-9

IN CASE OF EMERGENCY: CALL 1-800-645-4633

DO NOT REMOVE THIS LABEL

#### Rx ONLY CAS 10024-97-2 PRODUCED BY AIR LIQUEFACTION

IN CASE OF EMERGENCY: CALL 1-800-645-4633 DISTRIBUTED BY PRAXAIR, INC., DANBURY PMG-17 (09/08) MADE IN USA

Copyright @ 2002, 2008. Praxair Technology, Inc. All rights reserved

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113

DISTRIBUTED BY PRAXAIR, INC., DANBURY

			Medipure
UN2187 Carbon Di Refrigera			ALWAYS KEEP CONTAINER IN UPRIGHT POSITION
LIQUID, USP			
CAS: 124-38-9		2 LOTN	UMBER
DANGER! COLD LIQUID AND C SUFFOCATION, CAN INCREAS	AS UNDER PRESSURE. CAN CAUSE RESPIRATION AND HEART RATE. N MAY CAUSE FROSTBITE. MAY CAUSE ( 0.000 PPM (ACGIH 2008)	WAY CAUSE NET C	ONTENTS
clothing. Cylinder temperature closed even when empty. Alw	e should not exceed 125°F (52°C). F vays secure container so it cannot be	For liquid withdrawal, wear face shield or g e knocked over. Use a backflow preventio	er movement. Do not get liquid in eyes, on okin, or on poggles, and gloves. Close valve when not in use; keep an device in any piping. Use per Praxair MSDS P-4573, tarer's operating instructions for this container.
Rx ONLY			
	nove to fresh air. If not breathing, gi STBITE, obtain medical treatment in		cult, qualified personnel may give oxygen. Call a
experienced in the use and ad	ministration of carbon dioxide and is	contraindicated. For use only by or under the familiar with the indications, effects, dosage traindications and side effects and the pre-	cautions to be taken
IN CASE OF EMERGENCY	CALL 1-800-645-4633	DO NOT REMOVE THIS LAB	EL PRAXAIR.
MADE IN USA PMG-17 (09/08)	Praxair, the Flowi	Praxair Technology, Inc. All rights reserv ing Airstream design, and Medipure rks of Praxair Technology, Inc.	DISTRIBUTED BY PRAXAIR, INC. DANBURY, CT 00810-5113

CARBON DIOXIDE carbon dioxide gas			
Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:49972-003
Route of Administration	RESPIRATORY (INHALATION)		

Са				<b>Basis of Strength</b>		Strength
	Carbon Dioxide (UNII: 142M471B3J) (Carbon Dioxide - UNII:142M471B3J)			Carbon Dioxide 990 mL in		990 mL in 11
Pa	ickaging					
#	Item Code	Package Description	Marketing Start	t Date	Marketi	ing End Date
1	NDC:49972-003-01	18068 L in 1 CYLINDER				
2	NDC:49972-003-02	15840 L in 1 CYLINDER				
3	NDC:49972-003-03	12375 L in 1 CYLINDER				
4	NDC:49972-003-04	9653 L in 1 CYLINDER				
5	NDC:49972-003-05	7920 L in 1 CYLINDER				
6	NDC:49972-003-06	4950 L in 1 CYLINDER				
7	NDC:49972-003-07	2475 L in 1 CYLINDER				
8	NDC:49972-003-08	1733 L in 1 CYLINDER				
9	NDC:49972-003-09	990 L in 1 CYLINDER				
10	NDC:49972-003-10	495 L in 1 CYLINDER				
11	NDC:49972-003-11	17325 L in 1 CYLINDER				
12	NDC:49972-003-12	1980 L in 1 CYLINDER				
13	NDC:49972-003-13	49500 L in 1 DEWAR				
14	NDC:49972-003-14	93555 L in 1 DEWAR				
15	NDC:49972-003-15	99000 L in 1 DEWAR				
16	NDC:49972-003-16	113850 L in 1 DEWAR				
17	NDC:49972-003-17	130680 L in 1 DEWAR				
18	NDC:49972-003-18	149738 L in 1 DEWAR				

	<b>0</b>	Marketing Start Date	Marketing End Date
unapproved medical gas		09/01/2008	

# Labeler - Praxair Distribution Southeast LLC (008455552)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Praxair Distribution Southeast LLC		969017086	manufacture(49972-003)		

Revised: 11/2012

Praxair Distribution Southeast LLC