

EXCHANGE SELECT HYDROCORTISONE- hydrocortisone cream Army & Air Force Exchange Service

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Company 1% Hydrocortisone Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
 - eczema
 - psoriasis
 - poison ivy, oak, sumac
 - insect bites
 - detergents
 - jewelry
 - cosmetics
 - soaps
 - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product

- avoid contact with the eyes
- do not use more than directed unless told to do so by a doctor

- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **for itching of skin irritation, inflammation, and rashes:**
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, consult a doctor
- **for external anal and genital itching, adults:**
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: consult a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

water, cetearyl alcohol, cetareth-20, cetyl palmitate, glycerin, isopropyl myristate, isostearyl neopentanoate, methylparaben, aloe barbadensis leaf juice

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Cortizone 10[®] active ingredient

Relieves Itch Fast

Strongest itch medicine WITHOUT A PRESCRIPTION

Skin Irritation & Rashes

Inflammation & Redness

Insect Bites, Poison Ivy

Eczema & Psoriasis

Absorbs Quickly

#1 DOCTOR RECOMMENDED anti-itch active ingredient

Calming Aloe Vera

MAXIMUM STRENGTH

1% Hydrocortisone

ANTI-ITCH CREME

NET WT 1 OZ (28 g)

quality value

exchange **select**™

Compare to Cortizone®10⁹ active ingredient

Relieves Itch Fast

Strongest itch medicine
WITHOUT A PRESCRIPTION*



- Skin Irritation & Rashes
- Inflammation & Redness
- Insect Bites, Poison Ivy
- Eczema & Psoriasis
- Absorbs Quickly

Calming Aloe Vera

Serious Medicine, Fast Comfort

MAXIMUM STRENGTH

1% Hydrocortisone



ANTI-ITCH CREME

NET WT 1 OZ (28 g)

quality value

SATISFACTION GUARANTEED
OR YOUR MONEY BACK

Packaged For: Your Military Exchanges
By: Perrigo Company
Allegan, MI USA 49010



6 14299 40001 6

31964 CZ C2

Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses ■ temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:

- eczema ■ psoriasis ■ poison ivy, oak, sumac
- insect bites ■ deodorants ■ jewelry
- cosmetics ■ soaps ■ seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product ■ avoid contact with eyes

- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for itching of skin irritation, inflammation, and rashes:
 - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
 - children under 2 years of age: do not use, consult a doctor
- for external anal and genital itching, a d u l l s :
 - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
 - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
 - apply to affected area not more than 3 to 4 times daily
 - children under 12 years of age: consult a doctor

Other information ■ store at 20-25 °C (68-77° F)

Inactive ingredients water, cetyl alcohol, ceteareth-20, cetyl palmitate, glycerin, isopropyl myristate, isostearyl neopentanoate, methylparaben, aloe barbadensis leaf juice

Questions or comments? 1-800-719-8260

*Of U.S. Physicians surveyed by an independent market research firm.

†Refers to Hydrocortisone Active Ingredient.

EXCHANGE SELECT HYDROCORTISONE

hydrocortisone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-201-64	1 in 1 CARTON	02/26/2016	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/26/2016	

Labeler - Army & Air Force Exchange Service (001695568)

Revised: 11/2022

Army & Air Force Exchange Service