

EXCHANGE SELECT HYDROCORTISONE- hydrocortisone cream
Army & Air Force Exchange Service

Perrigo Company 1% Hydrocortisone Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
 - eczema
 - psoriasis
 - poison ivy, oak, sumac
 - insect bites
 - detergents
 - jewelry
 - cosmetics
 - soaps
 - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should be only under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- rectal bleeding occurs
- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not use this or any other hydrocortisone product unless you have asked a doctor

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **for itching of skin irritation, inflammation, and rashes:**
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor
- **for external anal and genital itching, adults:**
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: consult a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

water, cetearyl alcohol, cetyl palmitate, glycerin, isopropyl myristate, isostearyl neopentanoate, cetareth-20, diazolidinyl urea, sorbic acid, aloe barbadensis leaf juice, BHT, sodium hydroxide

Questions or comments?

1-800-719-9260

Principal Display Panel

exchange select™

Compare to Cortizone • 10® active ingredient

Relieves Itch Fast

Strongest itch medicine

WITHOUT A PRESCRIPTION

- Skin Irritation & Rashes

- Inflammation & Redness
- Insect Bites, Poison Ivy
- Eczema & Psoriasis
- Absorbs Quickly

#1 DOCTOR RECOMMENDED

anti-itch active ingredient

Calming Aloe Vera

Serious Medicine, Fast Comfort

MAXIMUM STRENGTH

1% Hydrocortisone

ANTI-ITCH CREAM

NET WT 1 OZ (28 g)

quality value

exchange select™

Compare to Cortizone®10 active ingredient

Relieves Itch Fast

Strongest itch medicine
WITHOUT A PRESCRIPTION*



- Skin Irritation & Rashes
- Inflammation & Redness
- Insect Bites, Poison Ivy
- Eczema & Psoriasis
- Absorbs Quickly

Calming Aloe Vera

Serious Medicine, Fast Comfort

MAXIMUM STRENGTH

1% Hydrocortisone

ANTI-ITCH CREAM

NET WT 1 OZ (28 g)



quality value

SATISFACTION GUARANTEED
OR YOUR MONEY BACK

Packaged For: Your Military Exchanges
By: Perrigo Company
Allergan, MI USA 49010



6 14299 40001 6
31964 CZ C3

Hydrocortisone 1%... Anti-itch...
Drug Facts
 Temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
 ■ eczema ■ psoriasis ■ poison ivy, oak, sumac
 ■ insect bites ■ jewelry ■ seboreic dermatitis
 ■ cosmetics ■ soaps
 ■ temporary relieves external and genital itching
 ■ other uses of this product should be only under the advice and supervision of a doctor.
Warnings
 For external use only.
 Do not use
 ■ in the genital area if you have a vaginal discharge. Consult a doctor.
 ■ for the treatment of diaper rash. Consult a doctor.
 When using this product, ■ avoid contact with eyes ■ do not use more than directed unless told to do so by a doctor ■ do not put directly into the rectum by using fingers or any mechanical device or applicator ■ rectal bleeding occurs Stop use and ask a doctor if condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not use this or any other hydrocortisone product unless you have asked a doctor.
Directions
 ■ For itching of skin irritation, inflammation, and rashes ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 2 years of age do not use, ask a doctor ■ for external and genital itching, adults ■ when used on face, clear the affected area with mild soap and warm water and rinse thoroughly ■ gently dry by patting or blotting with toilet tissue or a soft cloth before applying ■ apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor
Other information ■ store at 20-25°C (68-77°F)
Inactive ingredients water, cetyl alcohol, cetyl palmitate, glycerin, isopropyl myristate, isostearyl neopentanoate, ceteareth-20, diazolinyl urea, sorbic acid, aloe barbadensis leaf juice, GHT, sodium hyaluronate
Questions or comments? 1-800-719-9260
 *U.S. Physicians surveyed by an independent market research firm. Refers to Hydrocortisone Active ingredient.
Drug Facts (continued)
Purpose
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222)
 Hydrocortisone 1%... Anti-itch...
Active ingredient
 Hydrocortisone 1%...
Directions
 ■ For itching of skin irritation, inflammation, and rashes ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 2 years of age do not use, ask a doctor ■ for external and genital itching, adults ■ when used on face, clear the affected area with mild soap and warm water and rinse thoroughly ■ gently dry by patting or blotting with toilet tissue or a soft cloth before applying ■ apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor
Other information ■ store at 20-25°C (68-77°F)
Inactive ingredients water, cetyl alcohol, cetyl palmitate, glycerin, isopropyl myristate, isostearyl neopentanoate, ceteareth-20, diazolinyl urea, sorbic acid, aloe barbadensis leaf juice, GHT, sodium hyaluronate
Questions or comments? 1-800-719-9260
 *U.S. Physicians surveyed by an independent market research firm. Refers to Hydrocortisone Active ingredient.

EXCHANGE SELECT HYDROCORTISONE

hydrocortisone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
SORBIC ACID (UNII: X045WJ989B)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-201-64	1 in 1 CARTON	02/26/2016	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/26/2016	

Labeler - Army & Air Force Exchange Service (001695568)

Revised: 9/2024

Army & Air Force Exchange Service