

**HILOOK BLUE GEL ANESTHETIC- lidocaine gel**  
**Guangdong Aimu Biological Technology Co., Ltd**

-----

**Active ingredients**

LIDOCAINE 5%

**Purpose**

lieduce pain and swelling during tattouerpermanent cosmetics,electrolysis other pain sensitive procedures

**Uses**

After cleaning the skin, apply an appropriate amount of gel to the area to be treated. Massage gently for a few minutes and wait for 15 to 30 minutes for the gel to take effect as an anesthetic.

**Warnings**

For external use only.

**Stop use and ask a doctor if**

rash occurs.

**Do not use**

on damaged or broken skin.

**When using this product**

keep out of eyes. Rinse with water to remove.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Dosage**

Squeeze out an appropriate amount of product and spread evenly on skin.

**Inactive ingredients**

WATER 36.7%  
 ALCOHOL 15%  
 POLYSORBATE 20 3%  
 GLYCERIN 20%  
 PROPYLENE GLYCOL 10%  
 YUCCA GLAUCA ROOT EXTRACT 2%  
 ACHILLEA MILLEFOLIUM FLOWER EXTRACT 3%  
 CAPRYLYL GLYCOL 0.3%  
 DISODIUM EDTA 0.2%  
 PHENOXYETHA-NOL 0.3%  
 CARBOMER 3.5%  
 TRIETHANOLAMINE 1%



**PRODUCT FEATURES:**  
The blue gel anesthetic is a high-quality product that utilizes safe and reliable ingredients to alleviate skin irritation and discomfort. It provides

long-lasting numbing effects and is suitable for various cosmetic and plastic surgery procedures, offering a comfortable experience.

**INGREDIENTS:**  
WATER, ALCOHOL, POLYSORBATE 20, GLYCERIN, PROPYLENE GLYCOL, LIDOCAINE, YUCCA GLAUCA ROOT EXTRACT, ACHILLEA MILLEFOLIUM FLOWER EXTRACT, CAPRYLYL GLYCOL, DISODIUM EDTA, PHENOXYETHA-NOL, CARBOMER, TRIETHANOLAMINE

**FACE AND BODY**  
PROFESSIONALS, INC.

**Hilook**



**BLUE GEL ANESTHETIC**

Reduce pain & swelling during tattoo, permanent cosmetics, electrolysis other pain sensitive procedures

30ml/1.01fl oz

**DIRECTION:**  
After cleansing the skin, apply an appropriate amount of gel to the area to be treated. Massage gently for a few minutes and wait for 15 to 30 minutes for the gel to take effect as an anesthetic.

**CAUTION:**  
For external use only. Please keep it out of reach of children.

Seal the product and avoid light, store in a cool and dry place.

Guangzhou Haohai Biological technology Co., LTD

Made in China



**FACE AND BODY**  
PROFESSIONALS, INC.

**Hilook**



**BLUE GEL ANESTHETIC**

Reduce pain & swelling during tattoo, permanent cosmetics, electrolysis other pain sensitive procedures

30ml/1.01fl oz

# HILOOK BLUE GEL ANESTHETIC

lidocaine gel

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83566-143
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83566-143-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/24/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/24/2024	

**Labeler** - Guangdong Aimu Biological Technology Co., Ltd (712647107)

## Establishment

Name	Address	ID/FEI	Business Operations
Guangdong Aimu Biological Technology Co., Ltd		712647107	manufacture(83566-143)

Revised: 6/2024

Guangdong Aimu Biological Technology Co., Ltd