

HILOOK BLUE GEL ANESTHETIC- lidocaine gel
Guangdong Aimu Biological Technology Co., Ltd

Active ingredients

LIDOCAINE 5%

Purpose

lieduce pain and swelling during tattouerpermanent cosmetics,electrolysis other pain sensitive procedures

Uses

After cleaning the skin, apply an appropriate amount of gel to the area to be treated. Massage gently for a few minutes and wait for 15 to 30 minutes for the gel to take effect as an anesthetic.

Warnings

For external use only.

Stop use and ask a doctor if

rash occurs.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Dosage

Squeeze out an appropriate amount of product and spread evenly on skin.

Inactive ingredients

HILOOK BLUE GEL ANESTHETIC

lidocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83566-143
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83566-143-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/24/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/24/2024	

Labeler - Guangdong Aimu Biological Technology Co., Ltd (712647107)

Establishment

Name	Address	ID/FEI	Business Operations
Guangdong Aimu Biological Technology Co., Ltd		712647107	manufacture(83566-143)

Revised: 6/2025

Guangdong Aimu Biological Technology Co., Ltd