FLOCEAN ANTI-ITCH- benzocaine 5%anti-itch cream
Jiangxi Hemei Pharmaceutical Co., Ltd

84010-017

Active Ingredient

Benzocaine 5%

Purpose

External analgesic

Use

temporarily relieves itching

Warnings

For external use only

Do not use

if you have a vaginal discharge. Consult a physician.

When Using

Avoid contact with eyes

Stop Use

condition worsens, or if symptoms persist formore than 7 days, or clear up and occur again within a few days Do not applyover large areas of the body

Ask Doctor

condition worsens, or if symptoms persist formore than 7 days, or clear up and occur again within a few days Do not applyover large areas of the body

Keep Oot Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and older apply a fingertipamount (approximately 1-inch strip) to affected area not more than 3 to 4times daily, Clean nozzle of tube by wiping thoroughly before replacing cap.Keep cap tightly closed between uses.

Other information

children under 12 years consult a doctor

Inactive ingredients

water ,Glycerol ,Propylene Glycol ,Polydimethylsiloxane ,Trolamine,Borneol,MENTHAPIPERITA,Methylparaben ,Chlorhexidine

PRINCIPAL DISPLAY PANEL

120*70

Flocean®

ANTI-ITCH CREME

helps provide topical hydrationaidsin reducing itching &irritation support shealthy pH of intimate area

NET WT: 1 OZ. (28g)

Drug Facts

Active ingredient	**Purpose**
Benzocaine 5%	External analgesic

Use temporarily relieves itching

Directions adults and children 12 years and older apply a fingertip amount (approximately 1-inch strip) to affected area not more than 3 to 4 times daily. Clean nozzle of tube by wiping thoroughly before replacing cap. Keep cap tightly closed between uses. children under 12 years consult a doctor

Inactive ingredients

water 、 Glycerol 、 Propylene Glycol 、 Polydimethylsiloxane 、 Trolamine 、 Borneol 、 MENTHA PIPERITA、 Methylparaben 、 Chlorhexidine

90*130

Flocean®

ANTI-ITCH CREME

instructions

VAGISIL Anti-Itch Creme

Drug Facts

Active ingredient	**Purpose**
Benzocaine 5%	External analgesic

Use temporarily relieves itching

Warnings For external use only

WHEN USING THIS PRODUCT Avoid contact with eyes

Stop use and ask doctor if condition worsens, or if symptoms persist for more than 7 days, or clear up and occur again with in a few days

Do not apply over large areas of the body

Do not use if you have a vaginal discharge. Consult a physician.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions adults and children 12 years and older apply a fingertip amount (approximately 1-inch strip) to affected area not more than 3 to 4 times daily. Clean nozzle of tube by wiping thoroughly before replacing cap. Keep cap tightly closed between uses. children under 12 years consult a doctor

Inactive ingredients

water 、 Glycerol 、 Propylene Glycol 、 Polydimethylsiloxane 、 Trolamine 、 Borneol 、 MENTHA PIPERITA、 Methylparaben 、 Chlorhexidine

138*25*40

Flocean®

MAXIMUM STRENGTH

Relieves Pain & Itch Fast!

For Severe Itching & Irritation
Instant Relief from Painful
Itching & Burning

TAMPER-EVIDENT UNIT:
DO NOT USE IFSEAL OVER TUBE OPENINGHAS BEEN PUNCTURED

Flocean®

ANTI-ITCH CREME

helps provide topical hydrationaidsin reducing itching &irritation support shealthy pH of intimate area

NET WT: 1 OZ. (28g)

Flocean®

DISTRIBUTED BY:GERMANY HEALMUSZ INTERNATIONAL CO., LTD. UNIT 616, 6/F., KAM TEEM INDUSTRIAL BUILDING, 135 CONNAUGHT ROAD WEST, SAI WAN, H.K. WWW.HEALMUSZ.CN
MANUFACTURED BY:JIANGXI HEMEI PHARMACEUTICAL CO., LTD

6 974603 690675

Flocean®

Flocean Anti-Itch Creme
Drug Facts
Active Ingredient Purpose
Benzocaine 5% External analgesic
Use temporarily relieves itching
Warnings For external use only
WHEN USING THIS PRODUCT Avoid contact with eyes
Stop use and ask doctor if condition worsens, or if symptoms persist for more than 7 days, or clear up and occur again with in a few days Do not apply over large areas of the body
Do not use if you have a vaginal discharge. Consult a physician.
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.
Directions adults and children 12 years and older apply a fingertip amount (approximately 1-inch strip) to affected area not more than 3 to 4 times daily. Clean nozzle of tube by wiping thoroughly before replacing cap. Keep cap tightly closed between uses.children under 12 years consult a doctor
Inactive Ingredients
water 、 Glycerol 、 Propylene Glycol 、 Polydimethylsiloxane 、 Trolamine 、 Borneol 、 MENTHA PIPERITA、 Methylparaben 、 Chlorhexidine

FLOCEAN ANTI-ITCH

benzocaine 5%anti-itch cream

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:84010-017

Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
BORNEOL (UNII: M89NIB437X)	
MENTHA PIPERITA (UNII: 79M2M2UDA9)	
CHLORHEXIDINE (UNII: R4KO0DY52L)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-017-01	28 g in 1 BOTTLE; Type 0: Not a Combination Product	06/25/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/25/2024	

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	label(84010-017) , manufacture(84010-017)

Revised: 6/2024 Jiangxi Hemei Pharmaceutical Co., Ltd