

ROBITUSSIN HONEY COUGH DM DAY NIGHT VALUE PACK- dextromethorphan hbr, guaifenesin, doxylamine succinate
Haleon US Holdings LLC

Drug Facts

Active ingredients (in each 20 mL)- Robitussin Honey Maximum Strength Cough + Chest Congestion DM

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Purposes- Robitussin Honey Maximum Strength Cough + Chest Congestion DM

Cough suppressant

Expectorant

Uses- Robitussin Honey Maximum Strength Cough + Chest Congestion DM

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings- Robitussin Honey Maximum Strength Cough + Chest Congestion DM

[Click here to enter Warnings](#)

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MOAI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions-* Robitussin Honey Maximum Strength Cough + Chest Congestion DM**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	20 mL every 4 hours
children under 12 years	do not use

***Other information-* Robitussin Honey Maximum Strength Cough + Chest Congestion DM**

- **each 20 mL contains:**sodium 21 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

***Inactive ingredients-* Robitussin Honey Maximum Strength Cough + Chest Congestion DM**

anhydrous citric acid, carboxymethylcellulose sodium, glycerin, natural and artificial flavors, natural grade A honey, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium gluconate, sucralose, xanthan gum, zinc gluconate

***Questions or comments?-* Robitussin Honey Maximum Strength Cough + Chest Congestion DM**

call weekdays from 8 AM to 6 PM EST at **1-800-245-1040**

***Active ingredients (in each 20 mL)-* Robitussin Honey Maximum Strength Nighttime Cough DM**

Dextromethorphan HBr 30 mg

Doxylamine succinate 12.5 mg

***Purposes-* Robitussin Honey Maximum Strength Nighttime Cough DM**

Cough suppressant

Antihistamine

Uses- Robitussin Honey Maximum Strength Nighttime Cough DM

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- controls the impulse to cough to help you sleep

Warnings- Robitussin Honey Maximum Strength Nighttime Cough DM

[Click here to enter Warnings](#)

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions-* Robitussin Honey Maximum Strength Nighttime Cough DM**

- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- do not take more than 4 doses in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	20 mL every 6 hours
children under 12 years	do not use

***Other information-* Robitussin Honey Maximum Strength Nighttime Cough DM**

- **each 20 mL contains:**sodium 21 mg
- store at 20-25°C (68-77°F).

***Inactive ingredients-* Robitussin Honey Maximum Strength Nighttime Cough DM**

anhydrous citric acid, blueberry juice concentrate, carboxymethylcellulose sodium, glycerin, lactic acid, natural and artificial flavors, natural grade A honey, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium gluconate, sucralose, xanthan gum, zinc gluconate

***Questions or comments?-* Robitussin Honey Maximum Strength Nighttime Cough DM**

call weekdays from 8 AM to 6 PM EST at **1-800-245-1040**

Additional Information - Robitussin Honey DM Day Night Value Pack

Packaged with Tamper-Evident bottle cap.

Do Not Use if breakable ring is separated or missing.

Do not take both products within 6 hours of each other.

ADULT

Robitussin

Honey

This dynamic duo combines the great taste of natural honey you want with the powerful, effective cough relief you need.

Made with *Real*/HONEY

TRUE SOURCE CERTIFIED HONEY

Gluten Free

No Artificial Colors

PARENTS: Learn about teen medicine abuse

www.StopMedicineAbuse.org

Principal Display Panel - Robitussin Honey DM Day Night Value Pack

DAY NIGHT VALUE PACK

ADULT

Robitussin

Honey

Cough+Chest Congestion DM

DEXTROMETHORPHAN HBr (Cough Suppressant)

GUAIFENESIN (Expectorant)

MAXIMUM STRENGTH

- Controls Cough
- Relieves Chest Congestion
- Thins & loosens Mucus

Taste the Real Honey

DMMAX

For Ages 12+

4 FL OZ (118 mL)

ADULT

Robitussin

Honey

Nighttime Cough DM

DEXTROMETHORPHAN HBr (Cough Suppressant)

DOXYLAMINE SUCCINATE (Antihistamine)

MAXIMUM STRENGTH

- Controls Cough
- Relieves runny nose and sneezing

Taste the Real Honey

DMNIGHTTIME MAX

For Ages 12+

4 FL OZ (118 mL)



Day

Value Pack

Night



ADULT

Robitussin

Honey



**Cough+Chest
Congestion DM**

DEXTROMETHORPHAN HBr (Cough Suppressant)
GUAIFENESIN (Expectorant)

MAXIMUM STRENGTH

- ✓ Controls Cough
- ✓ Relieves Chest Congestion
- ✓ Thins & Loosens Mucus

*Taste the
Real Honey*



For Ages 12+
4 FL OZ (118 mL)

ADULT

Robitussin

Honey



**Nighttime
Cough DM**

DEXTROMETHORPHAN HBr (Cough Suppressant)
DOXYLAMINE SUCCINATE (Antihistamine)

MAXIMUM STRENGTH

- ✓ Controls Cough
- ✓ Relieves runny nose and sneezing

*Taste the
Real Honey*



For Ages 12+
4 FL OZ (118 mL)

Principal Display Panel - Robitussin Honey Maximum Strength Cough + Chest Congestion DM

ADULT

Robitussin

Honey

Cough+Chest Congestion DM

DEXTROMETHORPHAN HBr (Cough Suppressant)

GUAIFENESIN (Expectorant)

MAXIMUM STRENGTH

- Controls Cough
- Relieves Chest Congestion
- Thins & loosens Mucus

Taste the Real Honey

DMMAX

For Ages 12+

4 FL OZ (118 mL)

ADULT

Robitussin

Honey



Cough+Chest Congestion **DM**

DEXTROMETHORPHAN HBr (Cough Suppressant)
GUAIFENESIN (Expectorant)

MAXIMUM STRENGTH

- ✓ Controls Cough
 - ✓ Relieves Chest Congestion
 - ✓ Thins & Loosens Mucus
-

*Taste the
Real Honey*





Principal Display Panel - Robitussin Honey Maximum Strength Nighttime Cough DM

ADULT

Robitussin

Honey

Nighttime Cough DM

DEXTROMETHORPHAN HBr (Cough Suppressant)

DOXYLAMINE SUCCINATE (Antihistamine)

MAXIMUM STRENGTH

- Controls Cough
- Relieves runny nose and sneezing

Taste the Real Honey

DMNIGHTTIME MAX

For Ages 12+

4 FL OZ (118 mL)

ADULT

Robitussin

Honey



Nighttime Cough **DM**



DEXTROMETHORPHAN HBr (Cough Suppressant)
DOXYLAMINE SUCCINATE (Antihistamine)

MAXIMUM STRENGTH

- ✓ Controls Cough
- ✓ Relieves runny nose and sneezing

*Taste the
Real Honey*



For Ages 12+
4 FL OZ (118 mL)

ROBITUSSIN HONEY COUGH DM DAY NIGHT VALUE PACK

dextromethorphan hbr, guaifenesin, doxylamine succinate kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0031-2059
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0031-2059-01	1 in 1 CARTON; Type 0: Not a Combination Product	04/30/2019	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	1 BOTTLE	118 mL

Part 1 of 2

ROBITUSSIN HONEY MAXIMUM STRENGTH COUGH AND CHEST CONGESTION DM

dextromethorphan hbr, guaifenesin solution

Product Information

Item Code (Source) NDC:0031-8756

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
HONEY (UNII: Y9H1V576FH)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0031-8756-12	1 in 1 CARTON		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/25/2018	

Part 2 of 2

ROBITUSSIN HONEY MAXIMUM STRENGTH NIGHTTIME COUGH DM

dextromethorphan hbr, doxylamine succinate solution

Product Information

Item Code (Source)	NDC:0031-8758
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 20 mL
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	

LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
HONEY (UNII: Y9H1V576FH)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0031-8758-12	1 in 1 CARTON		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/25/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/30/2019	

Labeler - Haleon US Holdings LLC (079944263)