OXYGEN - oxygen gas Welders Supply - Raimy Corporation

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

OXYGEN CERTIFICATE OF ANALYSIS

Delivery Tag CERTIFICATE OF AI	NALYSIS		
Lot Number Liters, CU., FT.	Serial Number	Amount	INS., LBS., CALS.,

USP Tests Test ID – ODOR – ASSAY LIMITS OK – NONE – 99.2% RESULT

FOR CUSTOMER USE TO DOCUMENT TESTS PERFORMED ON THIS VESSEL IF TESTING WAS NOT WITNESSED

Test ID – ODOR – ASSAY LIMITS OK – NONE – 99.2% RESULT

CUSTOMER WITNESSED TEST YES__ NO __ OXYGEN PURITY TESTED WITH A _____ ANALYZER MODEL #_____ SUPPLIERS SIGNATURE _____ DATE____ CUSTOMERS SIGNATURE _____ DATE____

MEDICAL GASES LIQUID OXYGEN, U.S.P. DELIVERY TAG FILLED BY WELDERS SUPPLY A RAIMY CORPORATION 1628 CASCADE STREET – ERIE, PA 16502 (814) 454-1563 – FAX (814) 455-1059 (800) 352-0945 THIS VESSEL CONTAINS OXYGEN USP (see reverse side for test results) OXYGEN PRODUCED BY THE AIR LIQUEFACTION PROCESS O.D.T.

CERTIFICATE OF ANALYSIS

LOT NUMBER SEF			RIAL NUMBER					
AMOUNT,					INS., LB	S., CALS	., LITERS	CU., FT.
USP TESTS]	FOR CUSTOMER USE TO DOCUMENT TESTS PERFORMED ON THIS VISSEL					
TEST	ID	ODOR	ASSAY		IF TES			
LIMITS	ОК	NONE	> 99.2%		TEST	ID	ODOR'	ASSAY
RESULT					LIMITS	OK	NONE	> 99.2%
				-	RESULT			
CUSTOMER OXYGEN PL SUPPLIERS	JAITY TES	TED WITH A		3 NO	ANALYZ	ER, MODE		
CUSTOMER		1992 Barris				DAT		



3415-8 895-52 < < \$255556 V	
a raimy	
Corporation	
1628 Cascade Street • Erie, PA 16502	
(814) 454-1563 · Fax (814) 455-1059	
(800) 352-0945	

OXYGEN PRODUCED BY THE AIR LIQUEFACTION PROCESS

O.D.T.

OXYGEN COMPRESSED LABEL OXYGEN COMPRESSED USP

UN1072 OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for Oxygen deficiency and resuscitation. For all other medical applications Rx Only. Uninterrupted use of high

concentrations of Oxygen over a long duration, without monitoring its effect on oxyen content of arterial blood may be harmful.

Use only with pressure reducing equipment and apparatus designed for Oxygen. Do not attempt to use on patients who have stopped breathing, unless

used in conjunction with resuscitative equipment. PRODUCED BY AIR LIQUEFACTION.

Warning: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATED COMBUSTION. Keep oil and grease away.

Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for Oxygen Service

and rated for cylinder pressure. Use a back flow preventative device in piping. Close valve after each use and when empty.

Cylinder temperature should not exceed 52 C (125 F) Use in accordance with the Material Safety Data Sheet (MSDS)

CAS 7782-44-7

Do Not Remove this Product Label 18033 (R 04/05)

WELDERS SUPPLY CO. , RAIMY CORPORATION

1628 CASCADE ST. ERIE, PA PHONE (814) 454-1563



OXYGEN REFRIGERATED LIQUID LABEL

OXYGEN REFRIGERATED LIQUID, U.S.P. UN 1073 (CRYOGENIC LIQUID)

Produced by Air Liquefaction OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuScitation. For all other medical applications RX only.

Warning: Caution Federal Law Prohibits Dispensing without Prescription.

First Aid IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.

WARNING! EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

WARNING! Uninterupted use of high concentrations of oxygen over long duration, without

monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment

and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction

with resucitative equipment. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate

ventilation. Do not get liquid ineyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for

container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with Material Safety

Data Sheet.

Part #DB-USP

Printed by ratermann MFG inc.



GENERAL WARNINGS AND PRECAUTIONS

DO NOT REMOVE LABEL

Rx ONLY

OXYGEN

oxygen gas

Product Information

Product T ype	HUMAN PRESCRIPTION DRUG		Item Code (Source)	NDC:10942-1094	
Route of Administration	RESPIRATORY (INHALATION)				
Active Ingredient//	Active Moiety				
	Ingredient Name		Basis of Stren	gth Strength	
OXYGEN (UNII: S88TT14	4065) (OXYGEN - UNII:S88TT14065)		OXYGEN	99 L in 100 L	
Packaging					
# Item Code	Package Description	Marketing Start Date		Marketing End Date	
1 NDC:10942-1094-1	846 L in 1 DEWAR				
2 NDC:10942-1094-2	4146 L in 1 DEWAR				
3 NDC:10942-1094-3	365 L in 1 CYLINDER				
4 NDC:10942-1094-4	669 L in 1 CYLINDER				
5 NDC:10942-1094-5	2523 L in 1 CYLINDER				
6 NDC:10942-1094-6	3800 L in 1 CYLINDER				
7 NDC:10942-1094-7	4681 L in 1 CYLINDER				
8 NDC:10942-1094-8	7569 L in 1 CYLINDER				
	rmation				
Marketing Info	mation				
Marketing Info Marketing Category	Application Number or Monog	raph Citation	Marketing Start Dat	e Marketing End Da	

Labeler - Welders Supply - Raimy Corporation (045764297)

Registrant - Welders Supply - Raimy Corporation (045764297)

Establishment

Name	Address	ID/FEI	Business Operations
Welders Supply - Raimy Corporation		045764297	manufacture

Revised: 1/2010

Welders Supply - Raimy Corporation