

ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE, AND SIMETHICONE-
aluminum hydroxide, magnesium hydroxide, and simethicone suspension
Major Pharmaceuticals

Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone Suspension

Drug Facts

Active ingredients

Purpose
(in each 5 mL = 1 teaspoonful)

Aluminum hydroxide (equiv. to dried gel, USP) 200 mg	Antacid
Magnesium hydroxide 200 mg	Antacid
Simethicone 20 mg	Antigas

Uses for the relief of:

- acid indigestion
- heartburn
- sour stomach
- upset stomach due to these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Do not take more than 16 teaspoonfuls in a 24-hour period or use the maximum dosage for more than 2 weeks except under the advice and supervision of a physician.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

Keep out of reach of children.

Directions

- shake well before using

- do not take more than 16 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks

adults and children 12 years and older	take 2 to 4 teaspoonfuls four times a day or as directed by a physician
children under 12 years	consult a physician

Other information

- **each 5 mL contains:** magnesium 83 mg, sodium 1.34 mg
- store at controlled room temperature 20° - 25°C (68° - 77°F) {See USP Controlled Room Temperature}.
- protect from freezing
- White colored, peppermint flavored liquid supplied in the following oral dosage form:

NDC 0904-7557-62: 30 mL unit dose cup, in a tray of ten cups.

Inactive ingredients butylparaben, hydroxypropyl methylcellulose, flavoring, propylene glycol, propylparaben, purified water, saccharin sodium, and sorbitol solution.

Questions or comments? Call 1-800-845-8210

R02/25

Distributed by:

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

PRINCIPAL DISPLAY PANEL - 30 mL Unit-Dose Cup Lidding Label

MAJOR®

NDC 0904-7557-62

Each 30 mL Contains:

Magnesium Hydroxide	1200 mg
Aluminum Hydroxide	1200 mg
Simethicone	120 mg

SHAKE WELL

Delivers 30 mL • See insert

For Institutional Use Only

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268



ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE, AND SIMETHICONE

aluminum hydroxide, magnesium hydroxide, and simethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7557
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	1200 mg in 30 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 30 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	120 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SORBITOL (UNII: 506T60A25R)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
PEPPERMINT OIL (UNII: AV092KU4JH)				
WATER (UNII: 059QF0KO0R)				
HYDROXYPROPYL METHYLCELLULOSE (UNII: 3NXW29V3WO)				
Product Characteristics				
Color	white		Score	
Shape			Size	
Flavor	PEPPERMINT		Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7557-73	10 in 1 CASE	07/07/2025	
1		10 in 1 TRAY		
1	NDC:0904-7557-62	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M001	07/07/2025	

Labeler - Major Pharmaceuticals (191427277)

Revised: 7/2025

Major Pharmaceuticals