

MEIJER ALLERGY RELIEF- diphenhydramine hydrochloride tablet
Meijer, Inc.

meijer Allergy Relief

Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose • sneezing • itchy, watery eyes • itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose • sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- each tablet contains: **calcium 21 mg**
- store at room temperature between 20-25°C (68-77°F)
- avoid excessive heat, cold and humidity
- close cap tightly after use

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, D&C red no. 27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

Questions or comments?

1-888-577-8033 Monday - Friday 8am - 4pm EST

COMPARE TO BENADRYL® ALLERGY ULTRATAB® ACTIVE INGREDIENT*

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Kenvue, Inc., owner of the registered trademarks Benadryl® and Ultratab®.

**DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544**

WWW.MEIJER.COM

PRODUCT OF INDIA

Packaging




Relief

RELIEVES: SNEEZING, ITCHY THROAT, RUNNY NOSE, ITCHY, WATERY EYES

Diphenhydramine HCl 25 mg
Antihistamine

365
TABLETS

Actual Size 

ACTIVE INGREDIENT

TAMPER EVIDENT: DO NOT USE IF IN SAFETY SEAL UNDER CAP IS BROKEN

Drug Facts

Active ingredient (in each tablet),
Diphenhydramine HCl 25 mg.....

Uses

- temporarily relieves these symptoms (fever or other upper respiratory allergic)
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms (common cold):
- runny nose
- sneezing

Warnings


Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin


Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Drug Facts (continued un)

 13733 98071 5

LOT: PID 3723190
EXP: NO V

PEEL HERE 

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- each tablet contains: **calcium 21 mg**
- store at room temperature between 20-25°C (68-77°F)
- avoid excessive heat, cold and humidity
- close cap tightly after use

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, D&C red no. 27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

Questions or comments?
1-888-577-8033 Monday - Friday 8am - 4pm EST

*This product is not manufactured or distributed by Kenvue, Inc., owner of the registered trademarks Benadryl® and Ultratab®

OUR QUALITY GUARANTEE
WWW.MEIJER.COM/SATISFACTION

The Meijer Family

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
WWW.MEIJER.COM

PRODUCT OF INDIA
LB7948101485_REV.00-052024

DRUG FACTS LABEL

Drug Facts

Active ingredient (in each tablet) Purpose
Diphenhydramine HCl 25 mg.....Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- each tablet contains: **calcium 21 mg**
- store at room temperature between 20-25°C (68-77°F)
- avoid excessive heat, cold and humidity
- close cap tightly after use

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, D&C red no. 27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

MEIJER ALLERGY RELIEF

diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0148
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	S2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0148-5	365 in 1 BOTTLE; Type 0: Not a Combination Product	06/27/2024	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M012	06/27/2024	

Labeler - Meijer, Inc. (006959555)

Revised: 9/2024

Meijer, Inc.