

STEMEGA ANTI HAIR LOSS GEL- stemega anti hair loss gel gel Beijing Xinghui Regeneration Technology Co., LTD.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Glutamic acid

1□ This product should only be used topically on the scalp and should not be taken orally or applied to other areas of the body.

2□ This product may burn and irritate the eyes. In case of contact with sensitive surfaces (eyes, chafed areas, mucous membranes), flush the area with plenty of cold water.

3□ If you have any of the following symptoms, please stop taking the medicine and seek medical attention: chest tightness, tachycardia, dizziness, or general weakness; Sudden, unexplained weight gain; Swollen hands and feet; Redness, swelling and allergies.

4□ Pregnant women, lactating women and the elderly over 65 years old should use this product with caution. If necessary, it should be guided by a doctor or pharmacist.

5□ People allergic to this product should not use it. Use with caution in patients with allergic constitution

6. Do not use this product when the character changes.

7. Keep this product out of reach of children.

8. If you are using other drugs, please consult your doctor or pharmacist before using this product

Keep this product out of reach of children.

Anti-Hair Loss

If you have any of the following symptoms, please stop taking the medicine and seek medical attention: chest tightness, tachycardia, dizziness, or general weakness; Sudden, unexplained weight gain; Swollen hands and feet; Redness, swelling and allergies.

For topical use, apply appropriate amount to scalp, massage for 3-5 minutes after application. This product should be used when the hair and scalp are completely dry.

Dosage: Once a day, determine the amount according to the application area.

1. Pregnant women, lactating women and the elderly over 65 years old should use this product with caution. If necessary, it should be guided by a doctor or pharmacist.



2. People allergic to this product should not use it. Use with caution in patients with allergic constitution

3. Do not use this product when the character changes.

Store at room temperature, dry and away from light.

Anti-Hair Loss

Carboxymethylcellulose Sodium; Glycerin; Sodium Benzoate; Water.



STEMEGA ANTI HAIR LOSS GEL

stemege anti hair loss gel gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83117-008
Route of Administration	CUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLUTAMIC ACID (UNII: 3KX376GY7L) (GLUTAMIC ACID - UNII:3KX376GY7L)	GLUTAMIC ACID	0.1 g in 5 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	0.025 mL in 5 mL
GLYCERIN (UNII: PDC6A3C0OX)	0.5 mL in 5 mL
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	0.3 mL in 5 mL
WATER (UNII: 059QF0K00R)	4.075 mL in 5 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83117-008-02	1 in 1 BOX	06/01/2024	
1	NDC:83117-008-01	5 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/01/2024	

Labeler - Beijing Xinghui Regeneration Technology Co., LTD. (601026471)

Registrant - Beijing Xinghui Regeneration Technology Co., LTD. (601026471)

Establishment

Name	Address	ID/FEI	Business Operations
Beijing Xinghui Regeneration Technology Co., LTD.		601026471	manufacture(83117-008)

Revised: 6/2024

Beijing Xinghui Regeneration Technology Co., LTD.