

**AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20  
SUNSCREEN IVORY- titanium dioxide and zinc oxide cream  
AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20  
SUNSCREEN LIGHT- titanium dioxide and zinc oxide cream  
AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20  
SUNSCREEN LIGHT-MEDIUM- titanium dioxide and zinc oxide cream  
AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20  
SUNSCREEN MEDIUM- titanium dioxide and zinc oxide cream  
AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20  
SUNSCREEN MEDIUM-TAN- titanium dioxide and zinc oxide cream  
AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20  
SUNSCREEN TAN- titanium dioxide and zinc oxide cream  
AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20  
SUNSCREEN TAN-DEEP- titanium dioxide and zinc oxide cream  
Mana Products, INC**

-----  
**Amazonian Clay BB Tinted Moisturizer Broad Spectrum SPF 20 Sunscreen**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Titanium Dioxide 5%	Sunscreen
Zinc Oxide 5%	Sunscreen

**Uses**

- helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Stop use and ask doctor if rash occurs

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours

- Children under 6 months: Ask a doctor
- Optional: apply to all skin exposed to the sun
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

### **Other information**

- Protect the product in this container from excessive heat and direct sunlight
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

### **Inactive ingredients**

Water, cyclopentasiloxane, PEG/PPG-18/18 dimethicone, octyldodecyl neopentanoate, glycerin, dimethicone, aluminum hydroxide, stearic acid, phenoxyethanol, mica, boron nitride, sodium dehydroacetate, caprylyl glycol, sodium chloride, phytantriol, kaolin, magnesium ascorbyl phosphate, palmitic acid, dextrin palmitate, sodium hyaluronate, hexylene glycol, retinyl palmitate, tocopheryl acetate, tocopherol, tetrahexyldecyl ascorbate, methicone, butylene glycol, triethoxycaprylylsilane, calcium sodium phosphosilicate, saccharum officinarum (sugar cane) extract, pyrus malus (apple) fruit extract, citrus limon (lemon) fruit extract, citrus aurantium dulcis (orange) fruit extract, camellia oleifera leaf extract, panax ginseng root extract, ginkgo biloba leaf extract, anthemis nobilis flower extract, iron oxides.

Dist. by tarte™, Inc. New York, NY 10018.

### **PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - ivory**

tarte

high-performance naturals™


Amazonian clay

BB tinted moisturizer

Broad Spectrum

SPF 20 Sunscreen

net 50 mL / 1.7 Fl. Oz.



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - light**

tarte  
high-performance naturals™

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 5.00%	Sunscreen
Zinc Oxide 5.00%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

**Inactive Ingredients**

Water, cyclopentasiloxane, octyldodecyl neopentanoate, glycerin, PEG/PPG-18/18 dimethicone, dimethicone, aluminum hydroxide, stearic acid, triethoxycaprylylsilane, saccharum officinarum (sugarcane) extract, pyrus malus (apple) fruit extract, citrus limon (lemon) fruit extract, citrus aurantium dulcis (orange) fruit extract, camellia sinensis leaf extract, panax

**Drug Facts (continued)**

ginseng root extract, ginkgo biloba leaf extract, chamomilla recutita (matricaria) flower extract, kaolin, phytantriol, magnesium ascorbyl phosphate, retinyl palmitate, tocopheryl acetate, tocopherol, tetrahexyldecyl ascorbate, butylene glycol, methicone, octyldodecanol, boron nitride, palmitic acid, dextrin palmitate, sodium hyaluronate, sodium chloride, sodium dehydroacetate, hexylene glycol, caprylyl glycol, phenoxyethanol, mica, iron oxides. MX100FP000151.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

#claypowered

@tartecosmetics

www.tarte.com

ivory

tarte

high-performance naturals™

Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen


net 50 mL / 1.7 Fl. Oz.



FG00231-02



Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen  
net 50 mL / 1.7 Fl. Oz.



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - light-medium**

tarte  
high-performance naturals™

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 5.00%.....	Sunscreen
Zinc Oxide 5.00%.....	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

**Inactive Ingredients**

Water, cyclopentasiloxane, octyldodecyl neopentanoate, glycerin, PEG/PPG-18/18 dimethicone, dimethicone, aluminum hydroxide, stearic acid, triethoxycaprylylsilane, saccharum officinarum (sugarcane) extract, pyrus malus (apple) fruit extract, citrus limon (lemon) fruit extract, citrus aurantium dulcis (orange) fruit extract, camellia sinensis leaf extract, panax

**Drug Facts (continued)**

ginseng root extract, ginkgo biloba leaf extract, chamomilla recutita (matricaria) flower extract, kaolin, phytantriol, magnesium ascorbyl phosphate, retinyl palmitate, tocopheryl acetate, tocopherol, tetrahexyldecyl ascorbate, butylene glycol, methicone, octyldodecanol, boron nitride, palmitic acid, dextrin palmitate, sodium hyaluronate, sodium chloride, sodium dehydroacetate, hexylene glycol, caprylyl glycol, phenoxyethanol, mica, iron oxides. MX100FP000171.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

#claypowered

@tartecosmetics

www.tarte.com

light

tarte  
high-performance naturals™

Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen


net 50 mL / 1.7 Fl. Oz.



F600233-02



Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen  
net 50 mL / 1.7 Fl. Oz.



light-medium

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 5.00%	Sunscreen
Zinc Oxide 5.00%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

**Inactive Ingredients**

Water, cyclopentasiloxane, octyldodecyl neopentanoate, glycerin, PEG/PPG-18/18 dimethicone, dimethicone, aluminum hydroxide, stearic acid, triethoxycaprylylsilane, saccharum officinarum (sugarcane) extract, pyrus malus (apple) fruit extract, citrus limon (lemon) fruit extract, citrus aurantium dulcis (orange) fruit extract, camellia sinensis leaf extract, panax

**Drug Facts (continued)**

ginseng root extract, ginkgo biloba leaf extract, chamomilla recutita (matricaria) flower extract, kaolin, phytantriol, magnesium ascorbyl phosphate, retinyl palmitate, tocopheryl acetate, tocopherol, tetrahexyldecyl ascorbate, butylene glycol, methicone, octyldodecanol, boron nitride, palmitic acid, dextrin palmitate, sodium hyaluronate, sodium chloride, sodium dehydroacetate, hexylene glycol, caprylyl glycol, phenoxyethanol, mica, iron oxides. MX100FP000161.

tarte

high-performance naturals™

Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen

net 50 mL / 1.7 Fl. Oz.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

#claypowered

@tartecosmetics

www.tarte.com



FG00232-02




**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - medium**

tarte  
high-performance naturals™

Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen  
net 50 mL / 1.7 Fl. Oz.





medium

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 5.00%.....	Sunscreen
Zinc Oxide 5.00%.....	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

**Inactive Ingredients**

Water, cyclopentasiloxane, octyldodecyl neopentanoate, glycerin, PEG/PPG-18/18 dimethicone, dimethicone, aluminum hydroxide, stearic acid, triethoxycaprylylsilane, saccharum officinarum (sugarcane) extract, pyrus malus (apple) fruit extract, citrus limon (lemon) fruit extract, citrus aurantium dulcis (orange) fruit extract, camellia sinensis leaf extract, panax

**Drug Facts (continued)**

ginseng root extract, ginkgo biloba leaf extract, chamomilla recutita (matricaria) flower extract, kaolin, phytantriol, magnesium ascorbyl phosphate, retinyl palmitate, tocopheryl acetate, tocopherol, tetrahexyldecyl ascorbate, butylene glycol, methicone, octyldodecanol, boron nitride, palmitic acid, dextrin palmitate, sodium hyaluronate, sodium chloride, sodium dehydroacetate, hexylene glycol, caprylyl glycol, phenoxyethanol, mica, iron oxides. MX100FP000181.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

tarte

high-performance naturals™

Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen

#claypowered

@tartecosmetics

www.tarte.com

net 50 mL / 1.7 Fl. Oz.


FG000234-02



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - medium-tan**

tarte  
high-performance naturals™

Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen  
net 50 mL / 1.7 Fl. Oz.



medium-tan

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 5.00%	Sunscreen
Zinc Oxide 5.00%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

**Inactive Ingredients**

Water, cyclopentasiloxane, octyldodecyl neopentanoate, glycerin, PEG/PPG-18/18 dimethicone, dimethicone, aluminum hydroxide, stearic acid, triethoxycaprylylsilane, saccharum officinarum (sugarcane) extract, pyrus malus (apple) fruit extract, citrus limon (lemon) fruit extract, citrus aurantium dulcis (orange) fruit extract, camellia sinensis leaf extract, panax

**Drug Facts (continued)**

ginseng root extract, ginkgo biloba leaf extract, chamomilla recutita (matricaria) flower extract, kaolin, phytantriol, magnesium ascorbyl phosphate, retinyl palmitate, tocopheryl acetate, tocopherol, tetrahexyldecyl ascorbate, butylene glycol, methicone, octyldodecanol, boron nitride, palmitic acid, dextrin palmitate, sodium hyaluronate, sodium chloride, sodium dehydroacetate, hexylene glycol, caprylyl glycol, phenoxyethanol, mica, iron oxides. MX100FP000191.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

#claypowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen

net 50 mL / 1.7 Fl. Oz.




FG00236-02



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - tan**

tarte  
high-performance naturals™

Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen  
net 50 mL / 1.7 Fl. Oz.



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - tan-deep**

tarte  
high-performance naturals™

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 5.00%.....	Sunscreen
Zinc Oxide 5.00%.....	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

**Inactive Ingredients**

Water, cyclopentasiloxane, octyldodecyl neopentanoate, glycerin, PEG/PPG-18/18 dimethicone, dimethicone, aluminum hydroxide, stearic acid, triethoxycaprylylsilane, saccharum officinarum (sugarcane) extract, pyrus malus (apple) fruit extract, citrus limon (lemon) fruit extract, citrus aurantium dulcis (orange) fruit extract, camellia sinensis leaf extract, panax

**Drug Facts (continued)**

ginseng root extract, ginkgo biloba leaf extract, chamomilla recutita (matricaria) flower extract, kaolin, phytantriol, magnesium ascorbyl phosphate, retinyl palmitate, tocopheryl acetate, tocopherol, tetrahexyldecyl ascorbate, butylene glycol, methicone, octyldodecanol, boron nitride, palmitic acid, dextrin palmitate, sodium hyaluronate, sodium chloride, sodium dehydroacetate, hexylene glycol, caprylyl glycol, phenoxyethanol, mica, iron oxides. MX100FP00201.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

#claypowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen

net 50 mL / 1.7 FL. Oz.



FG00237-02



Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen  
net 50 mL / 1.7 Fl. Oz.

tan-deep

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 5.00%.....	Sunscreen
Zinc Oxide 5.00%.....	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

**Inactive Ingredients**

Water, cyclopentasiloxane, PEG/PPG-18/18 dimethicone, octyldodecyl neopentanoate, glycerin, dimethicone, aluminum hydroxide, stearic acid, phenoxyethanol, mica, boron nitride, sodium dehydroacetate, caprylyl glycol, sodium chloride, phytantriol, kaolin, magnesium ascorbyl phosphate, palmitic acid, dextrin palmitate, sodium hyaluronate, hexylene glycol, retinyl palmitate,

**Drug Facts (continued)**

tocopherol acetate, tocopherol, tetrahexyldecyl ascorbate, methicone, butylene glycol, triethoxycaprylylsilane, calcium sodium phosphosilicate, saccharum officinarum (sugar cane) extract, pyrus malus (apple) fruit extract, citrus limon (lemon) fruit extract, citrus aurantium dulcis (orange) fruit extract, camellia oleifera leaf extract, panax ginseng root extract, ginkgo biloba leaf extract, anthemis nobilis flower extract, iron oxides.

tarte

high-performance naturals™

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

Amazonian clay  
BB tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen

#claypowered

@tartecosmetics

www.tarte.com

net 50 mL / 1.7 FL. Oz.



FG00238-01



**AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN IVORY**

titanium dioxide and zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59735-900
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHYTANTRIOL</b> (UNII: 8LVI07A72W)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SUGARCANE</b> (UNII: 81H2R5AOH3)	
<b>APPLE</b> (UNII: B423VGH5S9)	
<b>LEMON</b> (UNII: 24RS0A988O)	
<b>ORANGE</b> (UNII: 5EVU04N5QU)	
<b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077EL0C60)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>GINKGO</b> (UNII: 19FUJ2C58T)	
<b>CHAMAEMELUM NOBILE FLOWER</b> (UNII: O2T154T6OG)	



## Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59735-900-02	1 in 1 CARTON	05/01/2004	
1	NDC:59735-900-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2004	

# AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN LIGHT

titanium dioxide and zinc oxide cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59735-901
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHYTANTRIOL</b> (UNII: 8LVI07A72W)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	

<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>MICA</b> (UNII: V8A1AW0880)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SUGARCANE</b> (UNII: 81H2R5AOH3)
<b>APPLE</b> (UNII: B423VGH5S9)
<b>LEMON</b> (UNII: 24RS0A9880)
<b>ORANGE</b> (UNII: 5EVU04N5QU)
<b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077EL0C60)
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)
<b>GINKGO</b> (UNII: 19FUJ2C58T)
<b>CHAMAEMELUM NOBILE FLOWER</b> (UNII: O2T154T6OG)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59735-901-02	1 in 1 CARTON	05/01/2004	
1	NDC:59735-901-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2004	

# AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN LIGHT-MEDIUM

titanium dioxide and zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59735-902
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHYTANTRIOL</b> (UNII: 8LVI07A72W)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SUGARCANE</b> (UNII: 81H2R5AOH3)	
<b>APPLE</b> (UNII: B423VGH5S9)	
<b>LEMON</b> (UNII: 24RS0A9880)	
<b>ORANGE</b> (UNII: 5EVU04N5QU)	
<b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077ELOC60)	

ASIAN GINSENG (UNII: CUQ3A77YXI)

GINKGO (UNII: 19FUJ2C58T)

CHAMAEMELUM NOBILE FLOWER (UNII: O2T154T6OG)

### Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59735-902-02	1 in 1 CARTON	05/01/2004	
1	NDC:59735-902-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2004	

## AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM

titanium dioxide and zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59735-903
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	

<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>MICA</b> (UNII: V8A1AW0880)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>PHYTANTRIOL</b> (UNII: 8LVI07A72W)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SUGARCANE</b> (UNII: 81H2R5AOH3)
<b>APPLE</b> (UNII: B423VGH5S9)
<b>LEMON</b> (UNII: 24RS0A988O)
<b>ORANGE</b> (UNII: 5EVU04N5QU)
<b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077EL0C60)
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)
<b>GINKGO</b> (UNII: 19FUJ2C58T)
<b>CHAMAEMELUM NOBILE FLOWER</b> (UNII: O2T154T6OG)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59735-903-02	1 in 1 CARTON	05/01/2004	
1	NDC:59735-903-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2004	

## AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM-TAN

titanium dioxide and zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59735-904
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHYTANTRIOL</b> (UNII: 8LVI07A72W)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	

<b>SUGARCANE</b> (UNII: 81H2R5AOH3)
<b>APPLE</b> (UNII: B423VGH5S9)
<b>LEMON</b> (UNII: 24RS0A988O)
<b>ORANGE</b> (UNII: 5EVU04N5QU)
<b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077EL0C60)
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)
<b>GINKGO</b> (UNII: 19FUJ2C58T)
<b>CHAMAEMELUM NOBILE FLOWER</b> (UNII: O2T154T6OG)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59735-904-02	1 in 1 CARTON	05/01/2004	
1	NDC:59735-904-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2004	

## AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN TAN

titanium dioxide and zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59735-905
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHYTANTRIOL</b> (UNII: 8LVI07A72W)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SUGARCANE</b> (UNII: 81H2R5AOH3)	
<b>APPLE</b> (UNII: B423VGH5S9)	
<b>LEMON</b> (UNII: 24RS0A988O)	
<b>ORANGE</b> (UNII: 5EVU04N5QU)	
<b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077ELOC60)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>GINKGO</b> (UNII: 19FUJ2C58T)	
<b>CHAMAEMELUM NOBILE FLOWER</b> (UNII: O2T154T6OG)	

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59735-905-02	1 in 1 CARTON	05/01/2004	
1	NDC:59735-905-	50 mL in 1 TUBE; Type 0: Not a Combination		



01	Product		
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2004	

## AMAZONIAN CLAY BB TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN TAN-DEEP

titanium dioxide and zinc oxide cream

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59735-920
Route of Administration	TOPICAL		

<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 mL	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50 mg in 1 mL	

<b>Inactive Ingredients</b>	
Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHYTANTRIOL</b> (UNII: 8LVI07A72W)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	

<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SUGARCANE</b> (UNII: 81H2R5AOH3)
<b>APPLE</b> (UNII: B423VGH5S9)
<b>LEMON</b> (UNII: 24RS0A988O)
<b>ORANGE</b> (UNII: 5EVU04N5QU)
<b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077ELOC60)
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)
<b>GINKGO</b> (UNII: 19FUJ2C58T)
<b>CHAMAEMELUM NOBILE FLOWER</b> (UNII: O2T154T6OG)

Product Characteristics			
<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59735-920-02	1 in 1 CARTON	05/01/2004	
1	NDC:59735-920-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2004	

**Labeler** - Mana Products, INC (078870292)

Establishment			
Name	Address	ID/FEI	Business Operations
MANA PRODUCTS, INC.		078870292	manufacture(59735-900, 59735-901, 59735-902, 59735-903, 59735-904, 59735-905, 59735-920)

Establishment			
Name	Address	ID/FEI	Business Operations
MANA Products,INC		032870270	manufacture(59735-901, 59735-900, 59735-902, 59735-903, 59735-904, 59735-905, 59735-920)

