

**MEIJER EXTRA STRENGTH PAIN RELIEF PM CAPLET- acetaminophen,
diphenhydramine hydrochloride tablet
Meijer, Inc.**

meijer EXTRA STRENGTH Pain Relief PM Caplet

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

Purpose

Pain reliever
Nighttime sleep aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland • glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur • avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present • new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets at bedtime• do not take more than 2 caplets of this product in 24 hours
children under 12 years	do not use

Other information

- store at room temperature 20°-25°C (68°-77°F)
- protect from light, heat and moisture

Inactive ingredients

croscarmellose sodium, FD&C blue no.1 aluminum lake, FD&C blue no. 2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, purified water, silicon dioxide, sodium starch glycolate, starch corn, talc, titanium dioxide

Questions or comments?

1-888-577-8033 Monday - Friday 8am - 4pm EST

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

READ AND KEEP OUTER CARTON FOR COMPLETE PRODUCT WARNINGS AND INFORMATION

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Kenvue, Inc., owner of the registered trademark Tylenol®.

**DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
WWW.MEIJER.COM**

PRODUCT OF INDIA

Packaging

PACKAGE -50 CAPLETS

DRUG FACTS

Drug Facts (continued)

Stop use and ask a doctor if:

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days.
- fever gets worse or lasts more than 3 days.
- you get worse or have more than 3 days of drowsiness.

These could be signs of a serious condition.

Warnings: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Directions: Take 1 or 2 caplets every 6 hours as needed (see active ingredients) for pain relief. Do not take more than 2 caplets in 24 hours. Do not take this product for more than 10 days.

Other information:

- Store at room temperature between 20°-25°C (68°-77°F).
- Keep out of reach of children.
- Do not use if you have had an allergic reaction to this product or any of its ingredients.

Inactive ingredients: acetaminophen sodium, FD&C blue no. 2, aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, purified water, silicon dioxide, sodium starch glycolate, starch corn, talc, titanium dioxide.

Questions or comments?

1-888-577-8833 Monday - Friday 8am - 4pm EST

Drug Facts (in each caplet)

Active ingredients: Acetaminophen 500 mg, Diphenhydramine HCl 25 mg

Purpose: Pain reliever, Nighttime sleep aid

Uses: Temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

Warnings: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Directions: Take 1 or 2 caplets every 6 hours as needed (see active ingredients) for pain relief. Do not take more than 2 caplets in 24 hours. Do not take this product for more than 10 days.

Other information:

- Store at room temperature between 20°-25°C (68°-77°F).
- Keep out of reach of children.
- Do not use if you have had an allergic reaction to this product or any of its ingredients.

Inactive ingredients: acetaminophen sodium, FD&C blue no. 2, aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, purified water, silicon dioxide, sodium starch glycolate, starch corn, talc, titanium dioxide.

Questions or comments?

1-888-577-8833 Monday - Friday 8am - 4pm EST

Drug Facts (continued)

Stop use and ask a doctor if:

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days.
- fever gets worse or lasts more than 3 days.
- you get worse or have more than 3 days of drowsiness.

These could be signs of a serious condition.

Warnings: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Directions: Take 1 or 2 caplets every 6 hours as needed (see active ingredients) for pain relief. Do not take more than 2 caplets in 24 hours. Do not take this product for more than 10 days.

Other information:

- Store at room temperature between 20°-25°C (68°-77°F).
- Keep out of reach of children.
- Do not use if you have had an allergic reaction to this product or any of its ingredients.

Inactive ingredients: acetaminophen sodium, FD&C blue no. 2, aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, purified water, silicon dioxide, sodium starch glycolate, starch corn, talc, titanium dioxide.

Questions or comments?

1-888-577-8833 Monday - Friday 8am - 4pm EST

Drug Facts (in each caplet)

Active ingredients: Acetaminophen 500 mg, Diphenhydramine HCl 25 mg

Purpose: Pain reliever, Nighttime sleep aid

Uses: Temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

Warnings: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Directions: Take 1 or 2 caplets every 6 hours as needed (see active ingredients) for pain relief. Do not take more than 2 caplets in 24 hours. Do not take this product for more than 10 days.

Other information:

- Store at room temperature between 20°-25°C (68°-77°F).
- Keep out of reach of children.
- Do not use if you have had an allergic reaction to this product or any of its ingredients.

Inactive ingredients: acetaminophen sodium, FD&C blue no. 2, aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, purified water, silicon dioxide, sodium starch glycolate, starch corn, talc, titanium dioxide.

Questions or comments?

1-888-577-8833 Monday - Friday 8am - 4pm EST

PACKAGE - TWIN PACK 2X100ct

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

50 CAPLETS

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

50 CAPLETS

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

50 CAPLETS

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

50 CAPLETS

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

100 CAPLETS

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

100 CAPLETS

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

100 CAPLETS

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

100 CAPLETS

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

100 CAPLETS

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

100 CAPLETS

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

100 CAPLETS

meijer.

EXTRA STRENGTH Pain Relief PM

PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg, Diphenhydramine HCl 25mg

Actual Size

COMPARE TO TYLENOL® PM EXTRA STRENGTH ACTIVE INGREDIENTS*

100 CAPLETS

PACKAGE - 24 CAPLETS

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

meijer.
EXTRA STRENGTH
Pain Relief PM
PAIN RELIEVER/NIGHTTIME SLEEP AID

Acetaminophen 500mg,
Diphenhydramine HCl 25mg

MEIJER EXTRA STRENGTH PAIN RELIEF PM CAPLET

acetaminophen, diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0149
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)			ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)			DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
Inactive Ingredients				
Ingredient Name				Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)				
FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM STEARATE (UNII: 70097M6I3O)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
WATER (UNII: 059QF0KO0R)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)				
STARCH, CORN (UNII: O8232NY3SJ)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Product Characteristics				
Color	blue	Score	no score	
Shape	OVAL	Size	18mm	
Flavor		Imprint Code	S149	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0149-5	1 in 1 CARTON	06/27/2024	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:79481-0149-1	1 in 1 CARTON	06/27/2024	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:79481-0149-2	2 in 1 CARTON	06/27/2024	
3		100 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:79481-0149-3	1 in 1 CARTON	02/17/2025	
4		24 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/27/2024	

Labeler - Meijer, Inc. (006959555)

Revised: 2/2025

Meijer, Inc.