

**YOUTH CELL DAY CREAM BROAD SPECTRUM SPF-15 SUNSCREEN (50 ML)- spf 15
cream cream**

Illuminage Beauty, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Illuminage

POND'S INSTITUTE

YOUTH CELL

DAY CREAM

BROAD SPECTRUM

SPF 15 SUNSCREEN

50 ml e 1.7 FL. OZ

iluminage
POND'S INSTITUTE



**YOUTH CELL
DAY CREAM
BROAD SPECTRUM
SPF 15 SUNSCREEN**
50 ml e 1.7 FL. OZ.

GO UNDERCOVER IN BROAD DAYLIGHT
After 10 years of genomics research, the Pond's Institute scientists have decoded youth DNA Pathways responsible for the self-renewing Power of epidermal stem cells. This potent 24-hr hydrating cream contains patented Survixyl™ and CLA to help enhance skin's natural cell renewal and diminish the visible signs of aging. Plus, this protective cream formulated with board spectrum UVA/UVB filters and vitamin E, helps shield skin from environmental aggressors such as the sun

and free radicals, What do you see? A visible reduction in the appearance of fine lines and wrinkles, a smoother texture and a more even, radiant skin tone. Apply after using the SKIN SMOOTHING LASER™ to give skin added protection.

DERMATOLOGIST TESTED

ADVANCE TECHNOLOGIES

-SURVIXYL™, “The youth cell bodyguard: Helps support skin’s natural ability to defend itself against stress and visible signs of aging.

-CLA, “The anti-aging power house”: works within deepest surface layers to boost skin’s natural cell renewal.

PROVEN TO CHANGE THE WAY

YOU SEE YOUR SKIN*

-90% of women noticed a smoother skin Texture.

-73% of women saw a reduction in the appearance of fine lines and wrinkles

-85% of women saw an enhancement in skin’s natural radiance

*Consumer in-use test on 119 volunteers (results after 4 weeks).

Made in USA

Distributed by Illuminage™, inc.

243 5th Avenue, Suite #110

New York, NY 10016

Illuminagebeauty.com

1103100 1-855-myiluminage (694-5864)

GO UNDERCOVER IN BROAD DAYLIGHT

After 10 years of genomics research, the Pond's Institute scientists have decoded youth DNA pathways responsible for the self-renewing power of epidermal stem cells. This potent 24-hr hydrating cream contains patented Survixyl™ and CLA to help enhance skin's natural cell renewal and diminish the visible signs of aging. Plus, this protective cream, formulated with broad spectrum UVA/UVB filters and vitamin E, helps shield skin from environmental aggressors such as the sun and free radicals. What do you see? A visible reduction in the appearance of fine lines and wrinkles, a smoother texture and a more even, radiant skin tone. Apply after using the SKIN SMOOTHING LASER™ to give skin added protection.

DERMATOLOGICALLY TESTED

ADVANCED TECHNOLOGIES

- **SURVIXYL™**, "The youth cell bodyguard": helps support skin's natural ability to defend itself against stress and visible signs of aging.
- **CLA**, "The anti-aging powerhouse": works within deepest surface layers to boost skin's natural cell renewal.

PROVEN TO CHANGE THE WAY

YOU SEE YOUR SKIN*

- 90% of women noticed a smoother skin texture
- 73% of women saw a reduction in the appearance of fine lines and wrinkles
- 85% of women saw an enhancement in skin's natural radiance

* Consumer in-use test on 119 volunteers (results after 4 weeks).



1103100

Made in USA

Distributed by iluminage™, inc.
243 5th Avenue, Suite #110
New York, NY 10016

iluminagebeauty.com

1-855-myiluminage (694-5864)

Drug Facts

Active ingredients

Avobenzone 3%

Octinoxate 6%

Octisalate 3%

Octocrylene 2.4%

Purpose

Sunscreen

Uses

-helps prevent sunburn

If used as directed with other sun protection measures (See Directions), decreases the risk of skin cancer and early skin aging cause by the sun.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed,

get medical help or contact a Poison

Control Center right away.

Directions

-apply generously and evenly to face

and neck 15 minutes before sun

exposure.

-reapply at least every 2 hours

-use a water resistant sunscreen if

swimming or sweating.

-children under 6 months of age. Ask a

doctor

-Sun Protection Measures, Spending time
in the sun increases your risk of skin cancer

and early skin aging. To decrease this risk,

regularly use a sunscreen with a Broad

Spectrum SPF value of 15 or higher and

other sun protection measures including:

-limit time in the sun, especially from

10 a.m. – 2 p.m.

-wear long-sleeved shirts, pants, hats,

and sunglasses.

Other information

-protect the product in this container

from excessive heat and direct sun

Drug Facts		
Active ingredients	Purpose	
Avobenzone 3% Octinoxate 6% Octisalate 3% Octocrylene 2.4%	} Sunscreen	
Uses		
<ul style="list-style-type: none"> • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun 		
Warnings		
For external use only		
Do not use on damaged or broken skin		
When using this product keep out of eyes. Rinse with water to remove.		
Stop use and ask a doctor if rash occurs		
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		
Directions		
<ul style="list-style-type: none"> • apply generously and evenly to face and neck 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • children under 6 months of age: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> • limit time in the sun, especially from 10a.m. - 2p.m. • wear long-sleeved shirts, pants, hats, and sunglasses 		
Other information		
<ul style="list-style-type: none"> • protect the product in this container from excessive heat and direct sun 		

Drug Facts (continued)

Inactive ingredients

Water/Aqua, Cyclopentasiloxane, Niacinamide, Glycerin, Cetearyl Alcohol, Dimethicone, PEG-100 Stearate, Poly-Methylsilsequixane, Isomerized Linoleic Acid, Tocopheryl Acetate, Cholesterol, Stearic Acid, Caprylic/Capric Triglyceride, Pentapeptide-31, Ammonium Acryloyldimethyltaurate/Beheneth-25 Methylacrylate Crosspolymer, Tocopherol, Behenyl Alcho, Palmitic Acid, Linoleic Acid, Oleic Acid, Ceteareth-20, Butylene

Glycol, Cetyl Alcohol, Stearyl Alcohol, Arachidyl Alcohol, Ammonium Lactate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Isohexadecane, Poly-Methyl Methacrylate, Sodium Polyacryloyldimethyl Taurate, Ethylene/Acrylic Acid Copolymer, Poloxamer 338, Silica, Hydrogenated Polydecene, Trideceth-10, Dimethiconol, Calcium Aluminum Borosilicate, Methylisothiazolinone, Caprylyl Glycol, Fragrance, Acetamide MEA, Polyglycerin-3, BHT, Phenoxyethanol, Propylene Glycol, Sodium Benzoate, Citric Acid, Disodium EDTA, Limonene, Linalool, tin Oxide. Titanium Dioxide (CI 77891).

THE BEAUTY OF SMART™

Award-winning scientists at the Pond's Institute have collaborated with a team of luminaries in the field of dermatology to break the boundaries of skincare. For the first time, science, technology and complete interactivity join forces to create a skincare system so effective it's the last one you'll ever need.

THE ILUMINAGE™ SKIN CLINIC

Get smart. Visit the Iluminage™ Skin Clinic for A complete interactive experience. Access Iluminage™ Skin Specialists in person, online, Or by phone. Plus, maintain your own personal Progress page online and on-the-go. Join Our skincare community, participate in the conversation and see the light at iluminagebeauty.com

Drug Facts (continued)

Inactive ingredients

Water/Aqua, Cyclopentasiloxane, Niacinamide, Glycerin, Cetearyl Alcohol, Dimethicone, PEG-100 Stearate, Polymethylsilsesquioxane, Isomerized Linoleic Acid, Tocopheryl Acetate, Cholesterol, Stearic Acid, Caprylic/Capric Triglyceride, Pentapeptide-31, Mica, Chondrus Crispus Extract, Cyclohexasiloxane, Ammonium Acryloyldimethyltaurate/Beheneth-25 Methacrylate Crosspolymer, Tocopherol, Behenyl Alcohol, Palmitic Acid, Linoleic Acid, Oleic Acid, Cetareth-20, Butylene Glycol, Cetyl Alcohol, Stearyl Alcohol, Arachidyl Alcohol, Ammonium Lactate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Isohexadecane, Polymethyl Methacrylate, Sodium Polyacryloyldimethyl Taurate, Ethylene/Acrylic Acid Copolymer, Poloxamer 338, Silica, Hydrogenated Polydecene, Trideceth-10, Dimethiconol, Calcium Aluminum Borosilicate, Methylisothiazolinone, Caprylyl Glycol, Fragrance, Acetamide MEA, Polyglycerin-3, BHT, Phenoxyethanol, Propylene Glycol, Sodium Benzoate, t-Butyl Alcohol, Sodium Dehydroacetate, Citric Acid, Disodium EDTA, Limonene, Linalool, Tin Oxide, Titanium Dioxide (CI 77891).

THE BEAUTY OF SMART™

Award-winning scientists at the Pond's Institute have collaborated with a team of luminaries in the field of dermatology to break the boundaries of skincare. For the first time, science, technology and complete interactivity join forces to create a skincare system so effective it's the last one you'll ever need.

THE ILLUMINAGE™ SKIN CLINIC

Get smart. Visit the illumina™ Skin Clinic for a complete interactive experience. Access illumina™ Skin Specialists in person, online, or by phone. Plus, maintain your own personal progress page online and on-the-go. Join our skincare community, participate in the conversation and see the light at illumina™beauty.com

Avobenzone 3%

Octinoxate 6%

Octisalate 3%

Octocrylene 2.4%

Sunscreen

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

-apply generously and evenly to face and neck 15 minutes before sun exposure.

-reapply at least every 2 hours

-use a water resistant sunscreen if swimming or sweating.

-children under 6 months of age. Ask a doctor

-Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

-limit time in the sun, especially from 10 a.m. – 2 p.m.

-wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Water/Aqua, Cyclopentasiloxane, Niacinamide, Glycerin, Cetearyl Alcohol, Dimethicone, PEG-100 Stearate, Poly-Methylsilsesquixane, Isomerized Linoleic Acid, Tocopheryl Acetate, Cholesterol, Stearic Acid, Caprylic/Capric Triglyceride, Pentapeptide-31, Ammonium Acryloyldimethyltaurate/Beheneth-25

Methylacrylate Crosspolymer, Tocopherol, Behenyl Alcohol, Palmitic Acid, Linoleic Acid, Oleic Acid, Cetareth-20, Butylene Glycol, Cetyl Alcohol, Stearyl Alcohol, Arachidyl Alcohol, Ammonium Lactate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Isohexadecane, Poly-methyl Methacrylate, Sodium Polyacryloyldimethyl Taurate, Ethylene/Acrylic Acid Copolymer, Poloxamer 338, Silica, Hydrogenated Polydecene, Trideceth-10, Dimethiconol, Calcium Aluminum Borosilicate, Methylisothiazolinone, Caprylyl Glycol, Fragrance, Acetamide MEA, Polyglycerin-3, BHT, Phenoxyethanol, Propylene Glycol, Sodium Benzoate, Citric Acid, Disodium EDTA, Limonene, Linalool, tin Oxide. Titanium Dioxide (CI 77891).

YOUTH CELL DAY CREAM BROAD SPECTRUM SPF-15 SUNSCREEN (50 ML)

spf 15 cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69047-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	5.994 mg in 100 mL
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	3.000 mg in 100 mL
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	2.400 mg in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3.000 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ACETAMIDE (UNII: 8XOE1JSO29)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	

AMMONIUM LACTATE (UNII: 67M901L9NQ)	
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
DOCOSANOL (UNII: 9G1OE216XY)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CALCIUM ALUMINUM BORO SILICATE (UNII: 3JRB8A35M0)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
CHONDRUS CRISPUS (UNII: OQS23HUA1X)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CYCLOMETHICONE 5 (UNII: 0THI5PC10R)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROGENATED POLYDECENE (550 MW) (UNII: U333RI6EB7)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	
MICA (UNII: V8A1AW0880)	
NIACINAMIDE (UNII: 25X51I8RD4)	
OLEIC ACID (UNII: 2UM9U37CP)	
PALMITIC ACID (UNII: 2V16EO95H1)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLOXAMER 338 (UNII: F75JV2T505)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STEARYL ALCOHOL (UNII: 2KR89I4HIY)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIDECETH-10 (UNII: G624N6MSBA)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69047-001-02	1 in 1 BOX	10/16/2013	
1	NDC:69047-001-01	50 mL in 1 BOTTLE, PUMP		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	10/16/2013	

Labeler - Illuminage Beauty, Inc. (032551374)

Revised: 6/2014

Illuminage Beauty, Inc.