CHILDRENS ANTACID - calcium carbonate liquid CVS

Childrens Antacid Liquid

ACTIVE INGREDIENT (in each 5 mL)

Calcium carbonate 400 mg

PURPOSE

Antacid

USE(S)

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

WARNINGS

Do not take nore than 15 mL (age 2-5 yrs) or 30 mL (age 6-11 yrs) in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

ASK A DOCTOR OR PHARMACIST BEFORE USE IF THE CHILD IS

• presently taking a prescription drug. Antacids may interact with certain prescription drugs.

STOP USE AND ASK DOCTOR IF

symptoms lasts more than two weeks

KEEP THIS AND ALL DRUGS OUT OF REACH OF CHILDREN

.

DIRECTIONS

- shake well before use
- find the right dose on the chart below based on weight (preferred), otherwise use age.
- repeat dose as needed

- dosing cup provided
- mL=milliliter

Dosing Chart

Weight (lbs.)	Age	Dose
under 24	under 2 yrs.	ask a doctor
24-47	2-5 yrs.	5 mL
48-95	6-11 yrs.	10 mL

OTHER INFORMATION

- each 5 mL contains: calcium 161 mg
- store at controlled room temperature 20-25°C (68°F-77°F)

INACTIVE INGREDIENTS

benzyl alcohol, D&C yellow#10 dye, FD&C red#40 dye, flavors, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sorbitol, sucralose, xanthan gum.

PRINCIPAL DISPLAY PANEL

CVS

Health.

Compare to the active ingredient in pepto® kids*

Orange Cream NDC 51316-657-03 Children's Antacid Liquid

CALCIUM CARBONATE 400 mg

RELIEVES:

- Acid indigestion & heartburn
- Sour & upset Stomach due to these symptoms

Orange Cream 4 FL OZ (118 mL)

Drug Facts

Active ingredient (in each 5 mL)

Purpose

Calcium carbonate 400 mg.

Antacid

Uses relieves: ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach associated with these symptoms

Warnings

Do not take more than 15 mL (age 2-5 yrs) or 30 mL (age 6-11 yrs) in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

Ask a doctor or pharmacist before use if the child is presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than two weeks.

Keep this and all drugs out of the reach of children.

Health.

Compare to the active ingredient in Pepto® Kids*

Orange Cream

Children's

ntacid Liquid

CALCIUM CARBONATE 400 mg

- · Sour & upset stomach due



Orange Cream

4 FL OZ (118 mL)

PEEL HERE FOR CONTINUED DRUG FACTS

TAMPER EVIDENT: Do not use if imprinted shrinkband is missing or broken.

*This product is not manufactured or distributed by Procter & Gamble, Inc., the distributor of Pepto® Kids.

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2020 CVS/pharmacy CVS.com® 1-800-SHOP CVS



MFR# 53041 **REV 0920**

#963517

dosing cup provided

■ mL = milliliter

STOP PEELING HERE

odium citrate, sorbitol, sucralose, xanthan gum.

Other information = each 5mL contains: calcium store at controlled room temperature 20°C-25°C (68°F-77

48-95 Dosing Chart under 24 Weight (lbs.) 6-11 yrs. 2-5 yrs. under 2 yrs.

5 mL

10 mL

Dose

ask a doctor

on weight (preferred), shake well before use find the right Directions Facts (continued use dose on chart below

Inactive ingredients benzyl alcohol, D&C yellow #10 dye, FD&C red #40 dye, flavors, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, uose on chart below based ■ repeat dose as needed calcium 161 (68°F-77°F) ρm

CHILDRENS ANTACID

calcium carbonate liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51316-657

Route of Administration ORAL

Active Ingredient/Active Moiety

Basis of Ingredient Name Strength Strength CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION -CALCILINA CARRONIATE 400 mg

Inactive Ingredients		
Ingredient Name	Strength	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)		
BENZYL ALCOHOL (UNII: LKG8494WBH)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
HYDROXYETHYL CELLULOSE (2000 MPA.S AT 1%) (UNII: S38J6RZN16)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SORBITOL (UNII: 506T60A25R)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
XANTHAN GUM (UNII: TTV12P4NEE)		

Product Characteristics				
Color	ORANGE	Score		
Shape		Size		
Flavor	ORANGE	Imprint Code		
Contains				

l	Packaging				
	#	Item Code Package Description		Marketing Start Date	Marketing End Date
	1	NDC:51316-657- 03	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/15/2025	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M001	01/15/2025		

Labeler - CVS (062312574)

Establishment					
Name	Address	ID/FEI	Business Operations		
Guardian Drug Company		119210276	MANUFACTURE(51316-657)		

Revised: 1/2025 CVS