

MAKESENSE JUNIOR PAIN RELIEF- benzocaine gel
Cherry Hill Sales Co

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient

Benzocaine 7.5%

Purpose

Oral Pain Reliever

Uses

for the temporary relief of sore gums due to teething in children 2 years of age and older. For use in children under the age of 2, consult a physician or healthcare provider.

Warnings

Allergy alert: do not use this product if your baby has a history of allergy to local anesthetics such as procaine, butacaine or other "caine" anesthetics

Do not use

■ more than directed ■ for more than 7 days unless directed by a physician or healthcare provider

When using this product

■ fever and nasal congestion are not symptoms of teething and may indicate the presence of infection. If these symptoms persist, consult your physician

Stop use and ask a dentist or doctor if

■ sore mouth symptoms do not get better in 7 days ■ irritation, pain or redness does not go away ■ swelling, rash or fever develops

Keep out of reach of children

In case of overdose or allergic reaction get medical help or contact a Poison Control Center immediately.

Directions

■ wash hands ■ cut open tip of tube on score mark ■ use your fingertip or cotton applicator to apply a small pea-size amount of MakeSense Junior Teething Gel and spread over gums ■ apply to affected area up to 4 times daily or as directed by a dentist or physician ■ for infants under 2 years of age, ask a doctor or health care provider

Other information

■ store at 59 to 77F (15-25C) ■ do not use if tube tip is cut prior to opening

Inactive ingredients

Methylparaben, Mineral Oil, Ozocerite, Petrolatum, Propanediol, Propylparaben

Package Label



*Compare to the active ingredients of Oragel®

JUNIOR

Benzocaine 7.5%



INSTANT relief of teething pain

ORAL PAIN RELIEF GEL



JUNIOR

INSTANT relief of teething pain

ORAL PAIN RELIEF GEL



JUNIOR

Benzocaine 7.5%

ORAL PAIN RELIEF GEL

NET WT .5 OZ (14g)

INSTANT relief of teething pain

NDC# XXXXX-XXX-XX



JUNIOR ORAL PAIN RELIEF

GEL

Lot # : XXXXXX Exp : Date : XX/XX/XXXX

DISTRIBUTED BY Cherry Hill Associates® Chesapeake, VA 23320

QUESTIONS OR COMMENTS? CALL TOLL-FREE 1-855-397-6411

*This product is not manufactured or distributed by Del Laboratories Inc., owner of the trademark Oragel®

MADE IN CHINA



Inactive ingredients: Methyparaben, Mineral Oil, Ozocerite, Petrolatum, Propandiol, Propylparaben.

Other information: ■ store at 59° to 77° F (15° to 25° C) ■ do not use if tube tip is cut prior to opening

Directions: ■ wash hands ■ cut open tip of tube on score mark ■ use your fingertip or cotton swab to apply a pea-size amount of MakeSense Junior Teething Gel and spread over gums ■ apply to affected area up to 4 times daily as directed by a dentist or physician ■ for infants under 2 years of age, ask doctor or healthcare provider.

Keep out of reach of children. In cases of overdose or allergic reaction, get medical help or contact a Poison Control Center immediately.

Stop use and ask a dentist or doctor if ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness does not go away ■ swelling, rash or fever develops.

When using this product ■ fever and nasal congestion are not symptoms of teething and may indicate the presence of infection. If these symptoms persist, consult your physician.

Do not use ■ more than directed ■ for more than 7 days unless directed by a physician or healthcare provider

Warnings: ■ do not use this product if your child has a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

Uses for the temporary relief of sore gums due to teething in children 2 years of age and older. For use in children under the age of 2, consult a physician or healthcare provider.

Purpose: Oral Pain Reliever

Active ingredients: Benzocaine 7.5%

Drug Facts

JUNIOR ORAL PAIN RELIEF GEL



= 1 inch on artwork

MAKESENSE JUNIOR PAIN RELIEF

benzocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69020-206
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	7.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
CERESIN (UNII: Q1LS2UJO3A)	
PETROLATUM (UNII: 4T6H12BN9U)	
PROPANEDIOL (UNII: 5965N8W85T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69020-206-14	14 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	07/15/2014	

Labeler - Cherry Hill Sales Co (145959768)

Revised: 7/2014

Cherry Hill Sales Co